

اصناف او طرز الحيوانات او جنيرا

وعائلات التي يجب ان تكون في فلك نوح

Holy_bible_1

30/3/2019

الطيور هي 2301 جنيرا في 261 عائلة

Accipitriformes

Portrait of a bald eagle, showing its strongly hooked beak and the cere covering the base of the beak.

Eagles, Old World vultures, secretary-birds, hawks, harriers, etc

- **Family Accipitridae** – buzzards, eagles, harriers, hawks, kites, Old World vultures
 - Genus *Accipiter*
 - Genus *Aegypius*
 - Genus *Aquila*
 - Genus *Aviceda*
 - Genus *Busarellus*

- Genus *Butastur*
- Genus *Buteo* (probably paraphyletic, might include *Leucopternis* in part and *Parabuteo*)
- Genus *Buteogallus* (probably paraphyletic, might include *Leucopternis* in part)
- Genus *Chelictinia*
- Genus *Chondrohierax*
- Genus *Circaetus*
- Genus *Circus*
- Genus *Clanga*
- Genus *Cryptoleucopteryx* – plumbeous hawk
- Genus *Elanoides* – swallow-tailed kite
- Genus *Elanus*
- Genus *Erythrotriorchis*
- Genus *Eutriorchis* – Madagascan serpent eagle
- Genus *Gampsonyx* – pearl kite
- Genus *Geranoaetus*
- Genus *Geranospiza* – crane hawk
- Genus *Gypaetus* – bearded vulture
- Genus *Gypohierax* – palm-nut vulture
- Genus *Gyps*
- Genus *Haliaeetus* – sea eagles
- Genus *Haliastur*
- Genus *Hamirostra* – black-breasted buzzard
- Genus *Harpagus*
- Genus *Harpia* – harpy eagle
- Genus *Harpyhaliaetus*
- Genus *Harpyopsis* – Papuan eagle
- Genus *Helicolestes* – slender-billed kite, formerly included in *Rostrhamus*
- Genus *Henicopernis*
- Genus *Hieraaetus*
- Genus *Ictinaetus* – black eagle
- Genus *Ictinia*

- Genus *Kaupifalco* – lizard buzzard
- Genus *Leptodon*
- Genus *Leucopternis* (probably polyphyletic)
- Genus *Lophaetus* – long-crested eagle (possibly junior synonym of *Ictinaetus*)
- Genus *Lophoictinia* – square-tailed kite
- Genus *Lophotriorchis* – rufous-bellied eagle
- Genus *Macheiramphus* – bat hawk (was doubtfully placed, moved from *Perninae*)
- Genus *Megatriorchis* – Doria's goshawk
- Genus *Melierax*
- Genus *Micronisus* – Gabar goshawk
- Genus *Milvus*
- Genus *Morphnarchus* – barred hawk
- Genus *Morphnus* – crested eagle
- Genus *Necrosyrtes* – hooded vulture
- Genus *Neophron* – Egyptian vulture
- Genus *Nisaetus*
- Genus *Parabuteo*
- Genus *Pernis*
- Genus *Pithecophaga*
- Genus *Polemaetus*
- Genus *Polyboroides*
- Genus *Pseudastur*
- Genus *Rostrhamus* – snail kite
- Genus *Rupornis* – roadside hawk
- Genus *Sarcogyps* – red-headed vulture
- Genus *Spilornis*
- Genus *Spizaetus*
- Genus *Stephanoaetus*
- Genus *Terathopius* – bateleur
- Genus *Torgos* – lappet-faced vulture
- Genus *Trigonoceps* – white-headed vulture

- Genus *Urotriorchis* – long-tailed hawk
- **Family Cathartidae** – New World vultures
 - Genus *Cathartes*
 - Genus *Coragyps* – black vulture
 - Genus *Gymnogyps*
 - Genus *Sarcoramphus* – king vulture
 - Genus *Vultur* – Andean condor
- **Family Pandionidae** – osprey
 - Genus *Pandion*
- **Family Sagittariidae** – secretarybird
 - Genus *Sagittarius*

Anseriformes

Landing mallard drake

Waterfowl

- **Family Anhimidae** – screamers
 - Genus *Anhima* – horned screamer
 - Genus *Chauna*
- **Family Anatidae**
 - Genus *Aix* – Mandarin duck and wood duck – dabbling ducks or Tadorninae?
 - Genus *Alopochen* – Egyptian goose and Mascarene shelducks
 - Genus *Amazonetta* – Brazilian teal
 - Genus *Anas* – pintails, mallards, etc.
 - Genus *Anser* – grey geese
 - Genus *Aythya* – pochards, scaups, etc.
 - Genus *Biziura* – musk ducks
 - Genus *Branta* – black geese
 - Genus *Bucephala* – goldeneyes
 - Genus *Cairina* – Muscovy duck and white-winged duck (traditionally dabbling ducks, but may be paraphyletic)

- Genus *Callonetta* – ringed teal (dabbling ducks or Tadorninae?)
- Genus *Cereopsis* – Cape Barren goose (Anserinae, Tadorninae, or own subfamily?)
- Genus *Chen* – white geese
- Genus *Chenonetta* – maned duck (dabbling ducks or Tadorninae? Includes *Euryanas*.)
- Genus *Chloephaga* – sheldgoose
- Genus *Clangula* – long-tailed duck
- Genus *Coscoroba* – coscoroba swan (Anserinae or same subfamily as *Cereopsis*?)
- Genus *Cyanochen* – blue-winged goose (Tadorninae or more distant clade?)
- Genus *Cygnus* – true swans
- Genus *Dendrocygna* – whistling ducks
- Genus *Heteronetta* – black-headed duck
- Genus *Histrionicus* – harlequin duck (includes *Ocyplonessa*)
- Genus *Hymenolaimus* – blue duck
- Genus *Lophodytes* – hooded merganser
- Genus *Lophonetta* – crested duck
- Genus *Malacorhynchus* – pink-eared ducks (Tadorninae, Oxyurinae or Dendrocheninae?)
- Genus *Mareca* – wigeons and gadwalls
- Genus *Marmaronetta* – marbled duck
- Genus *Melanitta* – scoters
- Genus *Merganetta* – torrent duck
- Genus *Mergellus* – smew
- Genus *Mergus* – mergansers
- Genus *Neochen*
- Genus *Netta* – red-crested pochard and allies
- Genus *Nettapus* – pygmy geese
- Genus *Nomonyx* – masked duck
- Genus *Oxyura* – stiff-tailed ducks
- Genus *Plectropterus* – spur-winged goose

- Genus *Polysticta* – Steller's eider
- Genus *Pteronetta* – Hartlaub's duck
- Genus *Radjah* – Radjah shelduck
- Genus *Salvadorina* – Salvadori's teal
- Genus *Sarkidiornis* – comb duck (Tadorninae or closer to dabbling ducks?)
- Genus *Sibirionetta* – Baikal teal
- Genus *Somateria* – eiders
- Genus *Spatula* – shovelers
- Genus *Speculanas* – bronze-winged duck
- Genus *Stictonetta* – freckled duck
- Genus *Tachyeres* – steamer ducks (Tadorninae or closer to dabbling ducks?)
- Genus *Tadorna* – shelducks (possibly paraphyletic)
- Genus *Thalassornis* – white-backed duck
- **Family Anseranatidae**
 - Genus *Anseranas*

Apodiformes

Purple-throated carib feeding at a flower

Swifts, treeswifts and hummingbirds

- **Family Apodidae** – swifts
 - Genus *Aerodramus* sometimes included in *Collocalia*
 - Genus *Aeronautes*
 - Genus *Apus*
 - Genus *Chaetura*
 - Genus *Collocalia*
 - Genus *Cypseloides*
 - Genus *Cypsiurus*
 - Genus *Hirundapus*
 - Genus *Hydrochous* – giant swiftlet
 - Genus *Mearnsia*

- Genus *Neafrapus*
- Genus *Panyptila*
- Genus *Rhaphidura*
- Genus *Schoutedenapus* – African swiftlets
- Genus *Streptoprocne*
- Genus *Tachornis*
- Genus *Tachymarptis*
- Genus *Telacanthura*
- Genus *Zoonavena*
- **Family Hemiprocnidae** – treeswifts
 - Genus *Hemiprocne*
- **Family Trochilidae** – hummingbirds
 - Genus *Abeillia* – emerald-chinned hummingbird
 - Genus *Adelomyia* – speckled hummingbird
 - Genus *Aglaeactis* – sunbeams
 - Genus *Agelaiocercus* – sylphs
 - Genus *Amazilia* (includes *Agyrtria*)
 - Genus *Androdon* – tooth-billed hummingbird
 - Genus *Anopetia* – broad-tipped hermit
 - Genus *Anthocephala* – blossomcrowns
 - Genus *Anthracothonax* – mangos
 - Genus *Aphantochroa* – sombre hummingbird
 - Genus *Archilochus*
 - Genus *Atthis*
 - Genus *Augastes* – visorbearers
 - Genus *Avocettula* – fiery-tailed awlbill
 - Genus *Basilinna* (recently split from *Hylocharis*)
 - Genus *Boissonneaua* – coronets
 - Genus *Calliphlox* – *Calliphlox* woodstars
 - Genus *Calothorax* – *Calothorax* sheartails
 - Genus *Calypte*
 - Genus *Campylopterus* – sabrewings

- Genus *Chaetocercus* – *Chaetocercus* woodstars
- Genus *Chalcostigma* – *Chalcostigma* thornbills
- Genus *Chalybura* – plumeleteers
- Genus *Chlorestes* – blue-chinned sapphire
- Genus *Chlorostilbon* – typical emeralds
- Genus *Chrysolampis* – ruby-topaz hummingbird
- Genus *Chrysuronia* – golden-tailed sapphire
- Genus *Clytolaema* – Brazilian ruby
- Genus *Coeligena* – Incas and starfrontlets
- Genus *Colibri* – violet-ears
- Genus *Cyanophaia* – blue-headed hummingbird
- Genus *Cynanthus*
- Genus *Damophila* – violet-bellied hummingbird
- Genus *Discosura* – thornbills
- Genus *Doricha* – typical sheartails
- Genus *Doryfera* – lancebills
- Genus *Elvira* – elvira emeralds
- Genus *Ensifera* – sword-billed hummingbird
- Genus *Eriocnemis* – typical pufflegs
- Genus *Eugenes*
- Genus *Eulampis* – caribs
- Genus *Eulidia* – Chilean woodstar
- Genus *Eupetomena* – swallow-tailed hummingbird
- Genus *Eupherusa*
- Genus *Eutoxeres* – sicklebills
- Genus *Florisuga* – jacobins
- Genus *Glaucis*
- Genus *Goethalsia* – pirre hummingbird
- Genus *Goldmania* – violet-capped hummingbird
- Genus *Haplophaedia* – *Haplophaedia* pufflegs
- Genus *Heliactin* – horned sungem
- Genus *Heliangelus* – sunangels

- Genus *Heliodoxa* – brilliants
- Genus *Heliomaster* – starthroats
- Genus *Heliosthryx* – fairies
- Genus *Hylocharis* – typical sapphires
- Genus *Hylonympha* – scissor-tailed hummingbird
- Genus *Klais* – violet-headed hummingbird
- Genus *Lafresnaya* – mountain velvetbreast
- Genus *Lampornis* – typical mountaingems
- Genus *Lamprolaima* – garnet-throated hummingbird
- Genus *Lepidopyga*
- Genus *Lesbia* – trainbearers
- Genus *Leucippus*
- Genus *Leucochloris* – white-throated hummingbird
- Genus *Loddigesia* – marvelous spatuletail
- Genus *Lophornis* – coquettes
- Genus *Mellisuga*
- Genus *Metallura* – metaltails
- Genus *Microchera* – snowcap
- Genus *Microstilbon* – slender-tailed woodstar
- Genus *Myrmia* – short-tailed woodstar
- Genus *Myrtis* – purple-collared woodstar
- Genus *Ocreatus* – booted racket-tails
- Genus *Opisthoprora* – mountain avocetbill
- Genus *Oreonympha* – bearded mountaineer
- Genus *Oreotrochilus* – hillstars
- Genus *Orthorhyncus* – Antillean crested hummingbird
- Genus *Oxypogon* – bearded helmetcrests
- Genus *Panterpe* – fiery-throated hummingbird
- Genus *Patagona* – giant hummingbird
- Genus *Phaeochroa* – scaly-breasted hummingbird
- Genus *Phaethornis* – typical hermits
- Genus *Phlogophilus* – piedtails

- Genus *Polyonymus* – bronze-tailed comet
- Genus *Polytmus* – goldentthroats
- Genus *Pterophanes* – great sapphirewing
- Genus *Ramphodon* – saw-billed hermit
- Genus *Ramphomicron* – typical thornbills
- Genus *Rhodopis* – oasis hummingbird
- Genus *Sappho* – red-tailed comet
- Genus *Schistes* – wedgebills (sometimes included in *Augastes*)
- Genus *Selasphorus*
- Genus *Sephanoides* – firecrowns
- Genus *Stephanoxis* – plovercrests
- Genus *Sternoclyta* – violet-chested hummingbird
- Genus *Taphrolesbia* – grey-bellied comet
- Genus *Taphrospilus* – many-spotted hummingbird
- Genus *Thalurania* – woodnymphs
- Genus *Thaumastura* – Peruvian sheartail
- Genus *Threnetes* – barbthroats
- Genus *Tilmatura* – sparkling-tailed woodstar
- Genus *Topaza* – topazes
- Genus *Trochilus* – streamertails
- Genus *Urochroa* – white-tailed hillstar
- Genus *Urosticte* – whitetips

Apterygiformes

- **Family Apterygidae**

- Genus *Apteryx* – kiwi

Bucerotiformes

Hornbills, hoopoes, and wood-hoopoes

- **Family Bucerotidae**

- Genus *Aceros* – rufous-necked hornbill

- Genus *Anorrhinus* – brown hornbill
- Genus *Anthracoceros* – pied hornbill
- Genus *Berenicornis* – white-crowned hornbill (sometimes included in *Aceros*)
- Genus *Buceros*
- Genus *Bycanistes*
- Genus *Ceratogymna* – casqued hornbill
- Genus *Ocyceros* – grey hornbill
- Genus *Penelopides*
- Genus *Rhinoplax* – helmeted hornbill (sometimes included in *Buceros*)
- Genus *Rhyticeros* (sometimes included in *Aceros*)
- Genus *Tockus*
- Genus *Tropicranus* – white-crested hornbill (sometimes included in *Tockus*)
- **Family Bucorvidae**
 - Genus *Bucorvus* – ground hornbills
- **Family Phoeniculidae**
 - Genus *Phoeniculus* – wood hoopoes
 - Genus *Rhinopomastus* – scimitarbills
- **Family Upupidae**
 - Genus *Upupa* – hoopoes

Caprimulgiformes

Nightjars, nighthawks, potoos, oilbirds, frogmouths and owlet-nightjars

- **Family Aegothelidae** – owlet-nightjars
 - Genus *Aegotheles*
- **Family Caprimulgidae** – nightjars
 - Genus *Antrastomus*
 - Genus *Caprimulgus*
 - Genus *Chordeiles*
 - Genus *Eleothreptus*
 - Genus *Eurostopodus*
 - Genus *Gactornis* – collared nightjar

- Genus *Hydropsalis*
- Genus *Lurocalis*
- Genus *Lyncornis*
- Genus *Macropsalis* – long-trained nightjar
- Genus *Nyctidromus*
- Genus *Nyctiphrynus*
- Genus *Nyctipolus*
- Genus *Nyctiprogne*
- Genus *Phalaenoptilus* – common poorwill
- Genus *Setopagis*
- Genus *Siphonorhis*
- Genus *Systellura*
- Genus *Uropsalis*
- **Family Nyctibiidae** – potoos
 - Genus *Nyctibius*
- **Family Podargidae** – frogmouths
 - Genus *Batrachostomus*
 - Genus *Podargus*
 - Genus *Rigidipenna* – Solomons frogmouth
- **Family Steatornithidae** – oilbird
 - Genus *Steatornis*

Cariamiformes

- **Family Cariamidae** – seriemas
 - Genus *Cariama*
 - Genus *Chunga*

Casuariiformes

Casowaries and emus

- **Family Casuariidae**
 - Genus *Casuarus* – cassowary

- Genus *Dromaius* – emu

Cathartiformes

New World vultures

- **Family Cathartidae**

- Genus *Cathartes*
- Genus *Coragyps* – black vulture
- Genus *Gymnogyps*
- Genus *Sarcoramphus* – king vulture
- Genus *Vultur* – Andean condor

Charadriiformes

Plovers, crab plovers, lapwings, seagulls, puffins, auks, sandpipers, buttonquails, stilts, avocets, ibisbills, woodcocks, skuas, etc

- **Family Alcidae** – puffins, guillemots, murres, and allies

- Genus *Aethia* – auklets
- Genus *Alca* – razorbill
- Genus *Alle* – little auk
- Genus *Brachyramphus* – murrelets
- Genus *Cepphus* – guillemots
- Genus *Cerorhinca* – rhinoceros auklet
- Genus *Fratercula* – puffins
- Genus *Ptychoramphus* – Cassin's auklet
- Genus *Synthliboramphus* – murrelets
- Genus *Uria* – murres

- **Family Burhinidae** – thick-knees

- Genus *Burhinus*
- Genus *Esacus*

- **Family Charadriidae** – plovers and lapwings

- Genus *Anarhynchus* – wrybill

- Genus *Charadrius*
- Genus *Elseyornis* – black-fronted dotterel
- Genus *Erythrogonyx* – red-kneed dotterel
- Genus *Oreopholus* – tawny-throated dotterel
- Genus *Peltohyas* – inland dotterel
- Genus *Phegornis* – diademed sandpiper-plover
- Genus *Pluvialis*
- Genus *Thinornis*
- Genus *Vanellus*
- **Family Chionididae** – sheathbills
 - Genus *Chionis*
- **Family Dromadidae** – crab plover
 - Genus *Dromas*
- **Family Glareolidae** – pratincoles and coursers
 - Genus *Cursorius*
 - Genus *Glareola*
 - Genus *Rhinoptilus*
 - Genus *Stiltia* – Australian pratincole
- **Family Haematopodidae** – oystercatchers
 - Genus *Haematopus*
- **Family Ibisidrhynchidae** – ibisbill
 - Genus *Ibisidrhyncha*
- **Family Jacanidae** – jacanas
 - Genus *Actophilornis*
 - Genus *Hydrophasianus* – pheasant-tailed jacana
 - Genus *Irediparra* – comb-crested jacana
 - Genus *Jacana*
 - Genus *Metopidius* – bronze-winged jacana
 - Genus *Microparra* – lesser jacana
- **Family Laridae** – gulls, terns, and skimmers
 - Genus *Anous*
 - Genus *Chlidonias* – marsh tern

- Genus *Chroicocephalus*
- Genus *Creagrus* – swallow-tailed gull
- Genus *Gelochelidon* – gull-billed tern
- Genus *Gygis* – white tern
- Genus *Hydrocoloeus* – little gull
- Genus *Hydroprogne* – Caspian tern
- Genus *Ichthyaetus*
- Genus *Larosterna* – Inca tern
- Genus *Larus*
- Genus *Leucophaeus*
- Genus *Onychoprion*
- Genus *Pagophila* – ivory gull
- Genus *Phaetusa* – large-billed tern
- Genus *Rhodostethia* – Ross's gull
- Genus *Rissa* – kittiwakes
- Genus *Rynchops* – skimmers
- Genus *Sterna*
- Genus *Sternula*
- Genus *Thalasseus*
- Genus *Xema* – Sabine's gull
- **Family Pedionomidae** – plains wanderer
 - Genus *Pedionomus*
- **Family Pluvianellidae** – Magellanic plover
 - Genus *Pluvianellus*
- **Family Pluvianidae** – Egyptian plover
 - Genus *Pluvianus*
- **Family Recurvirostridae** – avocets and stilts
 - Genus *Cladorhynchus* – banded stilt
 - Genus *Himantopus* – stilts
 - Genus *Recurvirostra* – avocets
- **Family Rostratulidae** – painted snipes
 - Genus *Nycticryphes*

- Genus *Rostratula*
- **Family Scolopacidae** – snipe, sandpipers, phalaropes, and allies
 - Genus *Actitis*
 - Genus *Arenaria* – turnstones
 - Genus *Bartramia* – upland sandpiper
 - Genus *Calidris* – sandpipers
 - Genus *Coenocorypha* – Austral snipes
 - Genus *Gallinago*
 - Genus *Limnodromus* – dowitchers
 - Genus *Limosa* – godwits
 - Genus *Lymnocyrtus* – jack snipe
 - Genus *Numenius* – curlews
 - Genus *Phalaropus* – phalaropes
 - Genus *Prosobonia* – Polynesian sandpiper
 - Genus *Scolopax*
 - Genus *Tringa*
 - Genus *Xenus* – Terek sandpiper
- **Family Stercorariidae** – skuas
 - Genus *Stercorarius*
- **Family Thinocoridae** – seedsnipes
 - Genus *Attagis*
 - Genus *Thinocorus*
- **Family Turnicidae** – buttonquails
 - Genus *Ortyxelos*
 - Genus *Turnix*

Ciconiiformes[edit]

Storks, openbills, and jabiru

- **Family Ciconiidae**
 - Genus *Anastomus* – openbills
 - Genus *Ciconia*

- Genus *Ephippiorhynchus*
- Genus *Jabiru*
- Genus *Leptoptilos*
- Genus *Mycteria*

Coliiformes[edit]

Mousebirds

- **Family Coliidae**
 - Genus *Colius*
 - Genus *Urocolius*

Columbiformes[edit]

Pigeons and doves

- **Family Columbidae**
 - Genus *Alectroenas* – fruit doves
 - Genus *Alopecoenas*
 - Genus *Caloenas* – Nicobar pigeon
 - Genus *Chalcophaps* – emerald doves
 - Genus *Claravis*
 - Genus *Columba* includes *Aplopelia*, Old World pigeons
 - Genus *Columbina*
 - Genus *Cryptophaps* – sombre pigeon
 - Genus *Didunculus* – tooth-billed pigeon
 - Genus *Drepanoptila* – possibly better merged with *Ptilinopus*
 - Genus *Ducula* – imperial pigeons
 - Genus *Dysmoropelia* – Saint Helena dove
 - Genus *Gallicolumba*
 - Genus *Geopelia*
 - Genus *Geophaps*
 - Genus *Geotrygon* – quail-doves

- Genus *Goura*
- Genus *Gymnophaps* – mountain pigeons
- Genus *Hemiphaga*
- Genus *Henicophaps*
- Genus *Leptotila*
- Genus *Leptotrygon* – olive-backed quail-dove
- Genus *Leucosarcia* – wonga pigeon
- Genus *Lopholaimus* – topknot pigeon
- Genus *Macropygia*
- Genus *Metriopelia*
- Genus *Nesoenas*
- Genus *Ocyphaps* – crested pigeon
- Genus *Oena* – Namaqua dove, tentatively placed here
- Genus *Otidiphaps* – pheasant pigeon
- Genus *Patagioenas* – American pigeons
- Genus *Petrophassa* – rock pigeons
- Genus *Phapitreron* – brown dove
- Genus *Phaps*
- Genus *Ptilinopus*
- Genus *Reinwardtoena*
- Genus *Starnoenas* – blue-headed quail-dove
- Genus *Spilopelia*
- Genus *Streptopelia* – turtledoves
- Genus *Treron* – green pigeons
- Genus *Trugon* – thick-billed ground pigeon
- Genus *Turacoena*
- Genus *Turtur* – African wood doves, tentatively placed here
- Genus *Uropelia* – long-tailed ground dove
- Genus *Zenaida* – Zenaida doves
- Genus *Zentrygon*

Coraciiformes[edit]

Rollers, bee eaters, todys, kingfishers, etc.

- **Family Alcedinidae** – kingfishers
 - Genus *Actenoides*
 - Genus *Alcedo*
 - Genus *Caridonax* – glittering kingfisher
 - Genus *Ceryle* – pied kingfisher
 - Genus *Ceyx*
 - Genus *Chloroceryle* – American green kingfisher
 - Genus *Cittura* – lilac kingfisher
 - Genus *Clytoceyx*
 - Genus *Corythornis*
 - Genus *Dacelo*
 - Genus *Halcyon*
 - Genus *Ispidina*
 - Genus *Lacedo*
 - Genus *Megaceryle*
 - Genus *Melidora* – hook-billed kingfisher
 - Genus *Pelargopsis*
 - Genus *Syma*
 - Genus *Tanysiptera* – paradise kingfisher
 - Genus *Todirhamphus*
- **Family Brachypteraciidae** – ground rollers
 - Genus *Atelornis*
 - Genus *Brachypteracias* – short-legged ground roller
 - Genus *Geobiastes* – scaly ground roller
 - Genus *Uratelornis* – long-tailed ground roller
- **Family Coraciidae** – rollers
 - Genus *Coracias*
 - Genus *Eurystomus*
- **Family Meropidae** – bee-eaters
 - Genus *Meropogon* – purple-bearded bee-eater

- Genus *Merops*
- Genus *Nyctornis*
- **Family Momotidae** – motmots
 - Genus *Aspatha* – blue-throated motmot
 - Genus *Baryphthengus*
 - Genus *Electron*
 - Genus *Eumomota* – turquoise-browed motmot
 - Genus *Hylomanes* – tody motmot
 - Genus *Momotus*
- **Family Todidae** – todies
 - Genus *Todus*

Cuculiformes[edit]

Cuckoos, anis, etc.

- **Family Cuculidae**
 - Genus *Cacomantis*
 - Genus *Carpococcyx* – Asian ground-cuckoos
 - Genus *Centropus* – coucals
 - Genus *Cercococcyx* – long-tailed cuckoos
 - Genus *Ceuthmochares* – yellowbills
 - Genus *Chrysococcyx* – bronze cuckoos
 - Genus *Clamator*
 - Genus *Coccyzua* – formerly in *Coccyzus* and *Piaya*, includes *Micrococcyx*
 - Genus *Coccyzus* – includes *Saurothera* and *Hyetornis*
 - Genus *Coua* – coua
 - Genus *Crotophaga* – anis
 - Genus *Cuculus* – typical cuckoos
 - Genus *Dromococcyx*
 - Genus *Eudynamys* – typical koels
 - Genus *Geococcyx* – roadrunners
 - Genus *Guira* – guira cuckoo

- Genus *Hierococcyx* – hawk-cuckoos
- Genus *Microdynamis* – dwarf koel
- Genus *Morococcyx* – lesser ground cuckoo
- Genus *Neomorphus* – Neotropical ground-cuckoos
- Genus *Pachycoccyx* – thick-billed cuckoo
- Genus *Phaenicophaeus* – typical malkohas
- Genus *Piaya*
- Genus *Rhinortha* – Raffles's malkoha (sometimes in *Phaenicophaeus*; tentatively placed here)
- Genus *Scythrops* – channel-billed cuckoo
- Genus *Surniculus* – drongo-cuckoos
- Genus *Tapera* – striped cuckoo
- Genus *Urodynamis* – Pacific long-tailed cuckoo

Eurypygiformes[edit]

Sunbitterns and kagu

- **Family Eurypygidae** – sunbittern
 - Genus *Eurypyga*
- **Family Rhynochetidae** – kagu
 - Genus *Rhynochetos*

Falconiformes[edit]

Falcons and caracaras

- **Family Falconidae**
 - Genus *Caracara* – crested caracaras
 - Genus *Daptrius* – black caracara
 - Genus *Falco* – true falcons, hobbies and kestrels
 - Genus *Herpetotheres* – laughing falcon
 - Genus *Ibycter* – red-throated caracara (sometimes included in *Daptrius*)
 - Genus *Micrastur* – forest falcons

- Genus *Microhierax* – typical falconets
- Genus *Milvago* – brown caracaras
- Genus *Phalcoboenus* – Andean and southern South American caracaras
- Genus *Polihierax* – pygmy falcons
- Genus *Spiziapteryx* – spot-winged falconet

Galliformes[edit]

Gamebirds

- **Family Cracidae**

- Genus *Aburria*
- Genus *Chamaepetes*
- Genus *Crax* – curassows
- Genus *Mitu* – curassows
- Genus *Nothocrax* – nocturnal curassow
- Genus *Oreophasis* – horned guan
- Genus *Ortalis* – chachalacas
- Genus *Papile* – Piping guan
- Genus *Pauxi* – helmeted curassows
- Genus *Penelope*
- Genus *Penelopina*

- **Family Megapodiidae**

- Genus *Aepyodius*
- Genus *Alectura* – Australian brushturkey
- Genus *Eulipoa* – Moluccan megapode
- Genus *Leipoa*
- Genus *Macrocephalon* – maleo
- Genus *Megapodius* – scrubfowl
- Genus *Talegalla*

- **Family Numididae**

- Genus *Acryllium*
- Genus *Agelastes*

- Genus *Guttera*
- Genus *Numida* – helmeted guineafowl
- **Family Odontophoridae**
 - Genus *Callipepla*
 - Genus *Colinus*
 - Genus *Cyrtonyx*
 - Genus *Dactylortyx* – singing quail
 - Genus *Dendrortyx*
 - Genus *Odontophorus* – wood quails
 - Genus *Oreortyx* – mountain quails
 - Genus *Philortyx* – banded quail
 - Genus *Ptilopachus*
 - Genus *Rhynchortyx* – tawny-faced quail
- **Family Phasianidae**
 - Genus *Afropavo* – Congo peafowl
 - Genus *Alectoris* – rock partridges
 - Genus *Ammoperdix* – see-see and sand partridge
 - Genus *Anurophasis* – Snow Mountain quail
 - Genus *Arborophila* – hill partridge
 - Genus *Argusianus* – great argus
 - Genus *Bambusicola* – bamboo partridge
 - Genus *Bonasa* – ruffed grouse
 - Genus *Caloperdix* – ferruginous partridge
 - Genus *Catreus* – cheer pheasant
 - Genus *Centrocercus* – sage grouse
 - Genus *Chrysolophus* – ruffed pheasant
 - Genus *Coturnix* – mouse pheasant
 - Genus *Crossoptilon* – eared pheasant
 - Genus *Dendragapus*
 - Genus *Excalfactoria*
 - Genus *Falcipennis*
 - Genus *Francolinus* – true francolins

- Genus *Galloperdix* – Indian spurfowl
- Genus *Gallus* – junglefowl
- Genus *Haematortyx* – crimson-headed partridge
- Genus *Ithaginis* – blood pheasant
- Genus *Lagopus* – ptarmigans
- Genus *Lerwa* – snow partridge
- Genus *Lophophorus* – monal
- Genus *Lophura* – gallopheasants
- Genus *Margaroperdix* – Madagascan partridge
- Genus *Melanoperdix* – black partridge
- Genus *Meleagris* – turkeys
- Genus *Ophrysia* – Himalayan quail
- Genus *Pavo* – peafowl
- Genus *Peliperdix*
- Genus *Perdicula* – bush quail
- Genus *Perdix* – true partridges
- Genus *Phasianus* – typical pheasants
- Genus *Polyplectron* – peacock-pheasant
- Genus *Pternistis* – African spurfowls
- Genus *Pucrasia* – Koklass pheasant
- Genus *Rheinardia* – crested argus
- Genus *Rhizothera*
- Genus *Rollulus* – crested partridge
- Genus *Scleroptila*
- Genus *Synoicus* – see *Coturnix*
- Genus *Syrnaticus* – long-tailed pheasants
- Genus *Tetrao* – capercaillies and black grouse
- Genus *Tetraogallus* – snowcocks
- Genus *Tetraophaps* – monal-partridge
- Genus *Tetrastes*
- Genus *Tragopan* – horned pheasant
- Genus *Tympanuchus* – prairie chickens

- Genus *Xenoperdix* – forest partridges

Gaviiformes[edit]

- **Family Gaviidae**
 - Genus *Gavia* – loons

Gruiformes[edit]

Cranes, crakes, rails, wood-rails, fluftais, gallinules, limpkin, trumpeters, and finfoots

- **Family Aramididae** – limpkin
 - Genus *Aramus*
- **Family Gruidae** – cranes
 - Genus *Antigone*
 - Genus *Balearica*
 - Genus *Grus* – cranes
 - Genus *Leucogeranus* – Siberian crane
- **Family Heliornithidae** – finfoots
 - Genus *Heliopais* – masked finfoot
 - Genus *Heliornis* – sungrebe
 - Genus *Podica* – African finfoot
- **Family Psophiidae**
 - Genus *Psophia* – trumpeters
- **Family Rallidae** – crakes, moorhens, gallinules, and rails
 - Genus *Aenigmatolimnas* – striped crake
 - Genus *Amaurolimnas* – uniform crake
 - Genus *Amauornis* – bush-hens
 - Genus *Anurolimnas*
 - Genus *Aramides*
 - Genus *Aramidopsis* – snoring rail
 - Genus *Atlantisia* – Inaccessible Island rail
 - Genus *Biensis* – Madagascan rails
 - Genus *Cabalus* – Chatham rail

- Genus *Coturnicops* – barred-backed crane
- Genus *Creciscus* – blackish crane
- Genus *Crecopsis* – African crane
- Genus *Crex* – corn crane
- Genus *Cyanolimnas* – Zapata rail
- Genus *Diaphorapteryx* – Hawkins's rail
- Genus *Dryolimnas*
- Genus *Eulabeornis* – chestnut rail
- Genus *Fulica* – coots
- Genus *Gallicrex* – watercock
- Genus *Gallinula* – moorhens
- Genus *Gallirallus*
- Genus *Gymnocrex* – bare-faced rails
- Genus *Habroptila* – invisible rail
- Genus *Hapalocrex* – yellow-breasted crane
- Genus *Himantornis* – Nkulengu rail
- Genus *Laterallus* – ruddy crane
- Genus *Lewinia*
- Genus *Limnocrex*
- Genus *Megacrex* – New Guinea flightless rail
- Genus *Micropygia* – ocellated crane
- Genus *Mundia* – Ascension crane
- Genus *Mustelirallus*
- Genus *Nesoclopeus*
- Genus *Paragallinula* – lesser moorhen
- Genus *Pardirallus*
- Genus *Poliolimnas* – see *Amauornis*
- Genus *Porphyrio* – swamphens
- Genus *Porphyriops* – spot-flanked gallinule
- Genus *Porzana*
- Genus *Rallacula* – forest rails
- Genus *Rallina* – chestnut rails

- Genus *Rallus*
- Genus *Rougetius* – Rouget's rail
- Genus *Rufirallus* – russet-crowned crane
- Genus *Tribonyx* – native-hens
- Genus *Zapornia* – see *Porzana*
- **Family Sarothruridae**
 - Genus *Canirallus* – grey-throated rail and wood rails
 - Genus *Sarothrura* – flufftails

Leptosomiformes[edit]

- **Family Leptosomidae**
 - Genus *Leptosomus* – cuckoo roller

Mesitornithiformes[edit]

- **Family Mesitornithidae** – mesites
 - Genus *Mesitornis*
 - Genus *Monias* – Subdesert mesite

Musophagiformes[edit]

Turacos and go-away-birds

- **Family Musophagidae**
 - Genus *Corythaeola* – great blue turaco
 - Genus *Corythaixoides* – go-away-birds
 - Genus *Crinifer* – plantain-eaters
 - Genus *Musophaga*
 - Genus *Ruwenzorornis* – Rwenzori turaco
 - Genus *Tauraco*

Opisthocomiformes[edit]

- **Family Opisthocomidae**

- Genus *Opisthocomus* – hoatzin

Otidiformes[edit]

Bustards, floricans, etc.

- **Family Otididae**

- Genus *Afrotis*
- Genus *Ardeotis*
- Genus *Chlamydotis*
- Genus *Eupodotis*
- Genus *Houbaropsis* – Bengal florican
- Genus *Lissotis*
- Genus *Lophotis*
- Genus *Neotis*
- Genus *Otis* – great bustard
- Genus *Sypheotides*
- Genus *Tetrax* – little bustard

Passeriformes[edit]

Passerines, the "song birds". This is the largest order of birds and contains more than half of all birds.

- **Family Acanthisittidae**

- Genus *Acanthisitta* – rifleman
- Genus *Xenicus* – New Zealand wrens

- **Family Acanthizidae** – scrubwrens, thornbills, and gerygones

- Genus *Acanthiza* – thornbill
- Genus *Acanthornis* – scrubtit
- Genus *Aethomyias* – scrubwrens
- Genus *Aphelocephala* – whiteface
- Genus *Calamanthus* – fieldwren
- Genus *Crateroscelis*

- Genus *Gerygone*
- Genus *Hylacola* – heathwren
- Genus *Neosericornis* – yellow-throated scrubwren
- Genus *Oreoscopus* – fernwren
- Genus *Origma*
- Genus *Pachycare* – goldenface
- Genus *Pycnoptilus* – pilotbird
- Genus *Pyrrholaemus* – speckled warbler
- Genus *Sericornis* – scrubwrens
- Genus *Smicrornis* – weebill
- **Family Acrocephalidae** – marsh- and tree-warblers, recently split from the Sylviidae
 - Genus *Acrocephalus*
 - Genus *Calamonastides* – papyrus yellow warbler
 - Genus *Chloropeta*
 - Genus *Hippolais*
 - Genus *Iduna*
 - Genus *Nesillas*
- **Family Aegithalidae** – long-tailed tits or bushtits
 - Genus *Aegithalos*
 - Genus *Leptopoecile*
 - Genus *Psaltiriparus* – American bushtit
- **Family Aegithinidae**
 - Genus *Aegithina* – iora
- **Family Alaudidae** – larks
 - Genus *Alaemon* – hoopoe-lark
 - Genus *Alauda* – skylark
 - Genus *Alaudala*
 - Genus *Ammomanes*
 - Genus *Ammomanopsis* – Gray's lark
 - Genus *Calandrella* – short-toed lark
 - Genus *Calendulauda*
 - Genus *Certhilauda* – short-clawed lark and long-billed lark

- Genus *Chersomanes* – spike-heeled lark
- Genus *Chersophilus* – Dupont's lark
- Genus *Eremalauda* – Dunn's lark
- Genus *Eremophila* – horned lark
- Genus *Eremopterix* – sparrow-larks
- Genus *Galerida* – Large-billed lark and crested lark
- Genus *Heteromira* – Rudd's lark and Archer's lark
- Genus *Lullula* – woodlark
- Genus *Melanocorypha*
- Genus *Mira* – larks and bushlarks
- Genus *Pinarocorys* – dusky lark and rufous-rumped lark
- Genus *Ramphocoris* – thick-billed lark
- Genus *Spizocorys*
- **Family Artamidae** – woodswallows, butcherbirds, currawongs, and Australian magpie
 - Genus *Artamus* – woodswallows
 - Genus *Cracticus*
 - Genus *Gymnorhina* – Australian magpie
 - Genus *Melloria* – black butcherbird
 - Genus *Peltops*
 - Genus *Strepera* – currawongs
- **Family Atrichornithidae**
 - Genus *Atrichornis* – scrub-birds
- **Family Bernieridae** – Malagasy warblers, a newly assembled family
 - Genus *Bernieria* – Madagascan warbler
 - Genus *Crossleyia* – Madagascan yellowbrow
 - Genus *Cryptosylvicola* – cryptic warbler
 - Genus *Hartertula* – wedge-tailed jery
 - Genus *Oxylabes* – white-throated oxylabes
 - Genus *Randia* – Rand's warbler
 - Genus *Thamnornis* – Thamnornis
 - Genus *Xanthomixis*
- **Family Bombycillidae**

- Genus *Bombycilla* – waxwings
- **Family Buphagidae**
 - Genus *Buphagus* – oxpeckers. Formerly usually included in Sturnidae.
- **Family Calcariidae** – longspurs and snow buntings
 - Genus *Calcarius* – longspurs
 - Genus *Plectrophenax* – snow and McKay's buntings
 - Genus *Rhynchophanes* – McCown's longspur
- **Family Callaeidae** – New Zealand wattlebirds
 - Genus *Callaeas* – kōkako
 - Genus *Heteralocha* – huia
 - Genus *Philesturnus* – saddleback
- **Family Calyptophilidae**
 - Genus *Calyptophilus* – chat-tanagers
- **Family Campephagidae** – cuckooshrikes and trillers
 - Genus *Campephaga*
 - Genus *Campochaera* – golden cuckooshrike
 - Genus *Ceblepyris*
 - Genus *Celebesica* – pygmy cuckooshrike
 - Genus *Coracina*
 - Genus *Cyanograucalus* – blue cuckooshrike
 - Genus *Edolisoma*
 - Genus *Lalage*
 - Genus *Lobotos*
 - Genus *Malindangia* – McGregor's cuckooshrike
 - Genus *Pericrocotus* – minivet
- **Family Cardinalidae** – cardinals and allies
 - Genus *Amaurospiza*
 - Genus *Cardinalis*
 - Genus *Caryothraustes*
 - Genus *Chlorothraupis*
 - Genus *Cyanocompsa*
 - Genus *Cyanoloxia* – Glaucous-blue grosbeak

- Genus *Granatellus*
- Genus *Habia*
- Genus *Passerina*
- Genus *Periporphyrus* – red-and-black grosbeak
- Genus *Pheucticus*
- Genus *Piranga*
- Genus *Rhodothraupis* – crimson-collared grosbeak
- Genus *Spiza* – dickcissel
- **Family Certhiidae** – treecreepers
 - Genus *Certhia*
 - Genus *Salpornis*
- **Family Cettiidae** – ground-warblers and allies, recently split from the Sylviidae
 - Genus *Abroscopus* – abroscopus warbler
 - Genus *Cettia* – typical bush warblers
 - Genus *Horornis*
 - Genus *Hylia* – green hylia (tentatively placed here)
 - Genus *Pholidornis* – tit hylia (formerly in Remizidae; tentatively placed here)
 - Genus *Phyllergates*
 - Genus *Tesia*
 - Genus *Tickellia* – broad-billed warbler
 - Genus *Urosphena* – stubtails
- **Family Chaetopidae**
 - Genus *Chaetops* – rockjumpers, recently split from the Turdidae
- **Family Chloropseidae**
 - Genus *Chloropsis* – leafbirds
- **Family Cinclidae**
 - Genus *Cinclus* – dippers
- **Family Cisticolidae** – cisticolas and allies
 - Genus *Apalis*
 - Genus *Artisornis*
 - Genus *Bathmocercus* – rufous warblers
 - Genus *Calamonastes*

- Genus *Camaroptera*
- Genus *Cisticola*
- Genus *Drymocichla* – red-winged grey warbler
- Genus *Eminia* – grey-capped warbler
- Genus *Eremomela*
- Genus *Euryptila* – cinnamon-breasted warbler
- Genus *Heliolais* – red-winged warbler (Sometimes placed in *Prinia*)
- Genus *Hypergerus* – oriole warbler
- Genus *Incana* – Socotra warbler
- Genus *Malcorus* – rufous-eared warbler
- Genus *Micromacronus*
- Genus *Neomixis* – Jerys (genus is basal to all other Cisticolidae)
- Genus *Oreolais* (moved here from *Apalis*)
- Genus *Oreophilais* – Roberts's warbler
- Genus *Orthotomus* – tailorbirds
- Genus *Phragmacia* – Namaqua warbler
- Genus *Phyllolais* – buff-bellied warbler
- Genus *Poliolais* – white-tailed warbler
- Genus *Prinia*
- Genus *Scepomycter* (sometimes merged into *Bathmocercus*)
- Genus *Schistolais*
- Genus *Spiloptila* – cricket warbler
- Genus *Urolais* – green longtail
- Genus *Urorhipis* – sometimes placed in *Prinia*
- **Family Climacteridae** – Australian treecreeper
 - Genus *Cormobates*
 - Genus *Climacteris*
- **Family Cnemophilidae** – satinbirds
 - Genus *Cnemophilus*
 - Genus *Loboparadisea* – yellow-breasted satinbird
- **Family Conopophagidae** – gnateaters and gnatpittas
 - Genus *Conopophaga*

- Genus *Pittasoma*
- **Family Corcoracidae** – Australian mudnester
 - Genus *Corcorax* – white-winged chough
 - Genus *Struthidea* – apostlebird
- **Family Corvidae** – crows, ravens, and jays
 - Genus *Aphelocoma* – scrub jays
 - Genus *Calocitta* – Magpie-jay
 - Genus *Cissa* – magpies
 - Genus *Corvus* – crows and ravens
 - Genus *Crypsirina* – treepies
 - Genus *Cyanocitta* – jays
 - Genus *Cyanocorax* – jays
 - Genus *Cyanolyca*
 - Genus *Cyanopica* – magpies
 - Genus *Dendrocitta* – treepies
 - Genus *Garrulus* – jays
 - Genus *Gymnorhinus* – pinyon jay
 - Genus *Nucifraga* – nutcrackers
 - Genus *Perisoreus* – jays
 - Genus *Pica* – magpies
 - Genus *Platylophu* – Crested jay
 - Genus *Platysmurus* – black magpie
 - Genus *Podoces* – ground jays
 - Genus *Psilorhinus* – brown jay
 - Genus *Ptilostomus* – piapiac
 - Genus *Pyrhacorax* – chough
 - Genus *Temnurus* – ratchet-tailed treepie
 - Genus *Urocissa* – blue magpies
 - Genus *Zavattariornis* – Stresemann's bushcrow
- **Family Cotingidae** – cotingas and allies
 - Genus *Ampelioides* – scaled fruiteater
 - Genus *Ampelion*

- Genus *Carpodectes*
- Genus *Carpornis* – berryeaters
- Genus *Cephalopterus* – umbrellabirds
- Genus *Conioptilon* – black-faced cotinga
- Genus *Cotinga*
- Genus *Doliornis*
- Genus *Gymnoderus* – bare-necked fruitcrow
- Genus *Haematoderus* – crimson fruitcrow
- Genus *Lipaugus*
- Genus *Perissocephalus* – capuchinbird
- Genus *Phibalura* – swallow-tailed cotinga
- Genus *Phoenicircus*
- Genus *Phytotoma* – plantcutters
- Genus *Pipreola*
- Genus *Porphyrolaema* – purple-throated cotinga
- Genus *Procnias* – Neotropical bellbird
- Genus *Pyroderus* – red-ruffed fruitcrow
- Genus *Querula* – purple-throated fruitcrow
- Genus *Rupicola*
- Genus *Snowornis*
- Genus *Tijuca*
- Genus *Xipholena*
- Genus *Zaratornis* – white-cheeked cotinga
- **Family Dasyornithidae**
 - Genus *Dasyornis* – bristlebirds (formerly in Acanthizidae)
- **Family Dicaeidae** – flowerpeckers (sunbirds and flowerpeckers, might be included in Passeroidea)
 - Genus *Dicaeum*
 - Genus *Prionochilus*
- **Family Dicruridae**
 - Genus *Dicrurus* – drongos
- **Family Donacobiidae**

- Genus *Donacobius* – black-capped donacobius (previously classed as a wren, but probably closest to the Locustellidae or Bernieridae)
- **Family Dulidae** (tentatively placed here)
 - Genus *Dulus*– palmchat
- **Family Elachuridae**
 - Genus *Elachura* – spotted elachura
- **Family Emberizidae**
 - Genus *Diglossopsis*
 - Genus *Emberiza* – Old World buntings
- **Family Erythrocercidae**
 - Genus *Erythrocercus*
- **Family Estrildidae** – estrildid finches (waxbills, munias, and allies)
 - Genus *Amadina* – cut-throats
 - Genus *Amandava* – avadavats
 - Genus *Clytospiza* – brown twinspace
 - Genus *Coccopygia*
 - Genus *Cryptospiza* – crimsonwings
 - Genus *Emblema* – painted finch
 - Genus *Erythrura* – parrotfinches (includes *Chloebeia*)
 - Genus *Estrilda* – waxbills
 - Genus *Euodice* – silverbill
 - Genus *Euschistospiza*
 - Genus *Heteromunia* – pictorella mannikin
 - Genus *Hypargos*
 - Genus *Lagonosticta* – firefinches
 - Genus *Lonchura* – Munias, mannikins, and silverbills
 - Genus *Mandingoa* – green-backed twinspace
 - Genus *Neochmia*
 - Genus *Nesocharis* – oliveback
 - Genus *Nigrita*
 - Genus *Odontospiza* – grey-headed silverbill
 - Genus *Oreostruthus* – mountain firetail

- Genus *Ortygospiza* – quailfinches
- Genus *Padda*
- Genus *Paludipasser* – locust finch
- Genus *Parmoptila* – antpeckers
- Genus *Poephila*
- Genus *Pyrenestes* – seedcrackers
- Genus *Pytilia*
- Genus *Spermophaga* – bluebill
- Genus *Stagonopleura* – firetail
- Genus *Taeniopygia*
- Genus *Uraeginthus*
- **Family Eulacestomidae**
 - Genus *Eulacestoma* – wattled ploughbill
- **Family Eupetidae**
 - Genus *Eupetes* – Malaysian rail-babbler (recently split from the Cinclosomatidae)
- **Family Eurylaimidae** – broadbills
 - Genus *Calyptomena*
 - Genus *Corydon* – dusky broadbill
 - Genus *Cymbirhynchus* – black-and-red broadbill
 - Genus *Eurylaimus*
 - Genus *Neodrepanis*
 - Genus *Philepitta*
 - Genus *Psarisomus* – long-tailed broadbill
 - Genus *Pseudocalyptomena* – Grauer's broadbill
 - Genus *Sarcophanops*
 - Genus *Serilophus* – silver-breasted broadbill
 - Genus *Smithornis*
- **Family Formicariidae** – Antthrushes
 - Genus *Chamaeza*
 - Genus *Formicarius*
- **Family Fringillidae** – true finches and Hawaiian honeycreepers. (Possibly polyphyletic)

- Genus *Acanthis* – redpolls
- Genus *Agraphospiza* – Blanford's rosefinch
- Genus *Bucanetes* – trumpeter finch and Mongolian finch
- Genus *Callacanthis* – spectacled finch
- Genus *Carduelis*
- Genus *Carpodacus* – rosefinches
- Genus *Chloridops*
- Genus *Chloris* – greenfinches
- Genus *Chlorodrepanis* – 'amakihi
- Genus *Chlorophonia*
- Genus *Chrysocorythus* – mountain serin
- Genus *Coccothraustes*
- Genus *Crithagra*
- Genus *Drepanis*
- Genus *Eophona* – Chinese grosbeak and Japanese grosbeak
- Genus *Euphonia*
- Genus *Fringilla*
- Genus *Haemorhous* – American rosefinches
- Genus *Hemignathus*
- Genus *Himatione*
- Genus *Leucosticte* – mountain and rosy finches
- Genus *Linaria*
- Genus *Linurgus* – oriole finch
- Genus *Loxia* – crossbills
- Genus *Loxioides* – palila
- Genus *Loxops*
- Genus *Magnumma* – 'anianiau
- Genus *Melamprosops* – po'ouli
- Genus *Mycerobas* – Palearctic grosbeaks
- Genus *Oreomystis* – 'akikiki
- Genus *Palmeria* – 'akohekohe
- Genus *Paroreomyza*

- Genus *Pinicola* – pine grosbeak
- Genus *Procarduelis* – dark-breasted rosefinch
- Genus *Pseudonestor* – Maui parrotbill
- Genus *Psittirostra* – ‘Ō‘ū
- Genus *Pyrrhoplectes* – golden-naped finch
- Genus *Pyrrhula* – bullfinches
- Genus *Rhodopechys*
- Genus *Rhodospiza* – desert finch
- Genus *Rhynchostruthus* – golden-winged grosbeak
- Genus *Serinus*
- Genus *Spinus*
- Genus *Telespiza*
- **Family Furnariidae** – ovenbirds and woodcreepers
 - Genus *Acrobatornis* – pink-legged graveteiro
 - Genus *Anabacerthia* – foliage-gleaners
 - Genus *Anabazenops* – foliage-gleaners
 - Genus *Ancistrops* – chestnut-winged hookbill
 - Genus *Anumbius* – firewood-gatherer
 - Genus *Aphrastura* – rayaditos
 - Genus *Asthenes* – canasteros
 - Genus *Automolus* – foliage-gleaners
 - Genus *Berlepschia* – point-tailed palmcreeper
 - Genus *Campylorhamphus* – scythebills
 - Genus *Certhiasomus* – spot-throated woodcreeper (also described as *Deconychura stictolaema*)
 - Genus *Certhiaxis* – spinetails
 - Genus *Cichlocolaptes*
 - Genus *Cinclodes*
 - Genus *Clibanornis*
 - Genus *Coryphistera* – lark-like brushrunner
 - Genus *Cranioleuca* – typical spinetails
 - Genus *Deconychura* – long-tailed woodcreeper

- Genus *Dendrexetastes* – cinnamon-throated woodcreeper
- Genus *Dendrocincla* – woodcreepers
- Genus *Dendrocolaptes* – woodcreepers
- Genus *Dendroplex* – straight-billed woodcreeper (formerly in *Xiphorhynchus*)
- Genus *Drymornis* – scimitar-billed woodcreeper
- Genus *Drymotoxeres* – greater scythebill
- Genus *Furnarius* – horneros
- Genus *Geocerthia* – striated earthcreeper (also described as *Upucerthia serrana*)
- Genus *Geositta* – miners
- Genus *Glyphorhynchus* – wedge-billed woodcreeper
- Genus *Heliobletus* – sharp-billed treehunter
- Genus *Hellmayrea* – white-browed spinetail
- Genus *Hylexetastes* – woodcreepers
- Genus *Lepidocolaptes* – narrow-billed woodcreeper
- Genus *Leptasthenura* – tit-spinetails
- Genus *Limnortites* – straight-billed reedhaunter (sometimes included in *Limnornis*, but closer to, and possibly better merged with *Cranioleuca*)
- Genus *Limnornis* – curve-billed reedhaunter
- Genus *Lochmias* – sharp-tailed streamcreeper
- Genus *Margarornis* – treerunners
- Genus *Mazaria* – white-bellied spinetail
- Genus *Megaxenops* – great xenops
- Genus *Metopothrix* – orange-fronted plushcrown
- Genus *Microxenops* – rufous-tailed xenops
- Genus *Nasica* – long-billed woodcreeper
- Genus *Ochetorhynchus* – earthcreepers (formerly included in *Upucerthia*) (includes *Chilia*)
- Genus *Phacellodomus* – Thornbird
- Genus *Philydor* – foliage-gleaners
- Genus *Phleocryptes* – wren-like rushbird
- Genus *Premnoplex* – typical barbtails

- Genus *Premnornis* – rusty-winged barbtail
- Genus *Pseudasthenes* – "false" canasteros
- Genus *Pseudocolaptes* – tuftedcheeks
- Genus *Pseudoseisura*
- Genus *Pygarrhichas* – white-throated treerunner
- Genus *Roraimia* –
- Genus *Schoeniophylax* – Chotoy spinetail
- Genus *Sclerurus* – leaftossers
- Genus *Siptornis* – spectacled prickletail
- Genus *Sittasomus* – olivaceous woodcreeper
- Genus *Spartonoica* – bay-capped wren-spinetail
- Genus *Sylviorthorhynchus* – Des Murs's wiretail
- Genus *Synallaxis* – spinetails
- Genus *Syndactyla* – foliage-gleaners
- Genus *Tarphonomus* (new genus for 2 species formerly included in *Upucerthia*)
- Genus *Thripadectes* – treehunters
- Genus *Thripophaga* – softtails
- Genus *Upucerthia* – earthcreepers
- Genus *Xenerpestes* – greytails
- Genus *Xenops*
- Genus *Xiphocolaptes* – woodcreepers
- Genus *Xiphorhynchus* – woodcreepers (possibly polyphyletic)
- **Family Grallariidae** – antpittas
 - Genus *Grallaria*
 - Genus *Grallaricula*
 - Genus *Hylopezus*
 - Genus *Myrmothera*
- **Family Hirundinidae** – swallows and martins
 - Genus *Alopochelidon* – tawny-headed swallow
 - Genus *Atticora*
 - Genus *Cecropis*
 - Genus *Cheramoeca* – white-backed swallow

- Genus *Delichon*
- Genus *Haplochelidon* – Andean swallow
- Genus *Hirundo*
- Genus *Neochelidon* – white-thighed swallow
- Genus *Notiochelidon*
- Genus *Petrochelidon*
- Genus *Phedina*
- Genus *Progne*
- Genus *Psolidoprocne* – saw-wings
- Genus *Pseudhirundo* – grey-rumped swallow
- Genus *Pseudochelidon* – river martin
- Genus *Ptyonoprogne* – crag martins
- Genus *Riparia*
- Genus *Stelgidopteryx*
- Genus *Tachycineta*
- **Family Hyliidae** – newly proposed for genera currently in other families
- **Family Hyliotidae**
 - Genus *Hyliota* – hyliotas (recently split from the Sylviidae)
- **Family Hypocoliidae**
 - Genus *Hypocolius* – grey hypocolius (tentatively placed here)
- **Family Icteridae** – grackles, New World blackbirds, and New World orioles
 - Genus *Agelaioides* – baywings
 - Genus *Agelaius* – typical American blackbirds
 - Genus *Agelasticus*
 - Genus *Amblycercus* – yellow-billed cacique
 - Genus *Amblyramphus* – scarlet-headed blackbird
 - Genus *Anumara* – Forbes's blackbird
 - Genus *Cacicus* – true caciques
 - Genus *Chrysomus*
 - Genus *Curaeus* – Austral blackbird
 - Genus *Dives*
 - Genus *Dolichonyx* – bobolink

- Genus *Euphagus*
- Genus *Gnorimopsar* – chopi blackbird
- Genus *Gymnomystax* – oriole blackbird
- Genus *Hypopyrrhus* – red-bellied grackle
- Genus *Icterus* – New World orioles
- Genus *Lamprosar* – velvet-fronted grackle
- Genus *Leistes* – South American meadowlarks
- Genus *Macroagelaius*
- Genus *Molothrus* – cowbirds
- Genus *Nesopsar* – Jamaican blackbird
- Genus *Oreopsar* – Bolivian blackbird
- Genus *Psarocolius* – oropendolas
- Genus *Pseudoleistes* – marshbirds
- Genus *Quiscalus* – grackles
- Genus *Sturnella* – North American meadowlarks
- Genus *Xanthocephalus* – yellow-headed blackbird
- Genus *Xanthopsar* – saffron-cowled blackbird
- **Family Ifritidae**
 - Genus *Ifrita* – blue-capped ifrit
- **Family Irenidae**
 - Genus *Irena* – fairy-bluebirds
- **Family Laniidae** – shrikes
 - Genus *Corvinella* – yellow-billed shrike
 - Genus *Eurocephalus*
 - Genus *Lanius*
 - Genus *Urolestes* – magpie shrike
- **Family Leiothrichidae** – laughingthrushes and allies
 - Genus *Actinodura* – barwings
 - Genus *Argya* (species previous placed in *Turdoides*)
 - Genus *Cutia*
 - Genus *Garrulax* – laughingthrushes
 - Genus *Grammatoptila* – striated laughingthrush

- Genus *Heterophasia* – sibia
- Genus *Ianthocincla* – laughingthrushes (species previous placed in *Garrulax*)
- Genus *Laniellus* – crocias
- Genus *Leioptila* – rufous-backed sibia
- Genus *Leiothrix*
- Genus *Liocichla*
- Genus *Minla* – red-tailed minla
- Genus *Montecincla* – laughingthrushes
- Genus *Pterorhinus* (species previous placed in *Garrulax*)
- Genus *Trochalopteron* – laughingthrushes
- Genus *Turdoides* – babblers
- **Family Locustellidae** – grass-warbler and allies, recently split from the Sylviidae
 - Genus *Bradypterus* – megalurid bush warblers
 - Genus *Catriscus* – fan-tailed grassbird
 - Genus *Cincloramphus* – buff-banded thicketbird
 - Genus *Elaphrornis* – Sri Lanka bush warbler
 - Genus *Helopsaltes* – grasshopper warbler
 - Genus *Locustella* – grass warblers
 - Genus *Malia*
 - Genus *Megalurus* – striated grassbird
 - Genus *Poodytes*
 - Genus *Robsonius* – ground warblers
 - Genus *Schoenicola*
- **Family Machaerirhynchidae**
 - Genus *Machaerirhynchus* – boatbills
- **Family Macrosphenidae** – African warblers such as longbills and crombecs, a recently proposed family whose composition is still uncertain
 - Genus *Achaetops* – rockrunner
 - Genus *Cryptillas* – Victorin's warbler (formerly *Bradypterus*)
 - Genus *Macrosphenus* – longbills
 - Genus *Melocichla* – moustached grass warbler
 - Genus *Sphenoeacus* – Cape grassbird

- Genus *Sylvietta* – crombecs
- **Family Malaconotidae** – puffbacks, bushshrikes, tchagras, boubous, and allies
 - Genus *Chlorophoneus*
 - Genus *Dryoscopus*
 - Genus *Laniarius*
 - Genus *Malaconotus*
 - Genus *Nilaus* – brubru
 - Genus *Rhodophoneus* – rosy-patched bushshrike
 - Genus *Tchagra*
 - Genus *Telophorus*
- **Family Maluridae** – fairywrens, emu-wren, and grasswrens
 - Genus *Amytornis* – grasswrens
 - Genus *Chenorhamphus*
 - Genus *Clytomyias* – orange-crowned fairywren
 - Genus *Malurus*
 - Genus *Sipodotus* – Wallace's fairywren
 - Genus *Stipiturus* – emu-wren
- **Family Melampittidae**
 - Genus *Megalampitta* – greater melampitta
 - Genus *Melampitta*
- **Family Melanocharitidae** – berrypeckers and longbills
 - Genus *Melanocharis*
 - Genus *Oedistoma*
 - Genus *Rhamphocharis* – spotted berrypecker
 - Genus *Toxorhamphus*
- **Family Melanopareiidae**
 - Genus *Melanopareia* – crescentchest
- **Family Meliphagidae** – honeyeaters
 - Genus *Acanthagenys* – spiny-cheeked honeyeater
 - Genus *Acanthorhynchus* – spinebill
 - Genus *Anthochaera*
 - Genus *Anthornis* – New Zealand bellbird

- Genus *Ashbyia* – gibberbird
- Genus *Bolemoreus*
- Genus *Caligavis*
- Genus *Certhionyx* – pied honeyeater
- Genus *Cissomela* – banded honeyeater
- Genus *Conopophila*
- Genus *Entomyzon* – blue-faced honeyeater
- Genus *Epthianura*
- Genus *Foulehaio* – wattled honeyeater
- Genus *Gavicalis*
- Genus *Gliciphila* – tawny-crowned honeyeater
- Genus *Glycichaera* – green-backed honeyeater
- Genus *Glycifohia*
- Genus *Grantiella*
- Genus *Guadalcanaria* – Guadalcanal honeyeater
- Genus *Gymnomyza*
- Genus *Lichenostomus*
- Genus *Lichmera*
- Genus *Macgregoria* – MacGregor's honeyeater
- Genus *Manorina*
- Genus *Meliarchus* – makira honeyeater
- Genus *Melidectes*
- Genus *Melilestes* – long-billed honeyeater
- Genus *Meliphaga*
- Genus *Melipotes*
- Genus *Melithreptus*
- Genus *Melitograis* – white-streaked friarbird
- Genus *Myza*
- Genus *Myzomela*
- Genus *Nesoptilotis*
- Genus *Oreornis* – orange-cheeked honeyeater
- Genus *Philemon* – friarbird

- Genus *Phylidonyris*
- Genus *Plectorhyncha* – striped honeyeater
- Genus *Prothemadera* – tui
- Genus *Ptiloprora*
- Genus *Ptilotula*
- Genus *Purnella* – white-fronted honeyeater
- Genus *Pycnopygius*
- Genus *Ramsayornis*
- Genus *Stomiopera*
- Genus *Stresemannia* – Bougainville honeyeater
- Genus *Sugomel* – black honeyeater
- Genus *Timeliopsis*
- Genus *Trichodere* – white-streaked honeyeater
- Genus *Xanthotis*
- **Family Menuridae**
 - Genus *Menura* – lyrebirds
- **Family Mimidae** – mockingbirds and thrashers
 - Genus *Allenia* – scaly-breasted thrasher
 - Genus *Cinclocerthia* – tremblers
 - Genus *Dumetella* – grey catbird
 - Genus *Margarops* – pearly-eyed thrasher
 - Genus *Melanoptila* – black catbird
 - Genus *Melanotis*
 - Genus *Mimus* (includes *Nesomimus*)
 - Genus *Oreoscoptes* – sage thrasher
 - Genus *Ramphocinclus* – white-breasted thrasher
 - Genus *Toxostoma*
- **Family Mitrospingidae**
 - Genus *Lamprospiza* – Red-billed pied tanager
 - Genus *Mitrospingus*
 - Genus *Orthogonys* – Olive-green tanager
- **Family Modulatricidae** – dapple-throat and allies (sometimes Arcanatoridae)

- Genus *Arcanator* – dapple-throat
- Genus *Kakamega*
- Genus *Modulatrix* – spot-throat
- **Family Mohouidae**
 - Genus *Mohoua*
- **Family Monarchidae** – monarch flycatchers
 - Genus *Arses*
 - Genus *Carterornis*
 - Genus *Chasiempis* – ‘elepaio
 - Genus *Clytorhynchus* – shrikebill
 - Genus *Eutrichomyias* – cerulean paradise flycatcher
 - Genus *Grallina* – magpie-larks
 - Genus *Hypothymis*
 - Genus *Mayrornis*
 - Genus *Metabolus* – Chuuk monarch
 - Genus *Monarcha*
 - Genus *Myiagra* – broad-billed flycatcher
 - Genus *Neolalage* – buff-bellied monarch
 - Genus *Pomarea*
 - Genus *Symposiachrus*
 - Genus *Terpsiphone* – paradise flycatcher
 - Genus *Trochocercus*
- **Family Motacillidae**
 - Genus *Anthus* – pipits
 - Genus *Dendronanthus* – forest wagtail
 - Genus *Hemimacronyx* (proposed)
 - Genus *Macronyx* – longclaws
 - Genus *Motacilla* – wagtails
 - Genus *Tmetothylacus* – golden pipit
- **Family Muscicapidae** – Old World flycatchers and chats. (Monophyly needs confirmation)
 - Genus *Alethe*

- Genus *Anthipes*
- Genus *Brachypteryx* – shortwings
- Genus *Calliope*
- Genus *Campicoloides* – buff-streaked chat
- Genus *Cercotrichas* – scrub robins
- Genus *Chamaetylas*
- Genus *Cichladusa* – palm thrush
- Genus *Cinclidium* – blue-fronted robin
- Genus *Copsychus* – magpie-robins and shamas
- Genus *Cossypha* – robin-chats
- Genus *Cossyphicula* – white-bellied robin-chat
- Genus *Cyanoptila*
- Genus *Cyornis*
- Genus *Emarginata*
- Genus *Empidonis* – silverbirds
- Genus *Enicurus* – forktails
- Genus *Erithacus* – European robin
- Genus *Eumyias*
- Genus *Ficedula* – flycatchers
- Genus *Fraseria* – forest flycatchers
- Genus *Heinrichia* – great shortwing
- Genus *Heteroxenicus* – Gould's shortwing
- Genus *Humblotia* – Humblot's flycatcher
- Genus *Irania* – white-throated robin
- Genus *Larvivora*
- Genus *Leonardina* – Bagobo babbler
- Genus *Luscinia*
- Genus *Melaenornis*
- Genus *Monticola* – rock thrushes
- Genus *Muscicapa*
- Genus *Muscicapella* – pygmy flycatcher
- Genus *Myiomela*

- Genus *Myioparus* – tit-flycatchers
- Genus *Myophonus* – whistling thrush
- Genus *Myrmecocichla*
- Genus *Namibornis* – Herero chat
- Genus *Niltava*
- Genus *Oenanthe* – wheatears
- Genus *Phoenicurus* – redstarts
- Genus *Pinarochroa* – moorland chat
- Genus *Pinarornis* – boulder chat
- Genus *Pogonocichla* – white-starred robin
- Genus *Saxicola*
- Genus *Sheppardia* – akalats
- Genus *Sholicola*
- Genus *Stiphrornis* – forest robins
- Genus *Swynnertonia* – Swynnerton's robin
- Genus *Tarsiger*
- Genus *Thamnolaea* – cliff chats
- Genus *Vauriella*
- **Family Nectariniidae** – sunbirds and spiderhunters
 - Genus *Aethopyga*
 - Genus *Anabathmis* (sometimes included in *Nectarinia*)
 - Genus *Anthobaphes* – orange-breasted sunbird (sometimes included in *Nectarinia*)
 - Genus *Anthreptes*
 - Genus *Arachnothera* – spiderhunters
 - Genus *Chalcomitra* (sometimes included in *Nectarinia*)
 - Genus *Chalcoparia* – Ruby-cheeked sunbird (sometimes included in *Anthreptes*)
 - Genus *Cinnyris* (sometimes included in *Nectarinia*)
 - Genus *Cyanomitra* (sometimes included in *Nectarinia*)
 - Genus *Deleornis* (sometimes included in *Anthreptes*)
 - Genus *Drepanorhynchus* – golden-winged sunbird (sometimes included in *Nectarinia*)

- Genus *Dreptes* – giant sunbird (sometimes included in *Nectarinia*)
- Genus *Hedydipna* (sometimes included in *Anthreptes*)
- Genus *Hypogramma* – purple-naped sunbird
- Genus *Leptocoma* (sometimes included in *Nectarinia*)
- Genus *Nectarinia*
- **Family Neosittidae**
 - Genus *Daphoenositta* – sittellas
- **Family Nesospingidae**
 - Genus *Nesospingus* – Puerto Rican tanager
- **Family Nicatoridae**
 - Genus *Nicator*– nicators
- **Family Notiomystidae**
 - Genus *Notiomystis* – stitchbirds
- **Family Oreoicidae** – Australo–Papuan bellbirds
 - Genus *Aleadryas* – rufous-naped bellbird
 - Genus *Oreoica* – crested bellbird
 - Genus *Ornorectes* – piping bellbird
- **Family Oriolidae** – Old World orioles
 - Genus *Oriolus* – orioles
 - Genus *Pitohui*
 - Genus *Sphecotheres*’ – figbirds
- **Family Orthonychidae**
 - Genus *Orthonyx* – logrunners
- **Family Pachycephalidae**
 - Genus *Colluricincla* – shrikethrushes
 - Genus *Coracornis*
 - Genus *Falcunculus* – crested shriketit
 - Genus *Melanorectes* – black pitohui
 - Genus *Pachycephala* – whistlers
 - Genus *Pseudorectes*
- **Family Panuridae**
 - Genus *Panurus* – bearded reedling (formerly classed as a parrotbill)

- **Family Paradisaeidae** – birds-of-paradise
 - Genus *Astrapia*
 - Genus *Cicinnurus* – king bird-of-paradise
 - Genus *Diphyllodes*
 - Genus *Drepanornis*
 - Genus *Epimachus*
 - Genus *Lophorina*
 - Genus *Lycocorax* – paradise-crow
 - Genus *Manucodia* – manucodes
 - Genus *Paradigalla*
 - Genus *Paradisaea*
 - Genus *Parotia*
 - Genus *Phonygammus* – trumpet manucode
 - Genus *Pteridophora* – King of Saxony bird-of-paradise
 - Genus *Ptiloris*
 - Genus *Seleucidis* – twelve-wired bird-of-paradise
 - Genus *Semioptera* – standardwings
- **Family Paramythiidae** – painted berrypeckers
 - Genus *Oreocharis* – tit berrypecker
 - Genus *Paramythia* – crested berrypecker
- **Family Pardalotidae**
 - Genus *Pardalotus* – pardalotes
- **Family Paridae** – Tits, chickadees, and titmice
 - Genus *Baeolophus*
 - Genus *Cephalopyrus* – fire-capped tit
 - Genus *Cyanistes*
 - Genus *Lophophanes*
 - Genus *Machlolophus*
 - Genus *Melaniparus*
 - Genus *Melanochlora* – sultan tit
 - Genus *Pardaliparus*
 - Genus *Parus*

- Genus *Periparus*
- Genus *Poecile*
- Genus *Pseudopodoces* – ground tit
- Genus *Sittiparus*
- Genus *Sylviparus* – yellow-browed tit
- **Family Parulidae** – New World warblers
 - Genus *Basileuterus*
 - Genus *Cardellina*
 - Genus *Catharopeza* – whistling warbler
 - Genus *Ergaticus*
 - Genus *Geothlypis* – yellowthroats
 - Genus *Helmitheros* – worm-eating warbler
 - Genus *Leucopeza* – Semper's warbler
 - Genus *Limnothlypis* – Swainson's warbler
 - Genus *Mniotilta* – black-and-white warbler
 - Genus *Myioborus* – whitestarts
 - Genus *Myiothlypis*
 - Genus *Oporornis* – Connecticut warbler
 - Genus *Oreothlypis*
 - Genus *Parkesia* – waterthrushes
 - Genus *Parula*
 - Genus *Protonotaria* – prothonotary warbler
 - Genus *Seiurus* – ovenbird
 - Genus *Setophaga*
 - Genus *Vermivora*
- **Family Passerellidae** – New World sparrows
 - Genus *Aimophila*
 - Genus *Ammodramus*
 - Genus *Amphispiza*
 - Genus *Arremon*
 - Genus *Arremonops*
 - Genus *Artemisiospiza*

- Genus *Atlapetes*
- Genus *Calamospiza* – lark bunting
- Genus *Chlorospingus* (traditionally placed in the tanager family Thraupidae)
- Genus *Chondestes* – lark sparrow
- Genus *Junco*
- Genus *Melospiza*
- Genus *Melospiza*
- Genus *Oreothraupis* – tanager finch
- Genus *Oriturus* – striped sparrow
- Genus *Passerculus*
- Genus *Passerella* – fox sparrow
- Genus *Peucaea*
- Genus *Pezopetes* – large-footed finch
- Genus *Pipilo* – Towhee
- Genus *Pooecetes* – vesper sparrow
- Genus *Pselliophorus*
- Genus *Spizella*
- Genus *Spizelloides* – American tree sparrow
- Genus *Torreornis* – Zapata sparrow
- Genus *Xenospiza* – Sierra Madre sparrow
- Genus *Zonotrichia*
- **Family Passeridae** – Old World sparrows
 - Genus *Carpospiza* – pale rockfinch
 - Genus *Gymnoris*
 - Genus *Hypocryptadius* – cinnamon ibon
 - Genus *Montifringilla*
 - Genus *Onychostruthus* – white-rumped snowfinch
 - Genus *Passer*
 - Genus *Petronia* – rock sparrows
 - Genus *Pyrgilauda*
- **Family Pellorneidae** – jungle babblers
 - Genus *Alcippe*

- Genus *Gampsorhynchus*
- Genus *Graminicola*
- Genus *Illadopsis*
- Genus *Jabouilleia*
- Genus *Kenopia* – striped wren–babbler
- Genus *Laticilla*
- Genus *Malacocincla*
- Genus *Malacopteron*
- Genus *Napothera*
- Genus *Pellorneum*
- Genus *Ptilocichla*
- Genus *Ptyrticus* – spotted thrush–babbler
- Genus *Rimator*
- Genus *Trichastoma*
- **Family Petroicidae** – Australasian robins
 - Genus *Amalocichla*
 - Genus *Drymodes*
 - Genus *Eopsaltria*
 - Genus *Eugerygone* – garnet robin
 - Genus *Heteromyias*
 - Genus *Melanodryas*
 - Genus *Microeca*
 - Genus *Monachella* – torrent flyrobin
 - Genus *Pachycephalopsis*
 - Genus *Peneoenanthe* – mangrove robin
 - Genus *Peneothello*
 - Genus *Petroica*
 - Genus *Poecilodryas*
 - Genus *Tregellasia*
- **Family Peucedramidae**
 - Genus *Peucedramus* – olive warbler
- **Family Phaenicophilidae**

- Genus *Microligea* – Green-tailed warbler
- Genus *Phaenicophilus*
- Genus *Xenoligea* – White-winged warbler
- **Family Philepittidae** – asities
 - Genus *Neodrepanis*
 - Genus *Philepitta*
- **Family Phylloscopidae** – leaf-warblers and allies (recently split from the Sylviidae)
 - Genus *Phylloscopus* – leaf warblers
 - Genus *Seicercus*
- **Family Picathartidae**
 - Genus *Picathartes* – rockfowl
- **Family Pipridae** – manakins
 - Genus *Antilophia*
 - Genus *Ceratopipra*
 - Genus *Chiroxiphia*
 - Genus *Chloropipo*
 - Genus *Corapipo*
 - Genus *Cryptopipo* – green manakin
 - Genus *Heterocercus*
 - Genus *Illicura* – pin-tailed manakin
 - Genus *Lepidothrix*
 - Genus *Machaeropterus*
 - Genus *Manacus*
 - Genus *Masius* – golden-winged manakin
 - Genus *Neopelma*
 - Genus *Pipra*
 - Genus *Pseudopipra* – white-crowned manakin
 - Genus *Tyranneutes*
 - Genus *Xenopipo*
- **Family Pittidae** – pittas
 - Genus *Erythropitta*
 - Genus *Hydrornis*

- Genus *Pitta*
- **Family Pityriaseidae**
 - Genus *Pityriasis* – Bornean bristlehead (tentatively placed here)
- **Family Platysteiridae** – wattle-eyes and relatives (formerly in *Passerida*, probably paraphyletic)
 - Genus *Batis*
 - Genus *Lanioturdus* – white-tailed shrike
 - Genus *Platysteira*
- **Family Ploceidae** – weavers
 - Genus *Amblyospiza* – thick-billed weaver
 - Genus *Anaplectes* – red-headed weaver
 - Genus *Brachycope* – bob-tailed weaver
 - Genus *Bubalornis*
 - Genus *Dinemellia* – white-headed buffalo weaver
 - Genus *Euplectes* – bishops and widowbirds
 - Genus *Foudia* – fody
 - Genus *Histurgops* – rufous-tailed weaver
 - Genus *Malimbus*
 - Genus *Philetairus* – sociable weaver
 - Genus *Plocepasser* – sparrow-weavers
 - Genus *Ploceus*
 - Genus *Pseudonigrita*
 - Genus *Quelea*
 - Genus *Sporopipes*
- **Family Pnoepyidae**
 - Genus *Pnoepyga* – pygmy wren-babbler
- **Family Polioptilidae** – gnatcatchers
 - Genus *Microbates*
 - Genus *Ramphocaenus*
 - Genus *Polioptila*
- **Family Pomatostomidae** – Australo-Papuan babblers
 - Genus *Pomatostomus*

- **Family Prionopidae** – see Vangidae
- **Family Promeropidae**
 - Genus *Promerops* – sugarbirds
- **Family Prunellidae**
 - Genus *Prunella* – accentors
- **Family Psophodidae**
 - Genus *Androphobus* – Papuan whipbird
 - Genus *Cinclosoma* – quail–thrushes
 - Genus *Psophodes*
 - Genus *Ptilorrhoa* – jewel–babblers
- **Family Ptiligonatidae** – silky flycatchers (tentatively placed here)
 - Genus *Phainopepla*
 - Genus *Phainoptila* – black–and–yellow phainoptila
 - Genus *Ptilogonys*
- **Family Ptilonorhynchidae** – bowerbirds
 - Genus *Ailuroedus*
 - Genus *Amblyornis*
 - Genus *Archboldia*
 - Genus *Chlamydera*
 - Genus *Prionodura* – golden bowerbird
 - Genus *Ptilonorhynchus* – satin bowerbird
 - Genus *Scenopooetes* – tooth–billed bowerbird
 - Genus *Sericulus*
- **Family Pycnonotidae** – bulbuls
 - Genus *Acritillas* – yellow–browed bulbul
 - Genus *Alophoixus*
 - Genus *Andropadus* – sombre greenbul
 - Genus *Arizelocichla*
 - Genus *Atimastillas* – yellow–throated leaflove
 - Genus *Baeopogon*
 - Genus *Bleda* – bristlebills
 - Genus *Calyptocichla* – golden greenbul

- Genus *Cerasophila* – white-headed bulbul
- Genus *Chlorocichla*
- Genus *Criniger*
- Genus *Eurillas*
- Genus *Hemixos*
- Genus *Hypsipetes*
- Genus *Iole*
- Genus *Ixonotus* – spotted greenbul
- Genus *Ixos*
- Genus *Neolestes* – black-collared bulbul
- Genus *Nok* – bare-faced bulbul
- Genus *Phyllastrephus*
- Genus *Pycnonotus*
- Genus *Setornis* – hook-billed bulbul
- Genus *Spizixos* – finchbills
- Genus *Stelgidillas* – slender-billed greenbul
- Genus *Thapsinillas* – golden bulbul
- Genus *Thescelocichla* – swamp palm bulbul
- Genus *Tricholestes* – hairy-backed bulbul
- **Family Regulidae**
 - Genus *Regulus* – kinglets
- **Family Remizidae** – penduline tits (sometimes included in the Paridae)
 - Genus *Anthoscopus*
 - Genus *Auriparus* – verdin
 - Genus *Remiz*
- **Family Rhagologidae**
 - Genus *Rhagologus* – mottled berryhunter
- **Family Rhinocryptidae** – tapaculos
 - Genus *Acropternis* – ocellated tapaculo
 - Genus *Eleoscytalopus*
 - Genus *Eugralla* – ochre-flanked tapaculo
 - Genus *Liosceles* – rusty-belted tapaculo

- Genus *Merulaxis*
- Genus *Myornis* – ash-colored tapaculo
- Genus *Psilorhamphus* – spotted bamboowren
- Genus *Pteroptochos*
- Genus *Rhinocrypta* – crested gallito
- Genus *Scelorchilus*
- Genus *Scytalopus*
- Genus *Teledromas* – sandy gallito
- **Family Rhipiduridae** – fantails
 - Genus *Chaetorhynchus* – drongo fantail
 - Genus *Lamprolia* – silktaill
 - Genus *Rhipidura* – fantails
- **Family Rhodinocichlidae**
 - Genus *Rhodinocichla* – Rosy thrush-tanager
- **Family Salpornithidae**
 - Genus *Salpornis* – spotted creepers (Tentatively placed here; often considered a subfamily of the Certhidae)
- **Family Sapayoidae**
 - Genus *Sapayoa* – broad-billed sapayoa
- **Family Scotocercidae**
 - Genus *Scotocerca* – streaked scrub warbler
- **Family Sittidae**
- **Family Spindalidae**
 - Genus *Spindalis*
 - Genus *Sitta* – nuthatches
- **Family Stenostiridae**
 - Genus *Chelidorhynch* – yellow-bellied fantail – (formerly in *Rhipidura*)
 - Genus *Culicicapa* – canary-flycatcher
 - Genus *Elminia*
 - Genus *Stenostira* – fairy flycatcher
- **Family Sturnidae** – starlings
 - Genus *Acridotheres*

- Genus *Agropsar* (sometimes included in *Sturnus* or *Sturnia*)
- Genus *Ampeliceps* — golden-crested myna
- Genus *Aplonis*— Pacific starlings
- Genus *Basilornis*
- Genus *Cinnyricinclus* — violet-backed starling
- Genus *Creatophora* — wattled starling
- Genus *Enodes* — fiery-browed starling
- Genus *Gracula* — hill myna
- Genus *Gracupica*
- Genus *Grafisia* — white-collared starling
- Genus *Hartlaubius* – Madagascan starling
- Genus *Hylopsar*
- Genus *Lamprotornis* (monophyly requires confirmation)
- Genus *Leucopsar* — Bali myna
- Genus *Mino*
- Genus *Neocichla* — babbling starling
- Genus *Notopholia* – black-bellied starling
- Genus *Onychognathus*
- Genus *Poeoptera* (formerly *Pholia*, sometimes included in *Cinnyricinclus*)
- Genus *Rhabdornis* — Philippine creeper (placement here requires confirmation)
- Genus *Pastor* — rosy starling
- Genus *Sarcops* — Coleto
- Genus *Saroglossa* – spot-winged starling
- Genus *Scissirostrum* — grosbeak starling
- Genus *Speculipastor* — magpie starling
- Genus *Spodiopsar*
- Genus *Spreo*
- Genus *Streptocitta*
- Genus *Sturnia* (sometimes included in *Sturnus*)
- Genus *Sturnornis* — white-faced starling
- Genus *Sturnus*

- **Family Sylviidae** – sylviid warblers and allies

- Genus *Chamaea* – wren tit
- Genus *Chleuasicus* – pale-billed parrotbill (Formerly in Paradoxornithidae)
- Genus *Cholornis* (Formerly in Paradoxornithidae)
- Genus *Chrysomma* (Formerly in Timaliidae)
- Genus *Conostoma* – great parrotbill (Formerly in Paradoxornithidae; tentatively placed here)
- Genus *Fulvetta* (Formerly in *Alcippe*)
- Genus *Graueria* – Grauer's warbler
- Genus *Horizorhinus* – Dohrn's thrush-babbler (Formerly in Timaliidae)
- Genus *Lioparus* – golden-breasted fulvetta (Formerly in *Alcippe*)
- Genus *Lioptilus* – bush blackcap (Formerly in Timaliidae)
- Genus *Moupinia* – rufous-tailed babbler (Formerly in *Chrysomma*)
- Genus *Myzornis* – fire-tailed myzornis
- Genus *Neosuthora* – short-tailed parrotbill (Formerly in Paradoxornithidae)
- Genus *Paradoxornis* (Formerly in Paradoxornithidae)
- Genus *Parophasma* – Abyssinian catbird
- Genus *Pseudoalcippe* (Formerly in *Illadopsis*)
- Genus *Psittiparus* (Formerly in Paradoxornithidae)
- Genus *Rhopophilus* (Formerly in Cisticolidae)
- Genus *Sinosuthora* (Formerly in Paradoxornithidae)
- Genus *Suthora* (Formerly in Paradoxornithidae)
- Genus *Sylvia* – typical warblers
- **Family Teretistridae**
 - Genus *Teretistris* – Cuban warbler
- **Family Thamnophilidae** – antbirds
 - Genus *Akletos*
 - Genus *Ammonastes* – grey-bellied antbird
 - Genus *Ampelornis* – grey-headed antbird
 - Genus *Aprositornis* – Yapacana antbird
 - Genus *Batara* – giant antshrike
 - Genus *Biatas* – white-bearded antshrike (Placement here is provisional)
 - Genus *Cercomacra*

- Genus *Cercomacroides*
- Genus *Clytoctantes* – bushbirds (Placement here is provisional)
- Genus *Cymbilaimus* – fasciated and bamboo antshrikes
- Genus *Dichrozona* – banded antbird
- Genus *Dryophila*
- Genus *Dysithamnus* – antvireos
- Genus *Epinecrophylla*
- Genus *Euchrepomis*
- Genus *Formicivora*
- Genus *Frederickena* – antshrikes
- Genus *Gymnocichla* – bare-crowned antbird
- Genus *Gymnopithys*
- Genus *Hafferia*
- Genus *Herpsilochmus*
- Genus *Hylophylax*
- Genus *Hypocnemis* – warbling antbirds
- Genus *Hypocnemoides*
- Genus *Hypoedaleus* – spot-backed antshrike
- Genus *Isleria* – antwrens
- Genus *Mackenziaena* – antshrikes
- Genus *Megastictus* – pearly antshrike
- Genus *Microrhophias* – dot-winged antwren
- Genus *Myrmeciza* – white-bellied antbird
- Genus *Myrmelastes*
- Genus *Myrmoborus*
- Genus *Myrmochanes* – black-and-white antbird
- Genus *Myrmoderus*
- Genus *Myrmophylax* – black-throated antbird
- Genus *Myrmorchilus* – stripe-backed antbird
- Genus *Myrmornis* – wing-banded antbird
- Genus *Myrmotherula* – antwrens
- Genus *Neoctantes* – black bushbird

- Genus *Oneillornis*
- Genus *Percnostola*
- Genus *Phaenostictus* – ocellated antbird
- Genus *Phlegopsis* – bare-eyes
- Genus *Pithys*
- Genus *Poliocrania* – chestnut-backed antbird
- Genus *Pygoptila* – spot-winged antshrike
- Genus *Pyriglena* – fire-eyes
- Genus *Rhegmatorhina*
- Genus *Rhopias* – star-throated antwren
- Genus *Rhopornis* – slender antbird (Placement here is provisional)
- Genus *Sakesphorus* – antshrikes
- Genus *Sciaphylax*
- Genus *Sclateria* – silvered antbird
- Genus *Sipia*
- Genus *Stymphalornis* – marsh antwren
- Genus *Taraba* – great antshrike
- Genus *Terenura*
- Genus *Thamnistes*
- Genus *Thamnomanes*
- Genus *Thamnophilus*
- Genus *Willisornis*
- Genus *Xenornis* – speckled antshrike (Placement here is provisional)
- **Family Thraupidae** – tanagers and allies
 - Genus *Acanthidops* – peg-billed finch
 - Genus *Anisognathus*
 - Genus *Bangsia*
 - Genus *Buthraupis*
 - Genus *Calochaetes* – vermilion tanager
 - Genus *Camarhynchus* – tree finches
 - Genus *Catamblyrhynchus* – plushcap
 - Genus *Catamenia*

- Genus *Certhidea* – warbler–finches
- Genus *Charitospiza* – coal–crested finch
- Genus *Chlorochrysa*
- Genus *Chlorophanes* – green honeycreeper
- Genus *Chlorornis* – grass–green tanager
- Genus *Chrysothlypis*
- Genus *Cissopis* – magpie tanager
- Genus *Cnemathraupis*
- Genus *Cnemoscopus* – grey–hooded bush tanager
- Genus *Coereba* – bananaquit (formerly placed in its own family Coerebidae)
- Genus *Compsospiza* – mountain finches
- Genus *Compsothraupis* – scarlet–throated tanager
- Genus *Conirostrum*
- Genus *Conothraupis*
- Genus *Coryphaspiza* – black–masked finch
- Genus *Coryphospingus*
- Genus *Creurgops*
- Genus *Cyanerpes* – honeycreepers
- Genus *Cyanicterus* – blue–backed tanager
- Genus *Cypsnagra* – white–rumped tanager
- Genus *Dacnis*
- Genus *Diglossa* – flowerpiercers
- Genus *Diuca*
- Genus *Dolospingus* – white–naped seedeater
- Genus *Donacospiza* – long–tailed reed finch (may be related to *Poospiza*)
- Genus *Dubusia*
- Genus *Emberizoides*
- Genus *Embernagra*
- Genus *Eucometis* – grey–headed tanager
- Genus *Euneornis* – orangequit
- Genus *Geospiza* – ground finches
- Genus *Gubernatrix* – yellow cardinal

- Genus *Haplospiza* (paraphyletic with two species of sierra-finch *Phrygilus*)
- Genus *Hemispingus*
- Genus *Hemithraupis*
- Genus *Heterospingus*
- Genus *Idiopsar* – short-tailed finch
- Genus *Incaspiza* – Inca finches
- Genus *Iridophanes* – golden-collared honeycreeper
- Genus *Iridosornis*
- Genus *Lanio*
- Genus *Lophospingus*
- Genus *Loxigilla* (polyphyletic)
- Genus *Loxipasser* – yellow-shouldered grassquit
- Genus *Melanodera*
- Genus *Melanospiza* – Saint Lucia black finch
- Genus *Melopyrrha*
- Genus *Nemosia*
- Genus *Neothraupis* – shrike-like tanager
- Genus *Nephelornis* – pardusco
- Genus *Nesospiza*
- Genus *Orchesticus* – brown tanager
- Genus *Oreomanes* – giant conebill
- Genus *Oryzoborus*
- Genus *Parkerthraustes* – yellow-shouldered grosbeak (traditionally in Cardinalidae)
- Genus *Paroaria*
- Genus *Phrygilus* – sierra finches
- Genus *Piezorina* – cinereous finch
- Genus *Pinaroloxias* – Cocos finch
- Genus *Pipraeidea* – fawn-breasted tanager
- Genus *Platyspiza* – vegetarian finch
- Genus *Poospiza* – warbling finches
- Genus *Porphyrospiza* – blue finch

- Genus *Pseudosaltator* – rufous-bellied mountain tanager
- Genus *Pyrrhocomma* – chestnut-headed tanager
- Genus *Ramphocelus*
- Genus *Rhodospingus* – crimson-breasted finch
- Genus *Rowettia* – Gough finch
- Genus *Saltator*
- Genus *Saltatricula* – many-colored Chaco finch
- Genus *Schistochlamys*
- Genus *Sericossypha* – white-capped tanager
- Genus *Sicalis* – yellow finches (paraphyletic with *Phrygilus*)
- Genus *Sporophila* – seedeaters
- Genus *Stephanophorus* – diademed tanager
- Genus *Tachyphonus*
- Genus *Tangara*
- Genus *Tersina* – swallow tanager
- Genus *Thlypopsis*
- Genus *Thraupis*
- Genus *Tiaris* – grassquits (polyphyletic)
- Genus *Trichothraupis* – black-goggled tanager
- Genus *Urothraupis* – black-backed bush tanager
- Genus *Volatinia* – blue-black grassquit
- Genus *Wetmorethraupis* – orange-throated tanager
- Genus *Xenodacnis* – tit-like dacnis
- Genus *Xenospingus* – slender-billed finch
- **Family Tichodromadidae**
 - Genus *Tichodroma* – wallcreeper
- **Family Timaliidae** – Old World babblers
 - Genus *Dumetia* – tawny-bellied babbler
 - Genus *Macronus* – tit-babblers
 - Genus *Pomatorhinus* – scimitar babblers
 - Genus *Rhopocichla* – dark-fronted babbler
 - Genus *Spelaeornis* – wren-babblers

- Genus *Sphenocichla* – wedge-billed babblers
- Genus *Stachyridopsis*
- Genus *Stachyris*
- Genus *Timalia* – chestnut-capped babbler
- **Family Tityridae** – tityras and allies
 - Genus *Iodopleura* – purpletuft
 - Genus *Laniisoma*
 - Genus *Laniocera*
 - Genus *Myiobius*
 - Genus *Onychorhynchus* – royal flycatchers
 - Genus *Oxyruncus* – sharpbill
 - Genus *Pachyramphus* – becards
 - Genus *Schiffornis*
 - Genus *Terenotriccus* – ruddy-tailed flycatcher
 - Genus *Tityra*
 - Genus *Xenopsaris* – white-naped xenopsaris
- **Family Troglodytidae** – wrens
 - Genus *Campylorhynchus*
 - Genus *Cantorchilus* (formerly included in *Thryothorus*)
 - Genus *Catherpes* – canyon wren
 - Genus *Cinnycerthia*
 - Genus *Cistothorus*
 - Genus *Cyphorhinus*
 - Genus *Ferminia* – Zapata wren
 - Genus *Henicorhina* – wood wrens
 - Genus *Hylorchilus*
 - Genus *Microcerculus*
 - Genus *Odontorchilus*
 - Genus *Pheugopedius* (formerly included in *Thryothorus*)
 - Genus *Salpinctes* – rock wren
 - Genus *Thryomanes* – Bewick's wren
 - Genus *Thryophilus* (formerly included in *Thryothorus*)

- Genus *Thryorchilus* – timberline wren
- Genus *Thryothorus* – Carolina wren
- Genus *Troglodytes*
- Genus *Uropsila* – white-bellied wren
- **Family Turdidae** – thrushes and allies (Monophyly needs confirmation)
 - Genus *Cataponera* – Sulawesi thrush
 - Genus *Catharus*
 - Genus *Chlamydochaera* – fruithunter
 - Genus *Cichlopsis* – rufous-brown solitaire
 - Genus *Cochoa*
 - Genus *Entomodestes* – solitaires
 - Genus *Geokichla*
 - Genus *Grandala*
 - Genus *Hylocichla* – wood thrush
 - Genus *Ixoreus* – varied thrush
 - Genus *Myadestes* (includes formerly recognized genus *Phaeornis*)
 - Genus *Neocossyphus* – ant thrushes
 - Genus *Platycichla*
 - Genus *Psophocichla* – groundscraper thrush
 - Genus *Ridgwayia* – Aztec thrush
 - Genus *Sialia* – bluebirds
 - Genus *Stizorhina* – rufous thrush
 - Genus *Turdus* – true thrushes
 - Genus *Zoothera* – Asian thrush
- **Family Tyrannidae** – tyrant flycatchers
 - Genus *Agriornis* – shrike-tyrants
 - Genus *Alectrurus*
 - Genus *Anairetes*
 - Genus *Aphanotriccus*
 - Genus *Arundinicola* – white-headed marsh tyrant
 - Genus *Atalotriccus* – pale-eyed pygmy tyrant
 - Genus *Attila*

- Genus *Calyptura* – kinglet calyptura
- Genus *Camptostoma*
- Genus *Capsiempis* – yellow tyrannulet
- Genus *Casiornis*
- Genus *Cnemarchus* – red-rumped bush tyrant
- Genus *Cnemotriccus* – fuscous flycatcher
- Genus *Cnipodectes* – twistwings
- Genus *Colonia* – long-tailed tyrant
- Genus *Colorhamphus* – Patagonian tyrant
- Genus *Conopias*
- Genus *Contopus* – pewees
- Genus *Corythopsis* – antpipits
- Genus *Culicivora* – sharp-tailed grass tyrant
- Genus *Deltarhynchus* – flammulated flycatcher
- Genus *Elaenia*
- Genus *Empidonax*
- Genus *Empidonomus* – variegated flycatcher
- Genus *Euscarthmus*
- Genus *Fluvicola*
- Genus *Griseotyrannus* – crowned slaty flycatcher (formerly in *Empidonomus*)
- Genus *Gubernetes* – streamer-tailed tyrant
- Genus *Hemitriccus* – typical tody-tyrants
- Genus *Heteroxolmis* – black-and-white monjita
- Genus *Hirundinea* – cliff flycatcher
- Genus *Hymenops* – spectacled tyrant
- Genus *Inezia*
- Genus *Knipolegus* – black tyrants
- Genus *Lathrotriccus*
- Genus *Legatus* – piratic flycatcher
- Genus *Leptopogon*
- Genus *Lessonia* – negritos
- Genus *Lophotriccus*

- Genus *Machetornis* – cattle tyrant
- Genus *Mecocerculus*
- Genus *Megarynchus* – boat-billed flycatcher
- Genus *Mionectes*
- Genus *Mitrephanes*
- Genus *Muscigralla* – short-tailed field tyrant
- Genus *Muscipipra* – shear-tailed grey tyrant
- Genus *Muscisaxicola* – ground tyrants
- Genus *Myiarchus*
- Genus *Myiodynastes*
- Genus *Myiopagis*
- Genus *Myiophobus*
- Genus *Myiornis*
- Genus *Myiotheretes*
- Genus *Myiotriccus* – ornate flycatcher
- Genus *Myiozetetes*
- Genus *Neopipo* – cinnamon neopipo
- Genus *Neoxolmis* – chocolate-vented tyrant
- Genus *Nephelomyias*
- Genus *Nesotriccus* – Cocos flycatcher
- Genus *Ochthoeca*
- Genus *Ochthornis* – drab water tyrant
- Genus *Oncostoma* – bentbills
- Genus *Ornithion*
- Genus *Phaeomyias* – mouse-colored tyrannulet
- Genus *Phelpsia* – white-bearded flycatcher
- Genus *Philohydor* – lesser kiskadee
- Genus *Phyllomyias*
- Genus *Phylloscartes*
- Genus *Piprites*
- Genus *Pitangus* – great kiskadee
- Genus *Platyrinchus* – spadebills

- Genus *Poecilotriccus*
- Genus *Pogonotriccus*
- Genus *Polioxolmis* – rufous-webbed bush tyrant
- Genus *Polystictus*
- Genus *Pseudelaenia* – grey-and-white tyrannulet
- Genus *Pseudocolopteryx*
- Genus *Pseudotriccus*
- Genus *Pyrocephalus*
- Genus *Pyrrhomyias* – cinnamon flycatcher
- Genus *Ramphotrigon*
- Genus *Rhynchocyclus*
- Genus *Rhytipterna*
- Genus *Satrapa* – yellow-browed tyrant
- Genus *Sayornis* – phoebes
- Genus *Serpophaga*
- Genus *Silvicultrix*
- Genus *Sirystes*
- Genus *Stigmatura* – wagtail-tyrants
- Genus *Sublegatus*
- Genus *Suiriri*
- Genus *Tachuris* – many-colored rush tyrant
- Genus *Taeniotriccus* – black-chested tyrant
- Genus *Todirostrum* – typical tody-flycatchers
- Genus *Tolmomyias*
- Genus *Tumbezia* – Tumbes tyrant
- Genus *Tyrannopsis* – sulphury flycatcher
- Genus *Tyrannulus* – yellow-crowned tyrannulet
- Genus *Tyrannus* – kingbirds
- Genus *Uromyias*
- Genus *Xenotriccus*
- Genus *Xolmis*
- Genus *Zimmerius*

- **Family Urocynchramidae**

- Genus *Urocynchramus* – Przewalski's finch

- **Family Vangidae** – vangas, helmetshrikes, and allies

- Genus *Artamella* – white-headed vanga
- Genus *Bias* – black-and-white shrike-flycatcher
- Genus *Calicalicus*
- Genus *Cyanolanius* – blue vanga
- Genus *Euryceros* – helmet vanga
- Genus *Falcullea* – sickle-billed vanga
- Genus *Hemipus* – flycatcher-shrikes
- Genus *Hypositta* – nuthatch vanga
- Genus *Leptopterus* – chabert vanga
- Genus *Megabyas* – African shrike-flycatcher
- Genus *Mystacornis* – Crossley's vanga
- Genus *Newtonia*
- Genus *Oriolia* – Bernier's vanga
- Genus *Philentoma*
- Genus *Prionops* – helmetshrikes
- Genus *Pseudobias* – Ward's flycatcher
- Genus *Schetba* – rufous vanga
- Genus *Tephrodornis*
- Genus *Tylas* – tylas vanga
- Genus *Vanga* – hook-billed vanga
- Genus *Xenopirostris*

- **Family Viduidae**

- Genus *Anomalospiza* – cuckoo-finch
- Genus *Vidua*

- **Family Vireonidae** – vireos and allies

- Genus *Cyclarhis* – peppershrikes
- Genus *Erpornis* – white-bellied erpornis
- Genus *Hylophilus*
- Genus *Pteruthius* – shrike-babblers

- Genus *Vireo* – vireos
- Genus *Vireolanius*
- **Family Zeledoniidae**
 - Genus *Zeledonia*
- **Family Zosteropidae** – white-eyes
 - Genus *Apalopteron* – Bonin white-eye
 - Genus *Cleptornis* – golden white-eye
 - Genus *Dasycrotapha*
 - Genus *Heleia*
 - Genus *Lophozosterops*
 - Genus *Megazosterops* – giant white-eye
 - Genus *Oculocincta* – pygmy white-eye
 - Genus *Rukia*
 - Genus *Sterrhoptilus*
 - Genus *Tephrozosterops* – rufescent darkeye
 - Genus *Woodfordia*
 - Genus *Yuhina*
 - Genus *Zosterops* – Mountain blackeye
 - Genus *Zosterornis*
- **Family Uncertain** (This has traditionally been considered a member of the family Pachycephalidae, but recent genetic evidence suggests it should be placed in a monotypic subfamily of the family Bombycillidae, or even its own family, Hylocitreae)
 - Genus *Hylocitrea*

Pelecaniformes[edit]

Pelicans, ibises, shoebills, egrets, herons, etc

- **Family Ardeidae** – herons, egrets, and bitterns
 - Genus *Agamia* – agami heron
 - Genus *Ardea*
 - Genus *Ardeola* – pond herons
 - Genus *Botaurus*

- Genus *Bubulcus* – cattle egret (sometimes included in Ardea)
- Genus *Butorides* – green-backed herons (sometimes included in Ardea)
- Genus *Cochlearius* – boat-billed heron
- Genus *Egretta*
- Genus *Gorsachius*
- Genus *Ixobrychus*
- Genus *Nyctanassa* – American night herons
- Genus *Nycticorax* (sometimes includes *Nyctanassa*)
- Genus *Pilherodius* – capped heron
- Genus *Syrigma* – whistling heron
- Genus *Tigriornis* – white-crested tiger heron
- Genus *Tigrisoma*
- Genus *Zebrilus* – zigzag heron
- Genus *Zonerodius* – forest bittern
- **Family Balaenicipitidae**
 - Genus *Balaeniceps* – shoebill
- **Family Pelecanidae**
 - Genus *Pelecanus* – pelicans
- **Family Scopidae**
 - Genus *Scopus* – hamerkop (sometimes included in Balaenicipitidae)
- **Family Threskiornithidae** – ibises and spoonbills
 - Genus *Bostrychia*
 - Genus *Cercibis* – sharp-tailed ibis
 - Genus *Eudocimus*
 - Genus *Geronticus*
 - Genus *Lophotibis* – Madagascan ibis
 - Genus *Mesembrinibis* – green ibis
 - Genus *Nipponia* – crested ibis
 - Genus *Phimosus* – bare-faced ibis
 - Genus *Platalea* – spoonbills
 - Genus *Plegadis*
 - Genus *Pseudibis*

- Genus *Thaumatibis* – giant ibis
- Genus *Theristicus*
- Genus *Threskiornis*

Phaethontiformes[edit]

- **Family Phaethontidae**
 - Genus *Phaethon* – tropicbirds

Phoenicopteriformes

- **Family Phoenicopteridae** – flamingos
 - Genus *Phoeniconaias* – lesser flamingo
 - Genus *Phoenicoparrus*
 - Genus *Phoenicopterus*

Piciformes

Woodpickers, flickers, toucans, aracaris, motmots, etc.

- **Family Bucconidae** – puffbirds, nunbirds, and nunlets
 - Genus *Bucco*
 - Genus *Chelidoptera* – swallow-winged puffbird
 - Genus *Hapaloptila* – white-faced nunbird
 - Genus *Hypnelus*
 - Genus *Malacoptila*
 - Genus *Micromonacha* – lanceolated monklet
 - Genus *Monasa*
 - Genus *Nonnula*
 - Genus *Notharchus*
 - Genus *Nystalus*
- **Family Capitonidae** – American barbets
 - Genus *Capito*
 - Genus *Eubucco*

- **Family Galbulidae** – jacamars
 - Genus *Brachygalba*
 - Genus *Galbalcyrhynchus*
 - Genus *Galbula*
 - Genus *Jacamaralcyon* – three-toed jacamar
 - Genus *Jacamerops* – great jacamar
- **Family Indicatoridae** – honeyguides
 - Genus *Indicator*
 - Genus *Melichneutes* – lyre-tailed honeyguide
 - Genus *Melignomon*
 - Genus *Prodotiscus* – honeybirds
- **Family Lybiidae** – African barbets (recently split from Capitonidae)
 - Genus *Buccanodon* – yellow-spotted barbet
 - Genus *Gymnobucco*
 - Genus *Lybius*
 - Genus *Pogoniulus* – tinkerbirds
 - Genus *Stactolaema*
 - Genus *Trachyphonus*
 - Genus *Tricholaema*
- **Family Megalaimidae** – Asian barbets (recently split from Capitonidae)
 - Genus *Caloramphus*
 - Genus *Psilopogon*
- **Family Picidae** – woodpeckers, piculets, and wrynecks
 - Genus *Blythipicus*
 - Genus *Campephilus*
 - Genus *Campethera*
 - Genus *Celeus*
 - Genus *Chloropicus*
 - Genus *Chrysocolaptes* – flamebacks
 - Genus *Chrysophlegma*
 - Genus *Colaptes* – flickers
 - Genus *Dendrocopos*

- Genus *Dendrocoptes*
- Genus *Dendropicos*
- Genus *Dinopium* – flamebacks
- Genus *Dryobates*
- Genus *Dryocopus*
- Genus *Gecinulus* (placement in Megapicini tentative)
- Genus *Geocolaptes* – ground woodpeckers
- Genus *Hemicircus*
- Genus *Jynx* – wrynecks
- Genus *Leiopicus* – yellow-crowned woodpecker
- Genus *Leuconotopicus*
- Genus *Meiglyptes*
- Genus *Melanerpes*
- Genus *Micropternus* – rufous woodpecker (formerly in *Celeus*)
- Genus *Mulleripicus*
- Genus *Nesocittes* – Antillean piculet
- Genus *Picoides*
- Genus *Piculus*
- Genus *Picumnus* – American piculets
- Genus *Picus*
- Genus *Reinwardtipicus* – Orange-backed woodpecker
- Genus *Sasia* – Asian piculets
- Genus *Sphyrapicus* – sapsuckers
- Genus *Veniliornis*
- Genus *Xiphidiopicus* – Cuban green woodpecker (Placement in Dendropicini tentative)
- Genus *Yungipicus*
- **Family Ramphastidae** – toucans
 - Genus *Andigena* – mountain toucans
 - Genus *Aulacorhynchus* – green toucanet
 - Genus *Pteroglossus* – aracaris
 - Genus *Ramphastos*

- Genus *Selenidera*
- **Family Semnornithidae** – toucan–barbets (recently split from Capitonidae)
 - Genus *Semnornis*

Podicipediformes

- **Family Podicipedidae** – grebes
 - Genus *Aechmophorus*
 - Genus *Podiceps* – great grebe
 - Genus *Podiceps*
 - Genus *Podilymbus*
 - Genus *Poliocephalus*
 - Genus *Rollandia*
 - Genus *Tachybaptus*

Procellariiformes

Petrels, storm petrels, albatrosses, and diving petrels

- **Family Diomedidae** – albatrosses
 - Genus *Diomedea* – great albatrosses
 - Genus *Phoebastria* – North Pacific albatrosses
 - Genus *Phoebastria*
 - Genus *Thalassarche* – "mollymawks"
- **Family Hydrobatidae** – northern storm petrels
 - Genus *Hydrobates* – European storm petrel
 - Genus *Oceanodroma*
- **Family Oceanitidae** – southern storm petrels
 - Genus *Fregetta*
 - Genus *Garrodia* – grey-backed storm petrel
 - Genus *Nesofregetta* – Polynesian storm petrel
 - Genus *Oceanites*
 - Genus *Pelagodroma* – white-faced storm petrel
- **Family Procellariidae**

- Genus *Aphrodroma* – Kerguelen petrel
- Genus *Ardenna*
- Genus *Bulweria*
- Genus *Calonectris*
- Genus *Daption* – Cape petrel
- Genus *Fulmarus* – fulmars
- Genus *Halobaena* – blue petrel
- Genus *Macronectes* – giant petrels
- Genus *Pachyptila*
- Genus *Pagodroma* – snow petrel
- Genus *Pelecanoides* – diving petrels
- Genus *Procellaria*
- Genus *Pseudobulweria*
- Genus *Pterodroma* – gadfly petrels
- Genus *Puffinus*
- Genus *Thalassoica* – Antarctic petrel

Psittaciformes

Parrots, parakeets, macaws, and cockatoos

- **Family Cacatuidae** – cockatoos
 - Genus *Cacatua*
 - Genus *Callocephalon* – gang-gang cockatoo
 - Genus *Calyptorhynchus*
 - Genus *Eolophus* – galah
 - Genus *Lophochroa* – Major Mitchell's cockatoo
 - Genus *Nymphicus* – cockatiel
 - Genus *Probosciger* – palm cockatoo
- **Family Nestoridae** – New Zealand parrots
 - Genus *Nestor*
- **Family Psittacidae** – New World and African parrots
 - Genus *Alipiopsitta* – yellow-faced parrot

- Genus *Amazona* – "Amazons"
- Genus *Anodorhynchus*
- Genus *Ara*
- Genus *Aratinga*
- Genus *Bolborhynchus*
- Genus *Brotogeris*
- Genus *Conuropsis* – Carolina parakeet
- Genus *Coracopsis* – Vasa parrot
- Genus *Cyanoliseus* – burrowing parrot
- Genus *Cyanopsitta* – Spix's macaw
- Genus *Deropterus* – red-fan parrot
- Genus *Diopsittaca* – red-shouldered macaw
- Genus *Enicognathus*
- Genus *Eupsittula*
- Genus *Forpus*
- Genus *Graydidascalus* – short-tailed parrot
- Genus *Guaruba* – golden parakeet
- Genus *Hapalopsittaca*
- Genus *Leptosittaca* – golden-plumed parakeet
- Genus *Myiopsitta*
- Genus *Nannopsittaca*
- Genus *Ognorhynchus* – yellow-eared parrot
- Genus *Orthopsittaca* – red-bellied macaw
- Genus *Pionites* – caiques
- Genus *Pionopsitta* – pileated parrot
- Genus *Pionus*
- Genus *Poicephalus*
- Genus *Primolius*
- Genus *Psilopsiagon*
- Genus *Psittacara*
- Genus *Psittacus* – grey parrot and Timneh parrot
- Genus *Pyrilia*

- Genus *Pyrrhura*
- Genus *Rhynchopsitta*
- Genus *Thectocercus* – blue-crowned parakeet
- Genus *Touit*
- Genus *Triclaria* – blue-bellied parrot
- **Family Psittaculidae** – Old World parrots
 - Genus *Agapornis* – lovebirds
 - Genus *Alisterus*
 - Genus *Aprosmictus*
 - Genus *Barnardius* – Australian ringneck (sometimes included in *Platycercus*)
 - Genus *Bolbopsittacus* – guaiabero
 - Genus *Chalcopsitta*
 - Genus *Charmosyna*
 - Genus *Cyanoramphus*
 - Genus *Cyclopsitta*
 - Genus *Eclectus*
 - Genus *Eos*
 - Genus *Eunymphicus*
 - Genus *Geoffroyus*
 - Genus *Glossopsitta* – musk lorikeet
 - Genus *Lathamus* – swift parrot
 - Genus *Loriculus* – hanging parrot
 - Genus *Lorius*
 - Genus *Melopsittacus* – budgerigar
 - Genus *Micropsitta* – pygmy parrot
 - Genus *Neophema*
 - Genus *Neopsephotus* – Bourke's parrot (sometimes included in *Neophema*)
 - Genus *Neopsittacus*
 - Genus *Northiella* – bluebonnet (often included in *Psephotus*)
 - Genus *Oreopsittacus* – plum-faced lorikeet
 - Genus *Parvipsitta*
 - Genus *Pezoporus*

- Genus *Phigys* – collared lory
- Genus *Platycercus* – rosellas
- Genus *Polytelis*
- Genus *Prioniturus* – racket-tails
- Genus *Prosopeia* – shining parrot
- Genus *Psephotellus*
- Genus *Psephotus* – red-rumped parrot
- Genus *Pseudeos*
- Genus *Psittacella* – tiger parrot
- Genus *Psittacula*
- Genus *Psittaculirostris*
- Genus *Psitteuteles* (sometimes classified in the *Trichoglossus*)
- Genus *Psittinus*
- Genus *Purpureicephalus* – red-capped parrot
- Genus *Tanygnathus*
- Genus *Trichoglossus*
- Genus *Vini*
- **Family Psitttrichasiidae**
 - Genus *Coracopsis* – Vasa parrot
 - Genus *Psitttrichas* – Pesquet's parrot
- **Family Strigopidae**
 - Genus *Strigops* – kakapo

Pteroclidiformes

- **Family Pteroclididae** – sandgrouse
 - Genus *Calopteroles*
 - Genus *Nyctiperdix*
 - Genus *Pterocles*
 - Genus *Syrhaptēs*

Rheiformes

- **Family Rheidae**

- Genus *Rhea*

Sphenisciformes

- **Family Spheniscidae** – penguins

- Genus *Aptenodytes*
- Genus *Eudyptes* – crested penguins
- Genus *Eudyptula*
- Genus *Megadyptes*
- Genus *Pygoscelis*
- Genus *Spheniscus* – banded penguins

Strigiformes

Owls

- **Family Strigidae** – true owls

- Genus *Aegolius* – saw-whet owls
- Genus *Asio* – eared owls
- Genus *Athene*
- Genus *Bubo* – horned owls (paraphyletic with *Nyctea*, *Ketupa*, and *Scotopelia*)
- Genus *Ciccaba*
- Genus *Glaucidium* – pygmy owls
- Genus *Jubula* – maned owl
- Genus *Lophotrix* – crested owl
- Genus *Margarobyas* – bare-legged owl
- Genus *Megascops* – screech owls
- Genus *Micrathene* – elf owl
- Genus *Nesasio* – fearful owl
- Genus *Ninox* – Asian and Australasian hawk-owls and boobooks
- Genus *Otus* – scops owls (probably paraphyletic)
- Genus *Pseudoscops* – Jamaican owl
- Genus *Psilosops* – flammulated owl

- Genus *Ptilopsis* – white-faced owl
- Genus *Pulsatrix* – spectacled owl
- Genus *Pyrroglau* – Palau owl
- Genus *Scotopelia* – fishing owls
- Genus *Strix* – earless owls
- Genus *Surnia* – northern hawk-owl
- Genus *Uroglau* – Papuan hawk-owl
- Genus *Xenoglaux* – long-whiskered owlet
- **Family Tytonidae** – barn owls
 - Genus *Phodilus* – bay owls
 - Genus *Tyto*

Struthioniformes

- **Family Struthionidae** – ostriches
 - Genus *Struthio*

Suliformes

Boobies, gannets, frigatebirds, cormorants, shags, and darters

- **Family Anhingidae**
 - Genus *Anhinga* – darters and anhinga
- **Family Fregatidae**
 - Genus *Fregata* – frigatebirds
- **Family Phalacrocoracidae**
 - Genus *Phalacrocorax* – cormorants and shags
- **Family Sulidae**
 - Genus *Morus* – gannets
 - Genus *Papasula* – Abbott's booby
 - Genus *Sula* – boobies

Tinamiformes

- **Family Tinamidae** – tinamous
 - Genus *Crypturellus*
 - Genus *Eudromia*
 - Genus *Nothocercus*
 - Genus *Nothoprocta*
 - Genus *Nothura*
 - Genus *Rhynchotus*
 - Genus *Taoniscus* – dwarf tinamou
 - Genus *Tinamotis*
 - Genus *Tinamus*

Trogoniformes

Trogons and quetzals

- **Family Trogonidae**
 - Genus *Apalharpactes*
 - Genus *Apaloderma*
 - Genus *Euptilotis* – eared quetzal
 - Genus *Harpactes*
 - Genus *Pharomachrus*
 - Genus *Priotelus*
 - Genus *Trogon*

الثدييات 1248 جينيرا في 245 عائلة

Afrosoricida[edit]

Tenrecs (Tenrecidae, included in the suborder Tenrecomorpha) and golden moles (Chrysochloridae, included in suborder Chrysochloridea) are part of the African radiation of mammals known as Afrotheria, and their distribution consists of Sub-Saharan Africa and Madagascar. There are 55 species in 21 genera; 34 species are tenrecs and otter shrews, and the other 21 species are golden moles. Tenrecs have a large diversity of species in Madagascar, with 31 species found there, while the 3 other species are found in the central

and west African rain forests. The 20 species of golden mole are found mostly in the east and South African savannas and desserts.

- **Family Tenrecidae** – tenrecs and otter shrews
 - Subfamily Geogalinae
 - Genus *Geogale* – long-eared tenrec
 - Subfamily Tenrecinae
 - Genus *Setifer* – greater hedgehog tenrec
 - Genus *Echinops* – lesser hedgehog tenrec
 - Genus *Hemicentetes* – streaked tenrec
 - Genus *Tenrec* – common tenrec
 - Subfamily Oryzorictinae
 - Genus *Microgale* – shrew tenrecs
 - Genus *Oryzorictes* – rice tenrecs
 - Genus *Limnogale* – web-footed tenrec
 - Subfamily Potamogalinae
 - Genus *Micropotamogale* – otter shrews
 - Genus *Potamogale* – giant otter shrew
- **Family Chrysochloridae** – golden moles
 - Genus *Chrysospalax* – giant golden moles
 - Genus *Calcochloris* – yellow golden moles
 - Genus *Eremitalpa* – Grant's golden mole
 - Genus *Cryptochloris* – cryptic golden moles
 - Genus *Chrysochloris* – Cape golden moles
 - Genus *Chlorotalpa* – forty-toothed golden moles
 - Genus *Carpitalpa* – Arend's golden mole
 - Genus *Neamblysomus* – lesser narrow-headed golden moles
 - Genus *Amblysomus* – narrow-headed golden moles

Artiodactyla[edit]

Artiodactyla is a large order of hoofed mammals, the even-toed ungulates. They are found nearly cosmopolitan, although no species are native to Australia or Antarctica. Broken into four

suborders, Tylopoda (including Camelidae), Suina (including Suidae and Tayassuidae), Whippomorpha (including Hippopotamidae), and Ruminantia, which contains two infraorders, Tragulina (including Tragulidae) and Pecora (including Moschidae, Cervidae, Bovidae, Antilocapridae, and Giraffidae). The higher taxonomy used for this order is based primarily on the Handbook of the Mammals of the World, Volume 2 on Hoofed Mammals, including the subfamily and tribal affiliations in each family. The order includes about 242 recognized species, along with 6 recently extinct species. Groves and Grubbs Taxonomy of Ungulates^[2] is used as a minor reference for the Bovids.

Suborder Ruminantia[edit]

- **Family Tragulidae** – chevrotain
 - Genus *Hyemoschus* – water chevrotain
 - Genus *Moschiola* – spotted chevrotain
 - Genus *Tragulus* – common chevrotain
- **Family Moschidae** – musk deer
 - Genus *Moschus* – musk deer
- **Family Cervidae** – deer
 - Subfamily Capreolinae
 - Tribe Capreolini
 - Genus *Hydropotes* – Chinese water deer
 - Genus *Capreolus* – roe deer
 - Tribe Alceini
 - Genus *Alces* – moose
 - Tribe Odocoileini
 - Genus *Rangifer* – caribou
 - Genus *Odocoileus* – Nearctic deer
 - Genus *Ozotoceros* – Pampas deer
 - Genus *Blastocerus* – marsh deer
 - Genus *Mazama* – brockets
 - Genus *Hippocamelus* – huemul
 - Genus *Pudu* – pudu
 - Subfamily Cervinae

- Tribe Cervini
 - Genus *Rusa* – rusa deer
 - Genus *Dama* – fallow deer
 - Genus *Axis* – hog deer
 - Genus *Elaphurus* – Père David's deer
 - Genus *Cervus* – typical deer
- Tribe Muntiacini
 - Genus *Muntiacus* – muntjacs
 - Genus *Elaphodus* – tufted deer
- **Family Bovidae** – hollow-horned ungulates
 - Subfamily Bovinae
 - Tribe Bovini
 - Genus *Bison* – bison
 - Genus *Bos* – cattle
 - Genus *Bubalus* – Asian buffalo
 - Genus *Syncerus* – African buffalo
 - Genus *Pseudoryx* – saola
 - Tribe Boselaphini
 - Genus *Boselaphus* – nilgai
 - Genus *Tetracerus* – chowsingha
 - Tribe Tragelaphini
 - Genus *Tragelaphus* – bushbuck, bongo, nyala, kudu, and sitatunga
 - Genus *Taurotragus* – elands
 - Subfamily Aepycerotinae
 - Genus *Aepyceros* – impala
 - Subfamily Alcelaphinae
 - Genus *Alcelaphus* – hartebeest
 - Genus *Connochaetes* – wildebeest
 - Genus *Damaliscus* – topi and bontebok
 - Genus *Beatragus* – hirola
 - Subfamily Antilopinae

- Tribe Neotragini
 - Genus *Neotragus* – pygmy antelopes
- Tribe Antilopini
 - Genus *Raphicerus* – steenbok and grysbok
 - Genus *Antidorcas* – springbok
 - Genus *Ammodorcas* – dibatag
 - Genus *Litocranius* – gerenuk
 - Genus *Saiga* – saiga
 - Genus *Antilope* – blackbuck
 - Genus *Nanger* – Saharan gazelle
 - Genus *Gazella* – typical gazelle
 - Genus *Eudorcas* – side-striped gazelle
 - Genus *Dorcatragus* – beira
 - Genus *Madoqua* – dik-dik
 - Genus *Ourebia* – oribi
 - Genus *Procapra* – Chinese gazelle
- Tribe Oreotragini
 - Genus *Oreotragus* – klipspringer
- Subfamily Caprinae
 - Genus *Pantholops* – chiru
 - Genus *Budorcas* – takin
 - Genus *Ammotragus* – Barbary sheep
 - Genus *Arabitragus* – Arabian tahr
 - Genus *Hemitragus* – Himalayan tahr
 - Genus *Pseudois* – blue sheep
 - Genus *Capra* – goats and ibexes
 - Genus *Nilgiritragus* – Nilgiri tahr
 - Genus *Ovis* – sheep
 - Genus *Rupicapra* – chamois
 - Genus *Nemorhaedus* – goral
 - Genus *Oreamnos* – Rocky Mountain goat
 - Genus *Capricornis* – serows

- Genus *Ovibos* – muskox
- Subfamily Cephalophinae
 - Genus *Sylvicapra* – bush duiker
 - Genus *Philantomba* – blue duikers
 - Genus *Cephalophus* – typical duikers
- Subfamily Hippotraginae
 - Genus *Hippotragus* – sable and roan antelopes
 - Genus *Addax* – addax
 - Genus *Oryx* – oryx
- Subfamily Reduncinae
 - Genus *Redunca* – reedbucks
 - Genus *Kobus* – kobs, lechwe, and waterbucks
 - Genus *Pelea* – rhebok
- **Family Antilocapridae** – pronghorn
 - Genus *Antilocapra* – pronghorn
- **Family Giraffidae** – giraffe and okapi
 - Genus *Giraffa* – giraffe
 - Genus *Okapia* – okapi

Suborder Suina[edit]

- **Family Suidae** – pigs
 - Genus *Babyrusa* – babirusa
 - Genus *Phacochoerus* – warthogs
 - Genus *Hylochoerus* – giant forest hog
 - Genus *Potamochoerus* – bushpigs
 - Genus *Sus* – typical pigs
 - Genus *Porcula* – pygmy hog
- **Family Tayassuidae** – peccaries
 - Genus *Catagonus* – Chacoan peccary
 - Genus *Tayassu* – white-lipped peccary
 - Genus *Pecari* – collared peccary

Suborder Tylopoda[edit]

- **Family Camelidae** – camels and relatives
 - Tribe Lamini
 - Genus *Lama* – guanaco
 - Genus *Vicugna* – vicuña
 - Tribe Camelini
 - Genus *Camelus* – camels

Suborder Whippomorpha[edit]

- **Family Hippopotamidae** – hippopotamuses
 - Genus *Hippopotamus* – common hippopotamus
 - Genus *Choeropsis* – pygmy hippopotamus

Carnivora[edit]

The order Carnivora is represented by 16 families of mostly carnivorous and omnivorous mammals found worldwide terrestrially and in marine waters of the poles and some areas of the tropics. Divided into two large suborders, Caniformia (Canidae, Ursidae, Ailuridae, Procyonidae, Mephitidae, Mustelidae, and the Pinnipeds, Otariidae, Phocidae, and Odobenidae) and Feliformia (Nandiniidae, Felidae, Prionodontidae, Viverridae, Hyaenidae, Herpestidae, and Eupleridae), the order contains about 289 recognized species, along with 4 recently extinct species, one of which is included in its own monotypic genus, *Dusicyon*. Tribe and subfamily taxonomy comes mostly from the first volume of the Handbook of the Mammals of the World on Carnivores for the terrestrial species, and the 4th volume on Marine Mammals for the 3 marine families.

Suborder Caniformia[edit]

- **Family Canidae** – dogs
 - Genus *Canis* – wolves and jackals
 - Genus *Lycaon* – African wild dog
 - Genus *Cuon* – dhole

- Genus *Lycalopex* – Neotropical foxes
- Genus †*Dusicyon* – Darwin's wolf
- Genus *Chrysocyon* – maned wolf
- Genus *Speothos* – bush dog
- Genus *Atelocynus* – short-eared dog
- Genus *Cerdocyon* – crab-eating fox
- Genus *Vulpes* – typical foxes
- Genus *Otocyon* – bat-eared fox
- Genus *Nyctereutes* – raccoon dog
- Genus *Urocyon* – gray foxes
- **Family Ursidae** – bears
 - Subfamily Ailuropodinae
 - Genus *Ailuropoda* – giant panda
 - Subfamily Tremarctinae
 - Genus *Tremarctos* – Andean bear
 - Subfamily Ursinae
 - Genus *Helarctos* – sun bear
 - Genus *Melursus* – sloth bear
 - Genus *Ursus* – Holarctic bears
- **Family Ailuridae** – red panda
 - Genus *Ailurus* – red panda
- **Family Procyonidae** – raccoons and relatives
 - Genus *Nasuella* – mountain coati
 - Genus *Nasua* – coatis
 - Genus *Procyon* – raccoons
 - Genus *Potos* – kinkajou
 - Genus *Bassaricyon* – olingos
 - Genus *Bassariscus* – ringtails
- **Family Mephitidae** – skunks and stink badgers
 - Subfamily Myadinae
 - Genus *Mydaus* – stink badgers
 - Subfamily Mephitinae

- Genus *Spilogale* – spotted skunks
- Genus *Mephitis* – striped and hooded skunks
- Genus *Conepatus* – hog-nosed skunks
- **Family Mustelidae** – weasels, badgers, and otters
 - Subfamily Melinae
 - Genus *Meles* – Eurasian badgers
 - Genus *Arctonyx* – hog badgers
 - Subfamily Taxidiinae
 - Genus *Taxidea* – American badger
 - Subfamily Mellivorinae
 - Genus *Mellivora* – honey badger
 - Subfamily Martinae
 - Genus *Gulo* – wolverine
 - Genus *Eira* – tayra
 - Genus *Martes* – martens
 - Subfamily Helictidinae
 - Genus *Melogale* – ferret-badgers
 - Subfamily Galictidinae
 - Genus *Galictis* – grison
 - Genus *Vormela* – marbled polecat
 - Genus *Ictonyx* – striped polecats
 - Genus *Poecilogale* – African striped weasel
 - Subfamily Mustelinae
 - Genus *Lyncodon* – Patagonian weasel
 - Genus *Neovison* – American minks
 - Genus *Mustela* – weasels
 - Subfamily Lutrinae
 - Genus *Pteronura* – giant otter
 - Genus *Lontra* – New World otters
 - Genus *Enhydra* – sea otter
 - Genus *Hydriectis* – spotted-necked otter
 - Genus *Lutra* – Eurasian otters

- Genus *Aonyx* – clawless otters
- Genus *Lutrogale* – smooth-coated otter
- **Family Odobenidae** – walrus
 - Genus *Odobenus* – walrus
- **Family Otariidae** – eared seals
 - Genus *Callorhinus* – northern fur seal
 - Genus *Arctocephalus* – southern fur seals
 - Genus *Neophoca* – Australian sea lion
 - Genus *Phocarcos* – New Zealand sea lion
 - Genus *Otaria* – South American sea lion
 - Genus *Eumetopias* – Steller sea lion
 - Genus *Zalophus* – northern sea lions
- **Family Phocidae** – earless seals
 - Genus *Monachus* – Mediterranean monk seal
 - Genus *Neomonachus* – Hawaiian and Caribbean monk seals
 - Genus *Mirounga* – elephant seals
 - Genus *Hydrurga* – leopard seal
 - Genus *Leptonychotes* – Weddell seal
 - Genus *Lobodon* – crabeater seal
 - Genus *Ommatophoca* – Ross seal
 - Genus *Erignathus* – bearded seal
 - Genus *Cystophora* – hooded seal
 - Genus *Halichoerus* – gray seal
 - Genus *Histiophoca* – ribbon seal
 - Genus *Pagophilus* – harp seal
 - Genus *Phoca* – harbor and spotted seal
 - Genus *Pusa* – ringed and inland seals

Suborder Feliformia[edit]

- **Family Nandiniidae** – African palm civet
 - Genus *Nandinia* – African palm civet
- **Family Felidae** – cats

- Subfamily Pantherinae
 - Genus *Neofelis* – clouded leopards
 - Genus *Panthera* – large cats
- Subfamily Felinae
 - Genus *Puma* – puma and jaguarundi
 - Genus *Acinonyx* – cheetah
 - Genus *Lynx* – lynxes
 - Genus *Leopardus* – Neotropical small cats
 - Genus *Caracal* – caracal and African golden cat
 - Genus *Leptailurus* – serval
 - Genus *Pardofelis* – marbled and Asian golden cats
 - Genus *Otocolobus* – Pallas's cat
 - Genus *Felis* – typical small cats
 - Genus *Prionailurus* – South Asian small cats
- **Family Prionodontidae** – Asian linsangs
 - Genus *Prionodon* – linsangs
- **Family Viverridae** – civets, genets, and oians
 - Subfamily Viverrinae
 - Genus *Viverricula* – small Indian civet
 - Genus *Viverra* – civets
 - Genus *Civettictis* – African civet
 - Subfamily Genettinae
 - Genus *Poiana* – oians
 - Genus *Genetta* – genets
 - Subfamily Hemigalinae
 - Genus *Cynogale* – otter civet
 - Genus *Chrotogale* – Owston's palm civet
 - Genus *Hemigalus* – banded palm civet
 - Genus *Diplogale* – Hose's palm civet
 - Subfamily Paradoxurinae
 - Genus *Paradoxurus* – Asian and golden palm civets
 - Genus *Paguma* – masked palm civet

- Genus *Arctogalidia* – small-toothed palm civet
- Genus *Macrogalidia* – Sulawesi palm civet
- Genus *Arctictis* – binturong
- **Family Hyaenidae** – hyenas
 - Subfamily Protelinae
 - Genus *Proteles* – aardwolf
 - Subfamily Hyaeninae
 - Genus *Crocuta* – spotted hyena
 - Genus *Hyaena* – brown and striped hyenas
- **Family Herpestidae** – mongooses
 - Subfamily Mungotinae
 - Genus *Crossarchus* – cusimanse
 - Genus *Liberiictis* – Liberian mongoose
 - Genus *Suricata* – meerkat
 - Genus *Dologale* – Pousargues's mongoose
 - Genus *Helogale* – dwarf mongooses
 - Genus *Mungos* – Gambian and banded mongooses
 - Subfamily Herpestinae
 - Genus *Atilax* – marsh mongoose
 - Genus *Xenogale* – long-nosed mongoose
 - Genus *Herpestes* – typical mongooses
 - Genus *Galerella* – slender mongooses
 - Genus *Cynictis* – yellow mongoose
 - Genus *Paracynictis* – Selous's mongoose
 - Genus *Bdeogale* – bushy-tailed mongooses
 - Genus *Ichneumia* – white-tailed mongoose
 - Genus *Rhynchogale* – Meller's mongoose
- **Family Eupleridae** – Malagasy carnivores
 - Subfamily Euplerinae
 - Genus *Cryptoprocta* – fossa
 - Genus *Eupleres* – falanouc
 - Genus *Fossa* – spotted fanaloka

- Subfamily Galidiinae
 - Genus *Galidia* – ring-tailed vongsira
 - Genus *Galidictis* – striped vongsira
 - Genus *Mungotictis* – narrow-striped boky
 - Genus *Salanoia* – brown vongsira

Cetacea[edit]

See also: List of cetacean species

Cetacea is the largest order of marine mammal, with 92 extant species (one of which, the baiji, may be extinct), and is found in every ocean on the planet along with many inland rivers systems. The order is split into to suborder, Mysticeti (including Balaenidae, Neobalaenidae, Eschrichtiidae, and Balaenopteridae) and Odontoceti (including Physeteridae, Kogiidae, Ziphiidae, Platanistidae, Iniidae, Lipotidae, Pontoporiidae, Monodontidae, Delphinidae, and Phocoenidae), which include a total of 14 families, most of which have few representative species. The taxonomy here is exemplified by the 4th volume of the Handbook of the Mammals of the World on Marine Mammals.

Suborder Mysticeti[edit]

- **Family Balaenidae** – right and bowhead whales
 - Genus *Eubalaena* – right whales
 - Genus *Balaena* – bowhead whale
- **Family Cetotheriidae** – pygmy right whale
 - Genus *Caperea* – pygmy right whale
- **Family Eschrichtiidae** – gray whale
 - Genus *Eschrichtius* – gray whale
- **Family Balaenopteridae** – rorquals
 - Genus *Megaptera* – humpback whale
 - Genus *Balaenoptera* – rorquals

Suborder Odontoceti[edit]

- **Family Physeteridae** – sperm whale
 - Genus *Physeter* – sperm whale
- **Family Kogiidae** – pygmy and dwarf sperm whales
 - Genus *Kogia* – pygmy and dwarf sperm whales
- **Family Ziphiidae** – beaked whales
 - Genus *Berardius* – giant beaked whales
 - Genus *Ziphius* – Cuvier's beaked whale
 - Genus *Hyperoodon* – bottlenose whales
 - Genus *Tasmacetus* – Shepherd's beaked whale
 - Genus *Indopacetus* – Longman's beaked whale
 - Genus *Mesoplodon* – mesoplodont beaked whales
- **Family Platanistidae** – South Asian river dolphin
 - Genus *Platanista* – South Asian river dolphin
- **Family Iniidae** – Amazon river dolphins
 - Genus *Inia* – Amazon river dolphins
- **Family Lipotidae** – baiji
 - Genus *Lipotes* – baiji
- **Family Pontoporiidae** – franciscana
 - Genus *Pontoporia* – franciscana
- **Family Monodontidae** – narwhal and beluga
 - Genus *Delphinapterus* – beluga
 - Genus *Monodon* – narwhal
- **Family Delphinidae** – oceanic dolphins
 - Genus *Lagenorhynchus* – white-sided dolphins
 - Genus *Orcaella* – snubfin dolphins
 - Genus *Orcinus* – killer whale
 - Genus *Delphinus* – common dolphins
 - Genus *Lagenodelphis* – Fraser's dolphin
 - Genus *Sotalia* – tucuxi and Guiana dolphin
 - Genus *Sousa* – humpback dolphins
 - Genus *Stenella* – striped, spotted, and spinner dolphins
 - Genus *Steno* – rough-toothed dolphin

- Genus *Tursiops* – bottlenose dolphins
- Genus *Globicephala* – pilot whales
- Genus *Feresa* – pygmy killer whale
- Genus *Grampus* – Risso's dolphin
- Genus *Peponocephala* – melon-headed whale
- Genus *Pseudorca* – false killer whale
- Genus *Lissodelphis* – right whale dolphins
- Genus *Cephalorhynchus* – Antarctic dolphins
- **Family Phocoenidae** – porpoises
 - Genus *Neophocaena* – finless porpoises
 - Genus *Phocoenoides* – Dall's porpoise
 - Genus *Phocoena* – typical porpoises

Chiroptera[edit]

Main article: List of bats

The order Chiroptera comprises bats and is the second largest order of mammals, containing about 1,240 species of bats, which is around 20% of all mammal species.

Suborder Yangochiroptera[edit]

- **Family Emballonuridae** – sac-winged bats
 - Genus *Balantiopteryx*
 - Genus *Centronycteris* – shaggy bats
 - Genus *Coleura*
 - Genus *Cormura* – chestnut sac-winged bat
 - Genus *Cyttarops* – short-eared bat
 - Genus *Diclidurus* – ghost bats
 - Genus *Emballonura* – sheath-tailed bats
 - Genus *Mosia* – dark sheath-tailed bat
 - Genus *Paremballonura* – Peter's sheath-tailed bat
 - Genus *Peropteryx* – dog-like bats
 - Genus *Rhynchonycteris* – proboscis bat

- Genus *Saccolaimus* – pouched bats
- Genus *Saccopteryx*
- Genus *Taphozous* – tomb bats
- **Family Furipteridae**
 - Genus *Amorphochilus* – smoky bat
 - Genus *Furipterus* – thumbless bat
- **Family Molossidae** – free-tailed bats
 - Genus *Austronomus* – white-striped free-tailed bat
 - Genus *Chaerephon* – lesser mastiff bats
 - Genus *Cheiromeles* – naked bats
 - Genus *Cynomops* – dog-faced bats
 - Genus *Eumops* – bonneted bats
 - Genus *Mormopterus*
 - Genus *Molossops* – broad-faced bats
 - Genus *Molossus* – velvety free-tailed bats
 - Genus *Mops* – greater mastiff bats
 - Genus *Myopterus* – African free-tailed bats
 - Genus *Nyctinomops* – New World free-tailed bats
 - Genus *Otomops* – big-eared free-tailed bats
 - Genus *Platymops* – Peters's flat-headed bat
 - Genus *Promops* – domed-palate mastiff bats
 - Genus *Sauromys* – Roberts's flat-headed bat
 - Genus *Tadarida* – common free-tailed bats
 - Genus *Tomopeas* – blunt-eared bat
- **Family Mormoopidae**
 - Genus *Mormoops* – ghost-faced bats
 - Genus *Pteronotus* – mustached bats and naked-backed bats
- **Family Mystacinidae** – New Zealand short-tailed bats
 - Genus *Mystacina*
- **Family Myzopodidae** – sucker-footed bats
 - Genus *Myzopoda*
- **Family Natalidae** – funnel-eared bats

- Genus *Chilonatalus*
- Genus *Natalus*
- Genus *Nyctiellus* – Gervais's funnel-eared bat
- Genus *Primonatalus* – *Primonatalus prattae*
- **Family Noctilionidae** – bulldog bats
 - Genus *Noctilio*
- **Family Nycteridae** – hollow-faced bats
 - Genus *Nycteris*
- **Family Phyllostomidae** – leaf-nosed bats
 - Subfamily Brachyphyllinae
 - Genus *Brachyphylla*
 - Subfamily Carolliinae
 - Genus *Carollia* – short-tailed leaf-nosed bats
 - Genus *Rhinophylla* – little fruit bats
 - Subfamily Desmodontinae – vampire bats
 - Genus *Desmodus*
 - Genus *Diaemus* – white-winged vampire bat
 - Genus *Diphylla* – hairy-legged vampire bat
 - Subfamily Glossophaginae
 - Genus *Anoura* – Geoffroy's long-nosed bats
 - Genus *Choeroniscus*
 - Genus *Choeronycteris* – Mexican long-tongued bat
 - Genus *Glossophaga* – various long-tongued bats
 - Genus *Hylonycteris* – Underwood's long-tongued bat
 - Genus *Leptonycteris* – Saussure's long-nosed bats
 - Genus *Lichonycteris* – dark long-tongued bat
 - Genus *Lionycteris* – chestnut long-tongued bat
 - Genus *Lonchophylla* – nectar bats
 - Genus *Monophyllus* – Antillean long-tongued bats
 - Genus *Musonycteris* – banana bat
 - Genus *Platalina* – long-snouted bat
 - Genus *Scleronycteris* – Ega long-tongued bat

- Genus *Xeronycteris* – Vieira's long-tongued bat
- Subfamily Phyllonycterinae
 - Genus *Erophylla* – brown flower bats
 - Genus *Phyllonycteris* – Jamaican flower bats
- Subfamily Phyllostominae
 - Genus *Chrotopterus* – big-eared woolly bat
 - Genus *Glyphononycteris*
 - Genus *Lamprononycteris* – yellow-throated big-eared bat
 - Genus *Lonchorhina* – sword-nosed bats
 - Genus *Lophostoma* – some round-eared bats
 - Genus *Macrophyllum* – long-legged bat
 - Genus *Macrotus* – leaf-nosed bats
 - Genus *Micrononycteris* – little big-eared bats
 - Genus *Mimon* – Gray's spear-nosed bats
 - Genus *Neonycteris* – least big-eared bat
 - Genus *Phylloderma* – pale-faced bat
 - Genus *Phyllostomus* – spear-nosed bats
 - Genus *Tonatia* – more round-eared bats
 - Genus *Trachops* – fringe-lipped bat
 - Genus *Trinycteris* – Niceforo's big-eared bat
 - Genus *Vampyrus* – spectral bat
- Subfamily Stenodermatinae
 - Genus *Ametrida* – little white-shouldered bat
 - Genus *Ardops* – tree bat
 - Genus *Ariteus* – Jamaican fig-eating bat
 - Genus *Artibeus* – Neotropical fruit bats
 - Genus *Centurio* – wrinkle-faced bat
 - Genus *Chiroderma* – big-eyed bats
 - Genus *Ectophylla* – Honduran white bat
 - Genus *Enchisthenes* – velvety fruit-eating bat
 - Genus *Mesophylla* – MacConnell's bat
 - Genus *Phyllops* – Cuban fig-eating bat

- Genus *Platyrrhinus* – broad-nosed bats
- Genus *Pygoderma* – Ipanema bat
- Genus *Sphaeronycteris* – visored bat
- Genus *Stenoderma* – red fruit bat
- Genus *Sturnira* – yellow-shouldered bats
- Genus *Uroderma* – tent-making bats
- Genus *Vampyressa* – yellow-eared bats
- Genus *Vampyrodes* – great stripe-faced bat
- **Family Thyropteridae** – disk-winged bats
 - Genus *Thyroptera*
- **Family Vespertilionidae** – vesper bats
 - Subfamily Kerivoulinae
 - Genus *Kerivoula* – painted bats
 - Genus *Phoniscus* – trumpet-eared bats
 - Subfamily Murininae
 - Genus *Harpiocephalus* – hairy-winged bats
 - Genus *Harpiola*
 - Genus *Murina* – tube-nosed insectivorous bats
 - Subfamily Myotinae
 - Genus *Cistugo* – wing-gland bats (sometimes placed in separate family: Cistugidae)
 - Genus *Myotis* – mouse-eared bats
 - Genus *Lasionycteris* – silver-haired bat (sometimes placed in its own subfamily)
 - Subfamily Vespertilioninae
 - Genus *Arielulus*
 - Genus *Barbastella* – barbastelles
 - Genus *Chalinolobus* – wattled bats
 - Genus *Corynorhinus* – American lump-nosed bats
 - Genus *Eptesicus* – house bats
 - Genus *Euderma* – spotted bat
 - Genus *Eudiscopus* – disk-footed bat

- Genus *Falsistrellus*
- Genus *Glauconycteris* – butterfly bats
- Genus *Glischropus* – thick-thumbed bats
- Genus *Hesperoptenus* – false serotine bats
- Genus *Histiotus* – big-eared brown bats
- Genus *Hypsugo* – Asian pipistrelles
- Genus *Ia* – great evening bat
- Genus *Idionycteris* – Allen's big-eared bat
- Genus *Laephotis* – long-eared bats
- Genus *Lasiurus* – hairy-tailed bats
- Genus *Mimetillus* – Moloney's mimic bat
- Genus *Neoromicia*
- Genus *Nyctalus* – noctule bats
- Genus *Nycticeinops* – Schlieffen's bat
- Genus *Nycticeius* – evening bats
- Genus *Nyctophilus* – New Guinean and Australian big-eared bats
- Genus *Otonycteris* – desert long-eared bat
- Genus *Parastrellus* – western pipistrelle
- Genus *Perimyotis* – eastern pipistrelle
- Genus *Pharotis* – New Guinea big-eared bat
- Genus *Philetor* – Rohu's bat
- Genus *Pipistrellus* – some of the pipistrelle bats
- Genus *Plecotus* – lump-nosed bats
- Genus *Rhogeessa* – Rhogeessa bats
- Genus *Scoteanax* – Rüppell's broad-nosed bat
- Genus *Scotoecus* – house bats
- Genus *Scotomanes* – harlequin bat
- Genus *Scotophilus* – yellow bats
- Genus *Scotorepens* – lesser broad-nosed bats
- Genus *Scotozous* – Dormer's bat
- Genus *Tylonycteris* – bamboo bats
- Genus *Vespadelus* – includes forest bats

- Genus *Vespertilio* – frosted bats

Suborder Yinpterochiroptera[edit]

- **Family Craseonycteridae** – Kitti's hog-nosed bat (also known as the bumblebee bat)
 - Genus *Craseonycteris*
- **Family Hipposideridae** – Old World leaf-nosed bats
 - Genus *Anthops* – flower-faced bat
 - Genus *Asellia*
 - Genus *Aselliscus* – 3 trident bat species
 - Genus *Cloeotis* – Percival's trident bat
 - Genus *Coelops* – tailless leaf-nosed bats
 - Genus *Hipposideros* – roundleaf bats
 - Genus *Paracoelops* – Pomona roundleaf bat
 - Genus *Paratriaenops*
 - Genus *Rhinonictis* – orange leaf-nosed bat
 - Genus *Triaenops*
- **Family Megadermatidae** – false vampire bats
 - Genus *Cardioderma* – heart-nosed bat
 - Genus *Lavia* – yellow-winged bat
 - Genus *Macroderma* – ghost bat
 - Genus *Megaderma* – lesser and greater false vampire bats
 - Genus *Eudiscoderma* – Thongaree's disc-nosed bat
- **Family Pteropodidae** – megabats
 - Subfamily Cynopterinae
 - Genus *Aethalops* – pygmy fruit bats
 - Genus *Alionycteris* – Mindanao pygmy fruit bat
 - Genus *Balionycteris* – spot-winged fruit bat
 - Genus *Chironax* – black-capped fruit bat
 - Genus *Cynopterus* – short-nosed fruit bats
 - Genus *Dyacopterus* – dayak fruit bats
 - Genus *Haplonycteris* – Fischer's pygmy fruit bat
 - Genus *Latidens* – Salim Ali's fruit bat

- Genus *Megaerops*
- Genus *Otopteropus* – Luzon fruit bat
- Genus *Penthetor* – dusky fruit bat
- Genus *Ptenochirus* – musky fruit bats
- Genus *Sphaerias* – Blanford's fruit bat
- Genus *Thoopterus* – swift fruit bat
- Subfamily Epomophorinae
 - Genus *Casinycteris* – short-palated fruit bat
 - Genus *Epomophorus* – epauletted fruit bats
 - Genus *Epomops* – epauletted bats
 - Genus *Hypsignathus* – hammer-headed bat
 - Genus *Lissonycteris* – Angolan rousette
 - Genus *Megaloglossus* – Woermann's bat
 - Genus *Micropteropus* – dwarf epauletted bats
 - Genus *Myonycteris* – little collared fruit bats
 - Genus *Nanonycteris* – Veldkamp's dwarf epauletted fruit bat
 - Genus *Plerotes* – D'Anchieta's fruit bat
 - Genus *Scotonycteris*
- Subfamily Harpiionycterinae
 - Genus *Aproteles* – Bulmer's fruit bat
 - Genus *Dobsonia* – naked-backed fruit bats
 - Genus *Harpyionycteris* – harpy fruit bats
- Subfamily Macroglossinae
 - Genus *Macroglossus* – long-tongued fruit bats
 - Genus *Melonycteris*
 - Genus *Notopteris* – long-tailed fruit bats
 - Genus *Syconycteris* – blossom bats
- Subfamily Nyctimeninae
 - Genus *Nyctimene* – tube-nosed fruit bats
 - Genus *Paranyctimene*
- Subfamily Pteropodinae
 - Genus *Acerodon*

- Genus *Desmalopex* – white-winged flying foxes
- Genus *Eidolon* – straw-coloured fruit bats
- Genus *Mirimiri* – Fijian monkey-faced bat
- Genus *Neopteryx* – small-toothed fruit bat
- Genus *Pteralopex* – monkey-faced bats
- Genus *Pteropus* – flying foxes
- Subfamily Rousettinae
 - Genus *Eonycteris* – dawn fruit bats
 - Genus *Styloctenium* – stripe-faced fruit bats
 - Genus *Rousettus* – rousette fruit bats
- **Family Rhinolophidae** – horseshoe bats
 - Genus *Rhinolophus*
- **Family Rhinopomatidae** – mouse-tailed bats
 - Genus *Rhinopoma*

Cingulata[edit]

- **Family Chlamyphoridae** – fairy armadillos, giant armadillos, and more
 - Subfamily Chlamyphorinae – fairy armadillos
 - Genus *Calyptophractus* – greater fairy armadillo
 - Genus *Chlamyphorus* – pink fairy armadillo
 - Subfamily Euphractinae
 - Genus *Chaetophractus* – hairy armadillo
 - Genus *Euphractus* – six-banded armadillo
 - Genus *Zaedyus* – pichi
 - Subfamily Tolypeutinae
 - Genus *Cabassous* – naked-tailed armadillos
 - Genus *Priodontes* – giant armadillo
 - Genus *Tolypeutes* – three-banded armadillos
- **Family Dasypodidae**
 - Genus *Dasypus* – long-nosed armadillos

Dasyuromorphia[edit]

The order Dasyuromorphia (meaning "hairy tail") comprises most of the Australian carnivorous marsupials, including quolls, dunnarts, the numbat, the Tasmanian devil, and the thylacine.

There are 73 living species in this order, 72 of which belong to the family Dasyuridae and the numbat, of the family Myrmecobiidae.

- **Family Dasyuridae** – sometimes known as marsupial mice

- Genus *Antechinomys* – kultarr
- Genus *Antechinus* – pouched mice
- Genus *Dasycercus* – mulgaras
- Genus *Dasykaluta* – little red kaluta
- Genus *Dasyuroides* – kowari
- Genus *Dasyurus* – quolls
- Genus *Micromurexia* – Habbema dasyure
- Genus *Murexechinus* – black-tailed dasyure
- Genus *Murexia* – short-furred dasyure
- Genus *Myoictis* – three-striped dasyures
- Genus *Neophascogale* – speckled dasyures
- Genus *Ningaui* – ningauis
- Genus *Paramurexia* – broad-striped dasyure
- Genus *Parantechinus* – dibbler
- Genus *Phascogale* – phascogales, or wambengers
- Genus *Phascolosorex* – marsupial shrews
- Genus *Phascomurexia* – long-nosed dasyure
- Genus *Planigale* – planigales
- Genus *Pseudantechinus* – false antechinuses
- Genus *Sarcophilus* – Tasmanian devil
- Genus *Sminthopsis* – dunnarts

- **Family Myrmecobiidae**

- Genus *Myrmecobius* – numbat

Dermoptera[edit]

Colugos are arboreal gliding mammals found in Southeast Asia. Just two extant species, the Sunda flying lemur and the Philippine flying lemur, make up the entire order Dermoptera.

- **Family Cynocephalidae** – colugos, or flying lemurs
 - Genus *Cynocephalus* – Philippine flying lemur
 - Genus *Galeopterus* – Sunda flying lemur

Didelphimorphia[edit]

Order Didelphimorphia is composed of 1 family and 18 genera.

- **Family Didelphidae** – Opossum
 - Subfamily Caluromyinae
 - Genus *Caluromys* – Woolly opossum
 - Genus *Caluromysiops* – Black-shouldered opossum
 - Subfamily Glironiinae
 - Genus *Glironia* – Bushy-tailed opossum
 - Subfamily Hyladelphinae
 - Genus *Hyladelphys* – Kalinowski's mouse opossum
 - Subfamily Didelphinae
 - Genus *Chacodelphys* – Chacoan pigmy opossum
 - Genus *Chironectes* – Water opossum
 - Genus *Cryptonanus*
 - Genus *Didelphis*
 - Genus *Gracilinanus* – Gracile opossum
 - Genus *Lestodelphys* – Patagonian opossum
 - Genus *Lutreolina* – Lutrine opossum
 - Genus *Marmosa* – Mouse opossum
 - Genus *Marmosops* – Slender opossum
 - Genus *Metachirus* – Brown four-eyed opossum
 - Genus *Monodelphis* – Short-tailed opossum
 - Genus *Philander* – Gray and black four-eyed opossum
 - Genus *Thylamys* – Fat-tailed mouse opossum

- Genus *Tlacuatzin* – Greyish mouse opossum

Diprotodontia[edit]

Suborder Vombatiformes[edit]

- **Family Vombatidae**
 - Genus *Lasiorhinus* – Hairy-nosed wombat
 - Genus *Vombatus* – Common wombat
- **Family Phascolarctidae**
 - Genus *Phascolarctos* – Koala

Suborder Phalangeriformes[edit]

- **Superfamily Phalangoidea**
 - **Family Phalangeridae**
 - Genus *Ailurops* – Bear cuscus
 - Genus *Phalanger* – Cuscus
 - Genus *Spilocuscus* – Cuscus
 - Genus *Strigocuscus* – Cuscus
 - Genus *Trichosurus* – Brushtail possum
 - Genus *Wyulda* – Scaly-tailed possum
 - **Family Burramyidae**
 - Genus *Burramys*
 - Genus *Cercartetus* – Pygmy possums
- **Superfamily Petauroidea**
 - **Family Tarsipedidae**
 - Genus *Tarsipes* – Honey possum
 - **Family Petauridae**
 - Genus *Dactylopsila*
 - Genus *Gymnobelideus* – Leadbeater's possum
 - **Family Pseudocheiridae**
 - Genus *Hemibelideus* – Lemur-like ringtail possum
 - Genus *Petauroides* – Greater glider

- Genus *Pseudocheirus* – Common ringtail possum
- Genus *Pseudochirops* – Ringtail possum
- Genus *Pseudochirulus* – Ringtail possum
- **Family Acrobatidae**
 - Genus *Acrobates* – Feathertail glider
 - Genus *Distoechurus* – feather-tailed possum

Suborder Macropodiformes[edit]

- **Family Macropodidae**
 - Genus *Dendrolagus* – Tree-kangaroo
 - Genus *Dorcopsis*
 - Genus *Dorcopsulus*
 - Genus *Lagorchestes* – Hare-wallaby
 - Genus *Lagostrophus* – Banded hare-wallaby
 - Genus *Macropus* – Kangaroo, wallaroo, wallaby
 - Genus *Onychogalea* – Nail-tail wallaby
 - Genus *Setonix* – Quokka
 - Genus *Thylogale* – Pademelon
 - Genus *Wallabia* – Swamp wallaby
- **Family Potoroidae**
 - Genus *Aepyprymnus* – Rufous rat-kangaroo
 - Genus *Bettongia* – Bettong
 - Genus *Potorous* – Potoroo
- **Family Hypsiprymnodontidae**
 - Genus *Hypsiprymnodon* – Musky rat-kangaroo

Eulipotyphla[edit]

- **Family Erinaceidae**– Hedgehog
 - Genus *Atelerix*
 - Genus *Echinosorex* – Moonrat
 - Genus *Erinaceus*

- Genus *Hemiechinus*
- Genus *Hylomys* – Gymnure
- Genus *Mesechinus*
- Genus *Neohylomys* – Hainan gymnure
- Genus *Neotetracus* – Shrew gymnure
- Genus *Paraechinus*
- Genus *Podogymnura*
- **Family Soricidae** – Shrew
 - Genus *Anourosorex* – Asian mole shrew
 - Genus *Blarina* – American short-tailed shrew
 - Genus *Blarinella*
 - Genus *Chimarrogale* – Asiatic water shrew
 - Genus *Chodsigoa*
 - Genus *Congosorex* – Congo shrew
 - Genus *Crocidura* – This genus of shrew contains the most species of any other mammal genus
 - Genus *Cryptotis* – Small-eared shrew
 - Genus *Diplomesodon* – Piebald shrew
 - Genus *Episoriculus* – Brown-toothed shrew
 - Genus *Feroculus* – Kelaart's long-clawed shrew
 - Genus *Megasorex* – Mexican shrew
 - Genus *Myosorex* – Mouse shrew
 - Genus *Nectogale* – Elegant water shrew
 - Genus *Neomys*
 - Genus *Notiosorex*
 - Genus *Paracrocidura* – Large-headed shrew
 - Genus *Ruwenzorisorex* – Ruwenzori shrew
 - Genus *Scutisorex*
 - Genus *Solisorex* – Pearson's long-clawed shrew
 - Genus *Sorex*
 - Genus *Soriculus* – Himalayan shrew
 - Genus *Suncus*

- Genus *Surdisorex*
- Genus *Sylvisorex* – Forest shrew
- **Family Talpidae – Mole**
 - Genus *Condylura* – Star-nosed mole
 - Genus *Desmana* – Russian desman
 - Genus *Dymecodon* – True's shrew mole
 - Genus *Euroscaptor*
 - Genus *Galemys* – Pyrenean desman
 - Genus *Mogera*
 - Genus *Neurotrichus*
 - Genus *Parascalops* Hairy-tailed mole
 - Genus *Parascaptor* – White-tailed mole
 - Genus *Scalopus* – Eastern mole
 - Genus *Scapanulus* – Gansu mole
 - Genus *Scapanus*
 - Genus *Scaptochirus* – Short-faced mole
 - Genus *Scaptonyx* – Long-tailed mole
 - Genus *Talpa*
 - Genus *Uropsilus*
 - Genus *Urotrichus* – Japanese shrew mole
- **Family Solenodontidae**
 - Genus *Solenodon*

Hyracoidea[edit]

- **Family Procaviidae**
 - Genus *Dendrohyrax* – Tree hyrax
 - Genus *Heterohyrax* – Yellow-spotted rock hyrax
 - Genus *Procavia* – Rock hyrax

Lagomorpha[edit]

- **Family Leporidae**

- Genus *Brachylagus* – Pigmy rabbit
- Genus *Bunolagus* – Riverine rabbit
- Genus *Caprolagus* – Hispid hare
- Genus *Lepus* – Hare
- Genus *Nesolagus* – Striped rabbit
- Genus *Oryctolagus* – European rabbit
- Genus *Pentalagus* – Amami rabbit
- Genus *Poelagus* – Bunyoro rabbit
- Genus *Pronolagus* – Red rock hare
- Genus *Romerolagus* – Volcano rabbit
- Genus *Sylvilagus* – Cottontail rabbit
- **Family Ochotonidae**
 - Genus *Ochotona* – Pika

Macroscelidea[edit]

- **Family Macroscelididae** – Elephant shrew
 - Genus *Elephantulus*
 - Genus *Macroscelides*
 - Genus *Petrodromus*
 - Genus *Petrosaltator*
 - Genus *Rhynchocyon*

Microbiotheria[edit]

- **Family Microbiotheriidae**
 - Genus *Dromiciops* – Monito del monte

Monotremata[edit]

Suborder Platypoda[edit]

- **Family Ornithorhynchidae**
 - Genus *Ornithorhynchus* – Platypus

Suborder Tachyglossa[edit]

- **Family Tachyglossidae** – Echidna
 - Genus *Tachyglossus* – Short-beaked echidna
 - Genus *Zaglossus* Long-beaked echidna

Notoryctemorphia[edit]

- **Family Notoryctidae**
 - Genus *Notoryctes* – Marsupial mole

Paucituberculata[edit]

- **Family Caenolestidae**
 - Genus *Caenolestes* – Common shrew opossums
 - Genus *Lestoros* – Incan caenolestid
 - Genus *Rhyncholestes* – Long-nosed caenolestid

Peramelemorphia[edit]

- **Family Peramelidae**
 - Subfamily Echymiperae
 - Genus *Echymipera* – New Guinean spiny bandicoot
 - Genus *Microperoryctes* – New Guinean mouse bandicoot
 - Genus *Rhynchomeles* – Seram bandicoot
 - Subfamily Peramelinae
 - Genus *Isoodon* – Short-nosed bandicoot
 - Genus *Perameles*
 - Subfamily Peroryctinae
 - Genus *Peroryctes* – New Guinean long-nosed bandicoot
- **Family Thylacomyidae**
 - Genus *Macrotis* – Bilbie

Perissodactyla[edit]

Suborder Hippomorpha[edit]

- **Family Equidae**
 - Genus *Equus* – Horse and allies

Suborder Ceratomorpha[edit]

- **Family Rhinocerotidae**
 - Tribe Dicerotini
 - Genus *Ceratotherium* – White rhinoceros
 - Genus *Dicerorhinus* – Two-horned Sumatran rhinoceros
 - Genus *Diceros* – Black rhinoceros
 - Tribe Rhinocerotini
 - Genus *Rhinoceros* – *Rhinoceros*
- **Family Tapiridae**
 - Genus *Tapirus* – Tapir

Pholidota[edit]

- **Family Manidae** – Pangolin
 - Genus *Manis*
 - Genus *Phataginus*
 - Genus *Smutsia*

Pilosa[edit]

Suborder Vermilingua[edit]

- **Family Cyclopedidae**
 - Genus *Cyclopes* – Silky anteater
- **Family Myrmecophagidae**
 - Genus *Myrmecophaga* – Giant anteater
 - Genus *Tamandua*^{d31}

Suborder Folivora[edit]

- **Family Bradypodidae**
 - Genus *Bradypus* three-toed sloths
- **Family Megalonychidae**
 - Genus *Choloepus* two-toed sloths

Primates[edit]

Suborder Haplorhini[edit]

- **Infraorder Simiiformes**
 - **Parvorder Catarrhini** – Old world monkey
 - **Superfamily Cercopithecoidea**
 - **Family Cercopithecidae**
 - Subfamily Cercopithecinae
 - Tribe Cercopithecini
 - Genus *Allenopithecus* – Allen's swamp monkey
 - Genus *Allochrocebus*
 - Genus *Cercocebus* – White-eyelid mangabey
 - Genus *Chlorocebus*
 - Genus *Erythrocebus*
 - Genus *Miopithecus* – Talapoin
 - Tribe Papionini
 - Genus *Lophocebus* – Crested mangabey
 - Genus *Macaca* – Macaque
 - Genus *Mandrillus* – Drill and Mandrill
 - Genus *Papio* – Baboon
 - Genus *Rungwecebus* – Kipunji
 - Genus *Theropithecus* – Gelada
 - Subfamily Colobinae
 - Genus *Colobus* – Black-and-white colobus
 - Genus *Nasalis* – Proboscis monkey

- Genus *Procolobus* – Colobus
 - Genus *Pygathrix* – Douc
 - Genus *Rhinopithecus* – Snub-nosed monkey
 - Genus *Semnopithecus* – Gray langur
 - Genus *Simias* – Pig-tailed langur
 - Genus *Trachypithecus* – Lutung
- **Superfamily Hominoidea**
 - **Family Hominidae**
 - Subfamily Homininae
 - Tribe Gorillini
 - Genus *Gorilla* – Gorilla
 - Tribe Hominini
 - Genus *Homo* – Human
 - Genus *Pan* – Chimpanzee
 - Subfamily Ponginae
 - Genus *Pongo* – Orangutan
 - **Family Hylobatidae** – Gibbon
 - Genus *Hoolock* – Hoolock gibbon
 - Genus *Hylobates*
 - Genus *Nomascus*
 - Genus *Symphalangus* – Siamang
- **Parvorder Platyrrhini** – New world monkey
 - **Family Aotidae**
 - Genus *Aotus* – Night monkey
 - **Family Atelidae**
 - Subfamily Alouattinae
 - Genus *Alouatta* – Howler monkey
 - Subfamily Atelinae
 - Genus *Ateles* – Spider monkey
 - Genus *Brachyteles* – Muriqui
 - Genus *Lagothrix* – Woolly monkey
 - Genus *Oreonax* – Yellow-tailed woolly monkey

- **Family Callitrichidae**
 - Genus *Callibella* – Roosmalens' dwarf marmoset
 - Genus *Callimico* – Goeldi's marmoset
 - Genus *Callithrix*
 - Genus *Cebuella* – Pygmy marmoset
 - Genus *Leontopithecus* – Lion tamarin
 - Genus *Mico*
 - Genus *Saguinus* – Tamarin
- **Family Cebidae**
 - Genus *Cebus* – Gracile capuchin monkey
 - Genus *Saimiri* – Squirrel monkey
- **Family Pitheciidae**
 - Subfamily Callicebinae
 - Genus *Cacajao* – Uakari
 - Subfamily Pitheciinae
 - Genus *Callicebus*
 - Genus *Chiropotes* – Bearded saki
- **Infraorder Tarsiiformes**
 - **Family Tarsiidae**
 - Genus *Carlito* – Philippine tarsier
 - Genus *Cephalopachus* – Horsfield's tarsier
 - Genus *Tarsius* – Tarsier

Suborder Strepsirrhini[edit]

- **Infraorder Lemuriformes**
 - **Superfamily Lemuroidea**
 - **Family Cheirogaleidae**
 - Genus *Allocebus* – Hairy-eared dwarf lemur
 - Genus *Cheirogaleus* – Dwarf lemur
 - Genus *Microcebus* – Mouse lemur
 - Genus *Mirza* – Giant mouse lemur
 - Genus *Phaner* – Fork-marked lemur

- **Family Daubentoniidae**
 - Genus *Daubentonia* – Aye-aye
- **Family Indriidae**
 - Genus *Avahi* – Wooly lemur
 - Genus *Indri*
 - Genus *Propithecus* – Sifaka
- **Family Lemuridae**
 - Genus *Eulemur* – True Lemur
 - Genus *Haplemur* – Bamboo lemur
 - Genus *Lemur* – Ring-tailed lemur
 - Genus *Prolemur* – Greater bamboo lemur
 - Genus *Varecia* – Ruffed lemur
- **Family Lepilemuridae**
 - Genus *Lepilemur* – Sportive lemur
- **Superfamily Lorisoidea**
 - **Family Galagidae**
 - Genus *Euoticus* – Needle-clawed bushbaby
 - Genus *Galago* – Lesser bushbaby
 - Genus *Otolemur* – Greater galago
 - Genus *Scuirocheirus* – Squirrel galago
 - **Family Lorisidae**
 - Subfamily Lorinae
 - Genus *Loris* – Slender loris
 - Genus *Nycticebus* – Slow loris
 - Subfamily Perodicticinae
 - Genus *Arctocebus* – Angwantibo
 - Genus *Perodicticus* – Potto
 - Genus *Pseudopotto* – False potto

Proboscidea[edit]

- **Family Elephantidae**
 - Genus *Loxodonta*' – African Elephant

- Genus *Elephas*' – Asian elephant

Rodentia[edit]

Suborder Anomaluromorpha[edit]

- **Family Anomaluridae**

- Genus *Anomalurus* – Scaly-tailed squirrel
- Genus *Idiurus* – Flying mouse
- Genus *Zenkerella (animal)* – Cameroon scaly-tail

Suborder Castorimorpha[edit]

- **Family Castoridae**

- Genus *Castor (genus)* – Beaver

- **Family Geomyidae** – Pocket gopher

- Genus *Cratogeomys*
- Genus *Geomys*
- Genus *Orthogeomys*
- Genus *Pappogeomys*
- Genus *Thomomys* – Smooth-toothed pocket gopher
- Genus *Zygogeomys* – Michoacan pocket gopher

- **Family Heteromyidae** – Pocket mouse

- Genus *Dipodomys* – Kangaroo rat
- Genus *Heteromys*
- Genus *Chaetodipus*
- Genus *Perognathus*

Suborder Hystricomorpha[edit]

- **Family Ctenodactylidae**

- Genus *Ctenodactylus*
- Genus *Felovia* – Felou gundi
- Genus *Massoutiera* – Mzab gundi

- Genus *Pectinator* – Speke's pectinator
- **Family Diatomyidae**
 - Genus *Laonastes* – Laotian rock rat
- **Family Caviidae**
 - Genus *Cavia* – Guinea pig
 - Genus *Dolichotis* – Mara
 - Genus *Galea* – Yellow-toothed cavy
 - Genus *Hydrochoerus*
 - Genus *Kerodon*
 - Genus *Microcavia* – Mountain cavy
- **Family Cuniculidae**
 - Genus *Cuniculus* – Paca
- **Family Dasyproctidae**
 - Genus *Dasyprocta* – Agouti
 - Genus *Myoprocta* – Acouchi
- **Family Abrocomidae**
 - Genus *Abrocoma* – Chinchilla rat
 - Genus *Cuscomys*
- **Family Chinchillidae**
 - Genus *Chinchilla*
 - Genus *Lagidium*
 - Genus *Lagostomus*
- **Family Dinomyidae**
 - Genus *Dinomys* – Pacarana
- **Family Erethizontidae**
 - Genus *Chaetomys* – Bristle-spined rat
 - Genus *Coendou* – Prehensile-tailed porcupine
 - Genus *Erethizon* – North American porcupine
- **Family Capromyidae**
 - Genus *Capromys* – Desmarest's hutia
 - Genus *Geocapromys*
 - Genus *Mesocapromys* – Huita

- Genus *Mysateles*
- Genus *Plagiodontia* – Hispaniolan hutia
- **Family Ctenomyidae**
 - Genus *Ctenomys* – Tuco-tuco
- **Family Echimyidae**
 - Genus *Callistomys* – Painted tree-rat
 - Genus *Carterodon* – Owl's spiny rat
 - Genus *Clyomys*
 - Genus *Dactylomys* – Bamboo-rat
 - Genus *Diplomys* – Soft-furred spiny rat
 - Genus *Echimys*
 - Genus *Euryzygomatomys* – Guara
 - Genus *Hoplomys* – Armored rat
 - Genus *Isothrix* – Brush-tailed rat
 - Genus *Kannabateomys* – Atlantic bamboo rat
 - Genus *Lonchothrix* – Tuft-tailed spiny tree-rat
 - Genus *Makalata*
 - Genus *Mesomys* – Spiny tree-rat
 - Genus *Myocastor* – Coypu
 - Genus *Olallamys*
 - Genus *Pattonomys*
 - Genus *Phyllomys*
 - Genus *Proechimys*
 - Genus *Thrichomys* – Punaré
 - Genus *Toromys* – Giant tree-rat
 - Genus *Trinomys* – Atlantic spiny rat
- **Family Octodontidae**
 - Genus *Aconaemys* – Rock rat
 - Genus *Octodon*
 - Genus *Octodontomys* – Mountain degu
 - Genus *Octomys* – Mountain viscacha rat
 - Genus *Pipanaecoctomys* – Golden viscacha rat

- Genus *Spalacopus* – Coruro
- Genus *Tympanoctomys* – Chalchalero viscacha rat
- **Family Bathyergidae** – Mole-rat
 - Genus *Bathyergus*
 - Genus *Cryptomys*
 - Genus *Fukomys*
 - Genus *Georychus* – Cape mole-rat
 - Genus *Heliophobius* – Silvery mole-rat
- **Family Heterocephalidae**
 - Genus *Heterocephalus* – Naked mole-rat
- **Family Hystricidae**
 - Genus *Atherurus* – Brush-tailed porcupine
 - Genus *Hystrix*
 - Genus *Trichys* – Long-tailed porcupine
- **Family Petromuridae**
 - Genus *Petromus* – Dassie rat
- **Family Thryonomyidae**
 - Genus *Thryonomys* – Cane rat

Suborder Myomorpha[edit]

- **Family Dipodidae** – Jeroba and Jumping mouse
 - Genus *Dipodidae*
 - Genus *Allactaga*
 - Genus *Allactodipus* – Bobrinski's jerboa
 - Genus *Cardiocranius* – Five-toed pygmy jerboa
 - Genus *Dipus* – Northern three-toed jerboa
 - Genus *Eozapus* – Chinese jumping mouse
 - Genus *Eremodipus* – Lichtenstein's jerboa
 - Genus *Euchoreutes* – Long-eared jerboa
 - Genus *Jaculus* (rodent)
 - Genus *Microdipodops* – Kangaroo mouse
 - Genus *Napaeozapus* – Woodland jumping mouse

- Genus *Paradipus* – Comb-toed jerboa
- Genus *Pygeretmus* – Fat-tailed jerboa
- Genus *Salpingotulus* – Baluchistan pygmy jerboa
- Genus *Salpingotus*
- Genus *Sicista* – Birch mouse
- Genus *Stylodipus* – Three-toed jerboa
- Genus *Zapus*
- **Family Calomyscidae**
 - Genus *Calomyscus* – Mouse-like hamster
- **Family Cricetidae**
 - Genus *Abrawayomys* – Ruschi's rat
 - Genus *Abrothrix*
 - Genus *Aegialomys*
 - Genus *Aepeomys* – Montane mouse
 - Genus *Akodon* – South American grass mouse
 - Genus *Allocricetulus* – Hamster
 - Genus *Alticola* – Vole
 - Genus *Amphinectomys* – Ucayali water rat
 - Genus *Andalgalomys* – Chaco mouse
 - Genus *Andinomys* – Andean mouse
 - Genus *Anotomys* – Aquatic rat
 - Genus *Arborimus* – Tree vole
 - Genus *Arvicola* – Water vole
 - Genus *Auliscomys* – Big-eared mouse
 - Genus *Baiomys* – Pygmy mouse
 - Genus *Bibimys* – Crimson-nosed rat
 - Genus *Blanfordimys* – Vole
 - Genus *Blarinomys* – Brazilian shrew mouse
 - Genus *Brucepattersonius* – Brucie
 - Genus *Calomys* – Vesper mouse
 - Genus *Cansumys* – Gansu hamster
 - Genus *Caryomys*

- Genus *Cerradomys*
- Genus *Chelemys*
- Genus *Chibchanomys* – Water mouse
- Genus *Chilomys* – Colombian forest mouse
- Genus *Chinchillula* – Altiplano chinchilla mouse
- Genus *Chionomys* – Snow vole
- Genus *Cricetulus*
- Genus *Cricetus* – European hamster
- Genus *Delomys* – Forest rat
- Genus *Deltamys* – Kemp's grass mouse
- Genus *Dicrostonyx* – Collared lemming
- Genus *Dinaromys* – Balkan snow vole
- Genus *Drymoreomys*
- Genus *Eligmodontia*
- Genus *Ellobius* – Mole vole
- Genus *Eolagurus*
- Genus *Eothenomys*
- Genus *Eremoryzomys* – Gray rice rat
- Genus *Euneomys* – Chinchilla mouse
- Genus *Euryoryzomys*
- Genus *Galenomys* – Garlepp's mouse
- Genus *Geoxus*
- Genus *Geoxus* – Pearson's long-clawed akodont
- Genus *Graomys* – Leaf-eared mouse
- Genus *Habromys* – Deer mouse
- Genus *Handleyomys*
- Genus *Hodomys* – Allen's woodrat
- Genus *Holochilus* – Marsh rat
- Genus *Hylaeamys*
- Genus *Hyperacrius*
- Genus *Ichthyomys* – Crab-eating rat
- Genus *Irenomys*

- Genus *Isthmomys* – Isthmus rat
- Genus *Juliomys*
- Genus *Juscelinomys*
- Genus *Kunsia*
- Genus *Lagurus (rodent)*
- Genus *Lasiopodomys*
- Genus *Lemmiscus* – Sagebrush vole
- Genus *Lemmus* – True lemming
- Genus *Lenoxus* – Andean rat
- Genus *Loxodontomys*
- Genus *Lundomys*
- Genus *Megadontomys* – Giant deer mouse
- Genus *Melanomys*
- Genus *Mesocricetus* – Golden hamster
- Genus *Microakodontomys* – Transitional colilargo
- Genus *Microryzomys*
- Genus *Microtus*
- Genus *Mindomys*
- Genus *Myodes* – Red-backed vole
- Genus *Myopus* – Wood lemming
- Genus *Neacomys*
- Genus *Necomys*
- Genus *Nectomys*
- Genus *Nelsonia (rodent)* – Wood rat
- Genus *Neodon*
- Genus *Neofiber* – Round-tailed muskrat
- Genus *Neotoma* – Pack rat
- Genus *Neotomodon* – Mexican volcano mouse
- Genus *Neotomys* – Andean swamp rat
- Genus *Nephelomys*
- Genus *Nesoryzomys*
- Genus *Neusticomys* – Fish-eating rat

- Genus *Notiomys*
- Genus *Nyctomys* – Sumichrast's vesper rat
- Genus *Ochrotomys* – Golden mouse
- Genus *Oecomys*
- Genus *Oligoryzomys*
- Genus *Ondatra* – Muskrat
- Genus *Onychomys* – Grasshopper mouse
- Genus *Oreoryzomys*
- Genus *Oryzomys*
- Genus *Osgoodomys* – Michoacan deer mouse
- Genus *Otonyctomys* – Hatt's vesper rat
- Genus *Ototylomys* – Big-eared climbing rat
- Genus *Oxymycterus* – Homicudo
- Genus *Peromyscus* – Deer mouse
- Genus *Phaenomys* – Rio de Janeiro arboreal rat
- Genus *Phaiomys* – Blyth's vole
- Genus *Phenacomys* – Heather vole
- Genus *Phodopus*
- Genus *Phyllotis* – Gerbil leaf-eared mouse
- Genus *Phyllotis* – Leaf-eared mouse
- Genus *Podomys* – Florida mouse
- Genus *Podoxymys* – Roraima mouse
- Genus *Proedromys*
- Genus *Prometheomys* – Long-clawed mole vole
- Genus *Pseudoryzomys* – Brazilian false rice rat
- Genus *Punomys* – Puna mouse
- Genus *Reithrodon*
- Genus *Reithrodontomys* – Harvest mouse
- Genus *Rhagomys* – Arboreal mouse
- Genus *Rheomys* – Water mouse
- Genus *Rhipidomys* – Climbing mouse
- Genus *Salinomys* – Delicate salt flat mouse

- Genus *Scapteromys*
- Genus *Scolomys*
- Genus *Scotinomys*
- Genus *Sigmodon* – Cotton rat
- Genus *Sigmodontomys*
- Genus *Sooretamys* – Rat-headed rice rat
- Genus *Synaptomys* – Bog lemming
- Genus *Tanyuromys*
- Genus *Tapecomys* – Primordial tapecua
- Genus *Thalpomys* – Cerrado mouse
- Genus *Thaptomys* – Blackish grass mouse
- Genus *Thomasomys* – Oldfield mouse
- Genus *Transandinomys*
- Genus *Tscherskia* – Greater long-tailed hamster
- Genus *Tylomys* – Climbing rat
- Genus *Volemys*
- Genus *Wiedomys* – Red-nosed mouse
- Genus *Wilfredomys* – Greater Wilfred's mouse
- Genus *Xenomys* – Magdalena rat
- Genus *Zygodontomys*

- **Family Muridae**

- Genus *Abditomys* – Luzon broad-toothed rat
- Genus *Abeomelomys* – Highland brush mouse
- Genus *Acomys* – Spiny mouse
- Genus *Aethomys* – Rock rat
- Genus *Ammodillus* – Ammodile
- Genus *Anisomys* – Squirrel-toothed rat
- Genus *Anonymomys* – Mindoro climbing rat
- Genus *Apodemus* – Eurasian field mouse
- Genus *Apomys* – Earthworm mice
- Genus *Archboldomys* – Shrew-mice
- Genus *Arvicanthis* – Grass rat

- Genus *Baiyankamys*
- Genus *Bandicota* – Bandicoot rat
- Genus *Batomys* – Hairy-tailed rat
- Genus *Berylmys* – White-toothed rat
- Genus *Brachiones* – Przewalski's gerbil
- Genus *Bullimus*
- Genus *Bunomys* – Hill rat
- Genus *Carpomys* – Luzon tree rat
- Genus *Chiromyscus* – Fea's tree rat
- Genus *Chiropodomys* – Pencil-tailed tree mouse
- Genus *Chiruromys*
- Genus *Chrotomys*
- Genus *Coccymys*
- Genus *Colomys* – African wading rat
- Genus *Conilurus* – Rabbit rat
- Genus *Crateromys*
- Genus *Cremnomys*
- Genus *Crossomys* – Earless water rat
- Genus *Crunomys* – Shrew-rat
- Genus *Dacnomys* – Millard's rat
- Genus *Dasymys*
- Genus *Deomys* – Link rat
- Genus *Dephomys*
- Genus *Desmodilliscus* – Pouched gerbil
- Genus *Desmodillus* – Cape short-eared gerbil
- Genus *Desmomys*
- Genus *Diomys* – Crump's mouse
- Genus *Diplothrix* – Ryukyu long-tailed giant rat
- Genus *Dipodillus*
- Genus *Echiothrix*
- Genus *Eropeplus* – Sulawesi soft-furred rat
- Genus *Gerbilliscus*

- Genus *Gerbillurus* – Hairy-footed gerbil
- Genus *Gerbillus*
- Genus *Golunda* – Indian bush rat
- Genus *Grammomys* – Thicket rat
- Genus *Hadromys*
- Genus *Haeromys* – Raneer mouse
- Genus *Hapalomys* – Marmoset rat
- Genus *Heimyscus* – African smoky mouse
- Genus *Hybomys* – Striped mouse
- Genus *Hydromys*
- Genus *Hylomyscus* – Wood mouse
- Genus *Hyomys* – White-eared giant rats
- Genus *Kadarsanomys* – Sody's tree rat
- Genus *Komodomys* – Komodo rat
- Genus *Lamottemys* – Mount Oku rat
- Genus *Leggadina*
- Genus *Leimacomys* – Togo mouse
- Genus *Lemniscomys* – Striped grass mouse
- Genus *Lenomys* – Trefoil-toothed giant rat
- Genus *Lenothrix* – Gray tree rat
- Genus *Leopoldamys* – Long-tailed giant rat
- Genus *Leporillus* – Stick-nest rat
- Genus *Leptomys*
- Genus *Limnomys* – Mountain rat
- Genus *Lophiomys* – Maned rat
- Genus *Lophuromys* – Brush-furred mouse
- Genus *Lorentzimys* – New Guinean jumping mouse
- Genus *Macruromys* – Small-toothed rat
- Genus *Madromys* – Blanford's rat
- Genus *Malacomys* – Swamp rat
- Genus *Mallomys* – Woolly rat
- Genus *Mammelomys* – Mosaic-tailed rat

- Genus *Margaretamys* – Margareta rat
- Genus *Mastacomys* – Broad-toothed mouse
- Genus *Mastomys* – Multimammate mouse
- Genus *Maxomys* – Spiny rat
- Genus *Melasmothrix* – Sulawesi shrew rat
- Genus *Melomys* – Mosaic-tailed rat
- Genus *Meriones (rodent)* – Jird
- Genus *Mesembriomys* – Tree rat
- Genus *Microdillus* – Somali pygmy gerbil
- Genus *Microhydromys* – Groove-toothed moss mouse
- Genus *Micromys*
- Genus *Millardia* – Soft-furred rat
- Genus *Mirzamys* – Moss rat
- Genus *Muriculus* – Ethiopian striped mouse
- Genus *Mus (genus)*
- Genus *Musseromys*
- Genus *Mylomys*
- Genus *Myomyscus*
- Genus *Myotomys* – Vlei rat
- Genus *Nesokia* – Short-tailed bandicoot rat
- Genus *Nesoromys* – Ceram rat
- Genus *Nilopegamys* – Ethiopian amphibious rat
- Genus *Niviventer*
- Genus *Notomys* – Hopping mouse
- Genus *Oenomys* – Rufous-nosed rat
- Genus *Otomys* – Vlei rat
- Genus *Pachyuromys* – Fat-tailed gerbil
- Genus *Palawanomys* – Palawan soft-furred mountain rat
- Genus *Papagomys*
- Genus *Parahydromys* – New Guinea waterside rat
- Genus *Paraleptomys* – water rat
- Genus *Paramelomys*

- Genus *Parotomys* – Whistling rat
- Genus *Paruromys* – Sulawesi giant rat
- Genus *Paucidentomys*
- Genus *Paulamys* – Flores long-nosed rat
- Genus *Pelomys* – Groove-toothed swamp rat
- Genus *Phloeomys* – Cloud rat
- Genus *Pithecheir* – Tree rat
- Genus *Pithecheirops*
- Genus *Pogonomelomys*
- Genus *Pogonomys*
- Genus *Praomys*
- Genus *Protochromys* – Red-bellied mosaic-tailed rat
- Genus *Psammomys*
- Genus *Pseudohydromys*
- Genus *Pseudomys*
- Genus *Rattus*
- Genus *Rhabdomys*
- Genus *Rhombomys* – Great gerbil
- Genus *Rhynchomys* – Shrewlike rat
- Genus *Saxatilomys* – Paulina's limestone rat
- Genus *Sekeetamys* – Bushy-tailed jird
- Genus *Solomys*
- Genus *Sommeromys* – Sommer's Sulawesi rat
- Genus *Srilankamys* – Ohiya rat
- Genus *Stenocephalemys*
- Genus *Stochomys* – Target rat
- Genus *Sundamys*
- Genus *Taeromys*
- Genus *Tarsomys* – Long-footed rat
- Genus *Tateomys*
- Genus *Tatera* – Indian gerbil
- Genus *Taterillus*

- Genus *Thallomys*
- Genus *Thamnomys* – Thicket rat
- Genus *Tokudaia*
- Genus *Tonkinomys* – Daovantien's limestone rat
- Genus *Tryphomys* – Luzon short-nosed rat
- Genus *Uranomys* – Rudd's mouse
- Genus *Uromys*
- Genus *Vandeleuria*
- Genus *Vernaya*
- Genus *Waiomys*
- Genus *Xenuromys* – Mimic tree rat
- Genus *Xeromys* – False water rat
- Genus *Zelotomys* – Broad-headed mouse
- Genus *Zyzomys*

- **Family Nesomyidae**

- Genus *Beamys* – Hamster-rat
- Genus *Brachytarsomys* – Antsangy
- Genus *Brachyuromys* – Short-tailed rat
- Genus *Cricetomys* – Giant pouched rat
- Genus *Delanymys* – Delany's mouse
- Genus *Dendromus* – Climbing mouse
- Genus *Dendroprionomys* – Velvet climbing mouse
- Genus *Eliurus* – Tufted-tailed rat
- Genus *Gymnuromys* – Voalavoanala
- Genus *Hypogeomys* – Malagasy giant rat
- Genus *Macrotrichomys* – Big-footed mouse
- Genus *Malacothrix* – Gerbil mouse
- Genus *Megadendromus* – Nikolaus's mouse
- Genus *Monticolomys* – Malagasy mountain mouse
- Genus *Mystromys* – White-tailed rat
- Genus *Nesomys*
- Genus *Petromyscus* – Rock mouse

- Genus *Prionomys* – Dollman's tree mouse
- Genus *Saccostomus* – Pouched mouse
- Genus *Steatomys* – Fat mouse
- **Family Platacanthomyidae**
 - Genus *Platacanthomys* – Malabar spiny dormouse
 - Genus *Typhlomys* – Chinese pygmy dormouse
- **Family Spalacidae**
 - Genus *Cannomys* – Lesser bamboo rat
 - Genus *Eospalax* – Zokor
 - Genus *Myospalax*
 - Genus *Rhizomys* – Bamboo rat
 - Genus *Spalax* – Spalax
 - Genus *Tachyoryctes*

SubOrder Sciuromorpha[edit]

- **Family Aplodontiidae**
 - Genus *Aplodontia* – Mountain beaver
- **Family Gliridae**
 - Genus *Chaetocauda* – Chinese dormouse
 - Genus *Dryomys*
 - Genus *Eliomys*
 - Genus *Glirulus* – Japanese dormouse
 - Genus *Glis* – Edible dormouse
 - Genus *Graphiurus* – African dormouse
 - Genus *Muscardinus* – Hazel dormouse
 - Genus *Myomimus* – Mouse-tailed dormouse
 - Genus *Selevinia* – Desert dormouse
- **Family Sciuridae**
 - Genus *Aeretes* – Groove-toothed flying squirrel
 - Genus *Aeromys* – Large black flying squirrel
 - Genus *Ammospermophilus* – Antelope squirrel
 - Genus *Atlantoxerus* – Barbary ground squirrel

- Genus *Belomys* – Hairy-footed flying squirrel
- Genus *Biswamoyopterus* – Namdapha flying squirrel
- Genus *Callosciurus*
- Genus *Cynomys* – Prairie dog
- Genus *Dremomys* – Red-cheeked squirrel
- Genus *Eoglaucomys* – Kashmir flying squirrel
- Genus *Epixerus*
- Genus *Eupetaurus* – Woolly flying squirrel
- Genus *Eutamias*
- Genus *Exilisciurus* – Pygmy squirrel
- Genus *Funambulus* – Palm squirrel
- Genus *Funisciurus* – African striped squirrels
- Genus *Glaucomys* – New World flying squirrel
- Genus *Glyphotes* – Sculptor squirrel
- Genus *Heliosciurus* – Sun squirrel
- Genus *Hylopetes*
- Genus *Hyosciurus* – Long-nosed squirrel
- Genus *Iomys*
- Genus *Lariscus*
- Genus *Marmota* – Marmot
- Genus *Menetes* – Berdmore's ground squirrel
- Genus *Microsciurus* – Dwarf squirrel
- Genus *Myosciurus* – African pygmy squirrel
- Genus *Nannosciurus* – Black-eared squirrel
- Genus *Neotamias*
- Genus *Notocitellus*
- Genus *Otospermophilus*
- Genus *Paraxerus* – African bush squirrel
- Genus *Petaurillus* – Pygmy flying squirrel
- Genus *Petaurista* – Giant flying squirrel
- Genus *Petinomys*
- Genus *Poliocitellus* – Franklin's ground squirrel

- Genus *Prosciurillus*
- Genus *Protoxerus* – African giant squirrel
- Genus *Pteromys* – Old World flying squirrel
- Genus *Pteromyscus* – Smoky flying squirrel
- Genus *Ratufa* – Oriental giant squirrel
- Genus *Rheithrosciurus* – Tufted ground squirrel
- Genus *Rhinosciurus* – Shrew-faced squirrel
- Genus *Rubrisciurus* – Red-bellied squirrel
- Genus *Sciurillus* – Neotropical pygmy squirrel
- Genus *Sciurotamias*
- Genus *Sciurus*
- Genus *Spermophilopsis* – Long-clawed ground squirrel
- Genus *Spermophilus*
- Genus *Sundasciurus*
- Genus *Syntheosciurus* – Bangs's mountain squirrel
- Genus *Tamias*
- Genus *Tamiasciurus* – Pine squirrel
- Genus *Tamiops* – Asiatic striped squirrel
- Genus *Troglodytes* – Complex-toothed flying squirrel
- Genus *Xerospermophilus*
- Genus *Xerus* – African ground squirrel

Scandentia[edit]

In the past, various authors proposed to place treeshrews in the ordinal rank Insectivora, or considered them close relatives of primates. Since 1972, the treeshrew families Tupaiidae and Ptilocercidae are grouped in the order Scandentia.

- **Family Ptilocercidae**

- Genus *Ptilocercus* – Pen-tailed treeshrew

- **Family Tupaiidae**

- Genus *Anathana* – Madras treeshrew
- Genus *Dendrogale* – Smooth-tailed treeshrew

- Genus *Tupaia*
- Genus *Urogale* – Mindanao treeshrew

Sirenia[edit]

- **Family Dugongidae**
 - Genus *Dugong*
- **Family Trichechidae**
 - Genus *Trichechus* – Manatee

Tubulidentata[edit]

- **Family Orycteropodidae**
 - Genus *Orycteropus* – Aardvark

الزواحف 1131 جينيرا في 84 عائلة

Subclass Anapsida[edit]

Order Testudines – turtles[edit]

- Suborder Cryptodira
 - Family Chelydridae – common snapping turtles and alligator snapping turtle
 - Family Emydidae – pond turtles and box turtles
 - Family Testudinidae – tortoises
 - Family Geoemydidae – Asian river turtles and allies
 - Family Carettochelyidae – pignose turtles
 - Family Trionychidae – softshell turtles
 - Family Dermatemydidae – river turtles
 - Family Kinosternidae – mud turtles
 - Family Cheloniidae – sea turtles
 - Family Dermochelyidae – leatherback turtles

- Suborder Pleurodira
 - Family Chelidae – Austro–American sideneck turtles
 - Family Pelomedusidae – Afro–American sideneck turtles
 - Family Podocnemididae – Madagascan big–headed turtles and American sideneck river turtles

Subclass Diapsida[edit]

Superorder Lepidosauria[edit]

Order Sphenodontia – tuataras[edit]

- Family Sphenodontidae

Order Squamata – scaled reptiles[edit]

- Family Agamidae – agamas
- Family Chamaeleonidae – chameleons
- Family Iguanidae
 - Subfamily Corytophaninae – casquehead lizard
 - Subfamily Iguaninae – iguanas
 - Subfamily Leiocephalinae
 - Subfamily Leiosaurinae
 - Subfamily Liolaeminae
 - Subfamily Oplurinae – Madagascar iguanids
- Family Crotaphytidae – collared and leopard lizards
- Family Phrynosomatidae – horned lizards
- Family Polychrotidae – anoles
- Family Hoplocercidae – wood lizards
- Family Tropiduridae – Neotropical ground lizards
- Family Gekkonidae – geckos
- Family Pygopodidae – legless lizards

- Family Dibamidae – blind lizards
- Family Cordylidae – spinytail Lizards
- Family Gerrhosauridae – plated lizards
- Family Gymnophthalmidae – spectacled lizards
- Family Teiidae – whiptails and tegus
- Family Lacertidae – Lacertids
- Family Scincidae – skinks
- Family Xantusiidae – night lizards
- Family Anguidae – glass lizards
- Family Anniellidae – American legless lizards
- Family Xenosauridae – knob-scaled lizards
- Family Helodermatidae – gila monsters
- Family Lanthanotidae – earless Monitor lizards
- Family Varanidae – monitor lizards
- Suborder Amphisbaenia
 - Family Amphisbaenidae – worm Lizards
 - Family Trogonophidae – shorthead Worm Lizards
 - Family Bipedidae – two-legged Worm Lizards

Main article: List of snake genera

- Suborder Serpentes – snakes

Infraorder Alethinophidia Nopcsa,[edit]

Family Acrochordidae – Wart snakes[edit]

-
- Genus *Acrochordus* – Java wart snakes

Family Aniliidae – American pipe snakes[edit]

-
- Genus *Anilius* 16 – American Pipe snake

Family Anomochilidae – Dwarf pipe snakes[edit]

-
- Genus *Anomochilus* 1 – Dwarf pipesnakes

Family Atractaspididae – Stiletto snakes[edit]

-
- Genus *Amblyodipsas*
- Genus *Aparallactus*
- Genus *Atractaspis* – Stiletto snakes
- Genus *Brachyophis*
- Genus *Chilorhinophis*
- Genus *Elapotinus*
- Genus *Hypoptophis*
- Genus *Macrelaps*
- Genus *Micrelaps*
- Genus *Poecilopholis*
- Genus *Polemon*
- Genus *Xenocalamus*

Family Boidae – Boas[edit]

- Subfamily Boinae Gray, – Boas

See also: List of boine species and subspecies

-
- Genus *Boa* – Boa Constrictor
- Genus *Candoia* – Bevel-nosed boas
- Genus *Corallus* – Neotropical tree boas
- Genus *Epicrates* – West Indian boas
- Genus *Eunectes* – Anacondas
- Subfamily Erycinae Bonaparte, – Old World sand boas

See also: List of erycine species and subspecies

-
- Genus *Charina* – Rosy boas, rubber boas

- Genus *Eryx* – Old World sand boas
- Genus *Gongylophis*

Family Bolyeriidae – Mauritius snakes[\[edit\]](#)

-
- Genus *Bolyeria*
- Genus *Casarea*

Family Colubridae – Colubrids[\[edit\]](#)

-
- *incertae sedis*
- Genus *Blythia*
- Genus *Cercaspis*
- Genus *Cyclocorus*
- Genus *Elapoidis*
- Genus *Gongylosoma*
- Genus *Haplocercus*
- Genus *Helophis*
- Genus *Myersophis*
- Genus *Oreocalamus*
- Genus *Poecilopholis*
- Genus *Rhabdops*
- Genus *Tetralepis*
- Genus *Thermophis*
- Genus *Trachischium*
- Subfamily Xenodermatinae
 - Genus *Achalinus*
 - Genus *Fimbrios*
 - Genus *Oxyrhabdium*
 - Genus *Stoliczka*
 - Genus *Xenodermus*
 - Genus *Xylophis*

- Genus *Pareatinae*
- Genus *Aplopeltura*
- Genus *Asthenodipsas*
- Genus *Pareas*
- Genus *Calamariinae*
- Genus *Calamaria*
- Genus *Calamorphidium*
- Genus *Collorhabdium*
- Genus *Etheridgeum*
- Genus *Macrocalamus*
- Genus *Pseudorabdion*
- Genus *Rabdion*
- Subfamily Homalopsinae – Indo–Australian water snakes
 - Genus *Bitia*
 - Genus *Cantoria*
 - Genus *Cerberus* – Dog-faced water snakes
 - Genus *Enhydris* Sonnini & Latreille, – Sino–Malayan water snakes
 - Genus *Erpeton*
 - Genus *Fordonia* – Mangrove water snakes
 - Genus *Gerarda*
 - Genus *Heurnia*
 - Genus *Homalopsis* Kuhl & Hazelt, – Puff-faced water snakes
 - Genus *Myron*
- Subfamily Homalopsinae *incertae sedis*
 - Genus *Brachyorrhos*
- Subfamily Boodontinae
 - Genus *Bothrolycus*
 - Genus *Bothrophthalmus*
 - Genus *Chamaelycus*
 - Genus *Dendrolycus*

- Genus *Dipsina*
- Genus *Dromophis*
- Genus *Gonionotophis*
- Genus *Grayia*
- Genus *Hormonotus*
- Genus *Lamprophis*
- Genus *Lycodonomorphus*
- Genus *Lycophidion*
- Genus *Macroprotodon*
- Genus *Mehelya*
- Genus *Pseudaspis*
- Genus *Pseudoboodon*
- Genus *Pythonodipsas*
- Genus *Scaphiophis*
- Subfamily Boodontinae *incertae sedis*
 - Genus *Buhoma*
 - Genus *Duberria*
 - Genus *Montaspis*
- Subfamily Pseudoxyrhopiinae
 - Genus *Alluaudina*
 - Genus *Compsophis*
 - Genus *Ditypophis*
 - Genus *Dromicodryas*
 - Genus *Exallodontophis*
 - Genus *Geodipsas*
 - Genus *Heteroliodon*
 - Genus *Ithycyphus*
 - Genus *Langaha*
 - Genus *Leioheterodon*
 - Genus *Liophidium*

- Genus *Liopholidophis*
- Genus *Lycodryas*
- Genus *Madagascarophis*
- Genus *Micropisthodon*
- Genus *Pararhadinaea*
- Genus *Brygophis*
- Genus *Pseudoxyrhopus*
- Genus *Stenophis*
- Subfamily Colubrinae
 - Genus *Aeluroglana*
 - Genus *Ahaetulla* – Asian vine snakes
 - Genus *Argyrogena*
 - Genus *Arizona* – Glossy snakes
 - Genus *Bogertophis* – Desert rat snakes
 - Genus *Boiga* – Catsnakes
 - Genus *Cemophora* – Scarlet snakes
 - Genus *Chilomeniscus* – Sand snakes
 - Genus *Chionactis* – Shovel-nosed snakes
 - Genus *Chironius*
 - Genus *Chrysopelea* – Flying tree snakes
 - Genus *Coluber* – Common racers
 - Genus *Conopsis*
 - Genus *Coronella*
 - Genus *Crotaphopeltis*
 - Genus *Cryptophidion*
 - Genus *Cyclophiops*
 - Genus *Dasypeltis* – Egg-eating snakes
 - Genus *Dendrelaphis* – Archipelago tree snakes
 - Genus *Dendrophidion*
 - Genus *Dinodon*

- Genus *Dipsadoboa*
- Genus *Dispholidus* – Boomslang
- Genus *Dolichophis*
- Genus *Dryadophis*
- Genus *Drymarchon* – Indigo snakes
- Genus *Drymobius* – Neotropical racers
- Genus *Drymoluber*
- Genus *Dryocalamus*
- Genus *Dryphiops*
- Genus *Eirenis*
- Genus *Elachistodon*
- Genus *Elaphe* – Rat snakes
- Genus *Ficimia* – Mexican hook-nosed snakes
- Genus *Gastropyxis*
- Genus *Geagras*
- Genus *Gonyophis*
- Genus *Gonyosoma*
- Genus *Gyalopion* – Hook-nosed snakes
- Genus *Hapsidophrys*
- Genus *Hemerophis*
- Genus *Hemorrhois*
- Genus *Hierophis*
- Genus *Lampropeltis* – Kingsnakes
- Genus *Leptodrymus*
- Genus *Leptophis*
- Genus *Lepturophis*
- Genus *Liopeltis*
- Genus *Lycodon*
- Genus *Lycognathophis*
- Genus *Lytorhynchus*

- Genus *Masticophis* – Racers
- Genus *Mastigodryas*
- Genus *Meizodon*
- Genus *Oligodon*
- Genus *Opheodrys* – Neotropical Green snakes
- Genus *Oxybelis* –Vine snakes
- Genus *Pantherophis*
- Genus *Philothamnus*
- Genus *Phyllorhynchus* – Leaf-nosed snakes
- Genus *Pituophis* – Bullsnares
- Genus *Platyceps*
 - Genus: *Prosymna*
- Genus *Pseudocyclophis*
- Genus *Pseudoficimia*
- Genus *Pseustes*
- Genus *Ptyas*
- Genus *Rhamnophis*
- Genus *Rhinobothryum*
- Genus *Rhinocheilus* – Long-nosed snakes
- Genus *Rhynchocalamus*
- Genus *Rhynchophis*
- Genus *Salvador* – Patch-nosed snakes
- Genus *Scaphiodontophis*
- Genus *Scolecophis*
- Genus *Senticolis* – Green ratsnakes
- Genus *Sibynophis*
- Genus *Simophis*
- Genus *Sonora* – North American ground snakes
- Genus *Spalerosophis*
- Genus *Spilotes*

- Genus *Stegonotus*
- Genus *Stenorrhina*
- Genus *Stilosoma* – Short-tailed snakes
- Genus *Symphimus*
- Genus *Sympholis*
- Genus *Tantilla* – Black-headed snakes
- Genus *Tantillita* 1
- Genus *Telescopus*
- Genus *Thelotornis* – African twig snake
- Genus *Thrasops*
- Genus *Trimorphodon* 1 – Lyre snakes
- Genus *Xenelaphis*
- Genus *Xyelodontophis*
- Subfamily Psammophiinae
 - Genus *Hemirhagerhis*
 - Genus *Malpolon*
 - Genus *Mimophis*
 - Genus *Psammophis*
 - Genus *Psammophylax*
 - Genus *Rhamphiophis*
- Subfamily Natricinae
 - Genus *Adelophis*
 - Genus *Afronatrix* Rossman & Eberle,
 - Genus *Amphiesma*
 - Genus *Amphiesmoides*
 - Genus *Anoplohydrus*
 - Genus *Aspidura*
 - Genus *Atretium* 1
 - Genus *Balanophis*
 - Genus *Clonophis* – Kirtland's snakes

- Genus *Hologerrhum*
- Genus *Hydrablades*
- Genus *Hydraethiops*
- Genus *Iguanognathus*
- Genus *Macropisthodon*
- Genus *Natrix* – Grass snake
- Genus *Nerodia* – North American water snakes
- Genus *Opisthotropis*
- Genus *Parahelicops*
- Genus *Pararhabdophis*
- Genus *Regina* – Crayfish snakes
- Genus *Rhabdophis* – Asian grass snakes
- Genus *Seminatrix* – Swamp snakes
- Genus *Sinonatrix* Rossman and Eberle,
- Genus *Storeria* – Brown-bellied snakes
- Genus *Thamnophis* – Garter snakes, ribbon snakes
- Genus *Tropidozon* – Lined snakes
- Genus *Tropidonophis*
- Genus *Virginia* – Earth snakes
- Subfamily Natricinae *incertae sedis*
 - Genus *Amplorhinus*
 - Genus *Limnophis*
 - Genus *Natriciteres*
 - Genus *Psammodynastes*
 - Genus *Xenochrophis*
- Subfamily Pseudoxenodontinae
 - Genus *Plagiopholis*
 - Genus *Pseudoxenodon*
- Subfamily Dipsadinae
 - Genus *Adelphicos*

- Genus *Amastridium* 1
- Genus *Atractus*
- Genus *Chersodromus*
- Genus *Coniophanes* Hallowell *in* Cope, – Black-striped snakes
- Genus *Cryophis* Bogert & Duellman,
- Genus *Dipsas*
- Genus *Eridiphas* Leviton & Tanner,
- Genus *Geophis*
- Genus *Hypsiglena* – Night snakes
- Genus *Imantodes*
- Genus *Leptodeira* – Cat-eyed snakes
- Genus *Ninia*
- Genus *Pliocercus*
- Genus *Pseudoleptodeira*
- Genus *Rhadinaea* – Woodland snakes
- Genus *Sibon*
- Genus *Sibynomorphus*
- Genus *Tretanorhinus*
- Genus *Trimetopon*
- Genus *Tropidodipsas*
- Genus *Urotheca*
- Subfamily Dipsadinae *incertae sedis*
 - Genus *Carphophis* – Worm snakes
 - Genus *Contia* – Sharp-tailed snakes
 - Genus *Crisantophis* 1
 - Genus *Diadophis* – Ring-necked snakes
 - Genus *Diaphorolepis*
 - Genus *Echinanthera*
 - Genus *Emmochliophis*
 - Genus *Enuliophis*

- Genus *Enulius* 1
- Genus *Hydromorphus*
- Genus *Nothopsis* 1
- Genus *Rhadinophanes* Myers & Campbell,
- Genus *Synophis*
- Genus *Taeniophallus*
- Genus *Tantalophis*
- Genus *Xenopholis*
- Subfamily Xenodontinae
 - Genus *Alsophis* – West Indian Racers
 - Genus *Antillophis*
 - Genus *Apostolepis*
 - Genus *Arrhyton* – West Indian garden snakes
 - Genus *Boiruna*
 - Genus *Clelia*
 - Genus *Conophis*
 - Genus *Darlingtonia*
 - Genus *Ditaxodon*
 - Genus *Drepanoides*
 - Genus *Elapomorphus*
 - Genus *Erythrolamprus* – Coral snake mimics
 - Genus *Farancia* – Mud snakes
 - Genus *Helicops*
 - Genus *Heterodon* Latreille in Sonnini & Latreille, – North American hog-nosed snakes
 - Genus *Hydrodynastes*
 - Genus *Hydrops*
 - Genus *Hypsirhynchus*
 - Genus *Ialtris*
 - Genus *Liophis*
 - Genus *Lystrophis*

- Genus *Manolepis*
- Genus *Oxyrhopus*
- Genus *Phalotris*
- Genus *Philodryas*
- Genus *Phimophis*
- Genus *Pseudablakes*
- Genus *Pseudoboa*
- Genus *Pseudoeryx*
- Genus *Psomophis*
- Genus *Rhachidelus*
- Genus *Saphenophis*
- Genus *Siphlophis*
- Genus *Tropidodryas*
- Genus *Umbrivaga*
- Genus *Uromacer*
- Genus *Uromacerina*
- Genus *Waglerophis*
- Genus *Xenodon*
- Genus *Xenoxobelis*
- Tribe: Tachymenini
- Genus *Calamodontophis*
- Genus *Gomesophis*
- Genus *Pseudotomodon*
- Genus *Ptychophis* 15
- Genus *Tachymenis*
- Genus *Thamnodynastes*
- Genus *Tomodon* Duméril & Bibron,
- Subfamily Xenodontinae *incertae sedis*
 - Genus *Cercophis*
 - Genus *Lioheterophis*

- Genus *Sordellina*

Family Cyliodrophiidae – Asian pipe snakes[edit]

-
- Genus *Cylindrophis* – Asian pipe snakes

Family Elapidae – Elapids[edit]

- Subfamily Elapinae F. Boie – Typical Elapids
 - Genus *Acanthophis* – Death Adders
 - Genus *Aspidelaps*
 - Genus *Aspidomorphus*
 - Genus *Austrelaps*
 - Genus *Boulengerina*
 - Genus *Bungarus* – Kraits
 - Genus *Cacophis*
 - Genus *Calliophis*
 - Genus *Demansia*
 - Genus *Dendroaspis* – Mambas
 - Genus *Denisonia*
 - Genus *Drysdalia*
 - Genus *Echiopsis*
 - Genus *Elapognathus*
 - Genus *Elapsoidea*
 - Genus *Furina*
 - Genus *Hemachatus* – Rinkhals
 - Genus *Hemiaspis* – Australian Asp
 - Genus *Hemibungarus* – Philipinne Kraits
 - Genus *Homoroselaps*
 - Genus *Hoplocephalus*
 - Genus *Leptomicrurus*
 - Genus *Loveridgelaps*

- Genus *Micropechis*
- Genus *Micruroides* – Sonoran coral snakes
- Genus *Micrurus* – American coral snakes
- Genus *Naja* – True Cobras
- Genus *Notechis* – Tiger Snakes
- Genus *Ogmodon*
- Genus *Ophiophagus* – King Cobra
- Genus *Oxyuranus* – Taipans
- Genus *Paranaja*
- Genus *Pseudechis* – Black Snakes
- Genus *Pseudohaje*
- Genus *Pseudonaja* – Brown Snakes
- Genus *Rhinoplocephalus*
- Genus *Salomonelaps*
- Genus *Simoselaps*
- Genus *Sinomicrurus* – Asian coral snakes
- Genus *Suta*
- Genus *Toxicocalamus*
- Genus *Tropidechis*
- Genus *Vermicella*
- Genus *Walterinnesia*
- Subfamily Hydrophiidae Smith, – Sea snakes
 - Genus *Acalyptophis*
 - Genus *Aipysurus*
 - Genus *Astrotia*
 - Genus *Emydocephalus*
 - Genus *Enhydrina* – Beaked sea snakes
 - Genus *Ephalophis*
 - Genus *Hydrelaps*
 - Genus *Hydrophis* – Common sea snakes

- Genus *Kerilia*
- Genus *Kolpophis*
- Genus *Lapemis*
- Genus *Laticauda* – Sea kraits
- Genus *Parahydrophis* – Northern mangrove sea snakes
- Genus *Parapistoclamus*
- Genus *Pelamis* – Yellow-bellied sea snakes
- Genus *Praescutata* 1
- Genus *Thalassophis*

Family Loxocemidae – Mexican burrowing python[edit]

-
- Genus *Loxocemus* 1 – Mexican burrowing python

Family Pythonidae – Pythons[edit]

See also: List of pythonid species and subspecies

-
- Genus *Antaresia*
- Genus *Apodora*
- Genus *Aspidites*
- Genus *Bothrochilus*
- Genus *Leiopython*
- Genus *Liasis*
- Genus *Morelia* – Pacific pythons
- Genus *Python* – Common pythons

Family Tropidophiidae Brongersma, – Dwarf boas[edit]

See also: List of tropidophiid species and subspecies

-
- Genus *Exiliboa*
- Genus *Trachyboa*
- Genus *Tropidophis* Bibron *in* Sagra, – Dwarf boas
- Genus *Ungaliophis*

Family Uropeltidae – Shield-tailed snakes[edit]

See also: List of uropeltid species and subspecies

-
- Genus *Brachyophidium* 1
- Genus *Melanophidium*
- Genus *Platyplectrurus*
- Genus *Plectrurus*
- Genus *Pseudotyphlops*
- Genus *Rhinophis*
- Genus *Teretrurus*
- Genus *Uropeltis* – Shield-tailed snakes

Family Viperidae – Vipers[edit]

- Subfamily Azemiopinae Liem, – Fea's viper
 - Genus *Azemiops* – Fea's viper
- Subfamily Causinae Cope, – Night adders
 - Genus *Causus* – Night adders
- Subfamily Crotalinae Oppel, – Pitvipers

See also: List of crotaline species and subspecies

-
- Genus *Agkistrodon* – American ground pitvipers
- Genus *Atropoides* – American jumping vipers
- Genus *Bothriechis* – American palm pitvipers
- Genus *Bothriopsis* 1 – Neotropical forest vipers
- Genus *Bothrops* – Lancehead pitvipers – synonyms, common names
- Genus *Calloselasma* – Malayan ground pitviper
- Genus *Cerrophidion* Campbell & Lamar, – American mountain pitvipers
- Genus *Crotalus* – Common rattlesnakes – synonyms, common names
- Genus *Deinagkistrodon* – Hundred-pace viper
- Genus *Gloydius* Hoge & Romano-Hoge, – Asian ground pitvipers

- Genus *Hypnale* – Humpnose vipers
- Genus *Lachesis* – Bushmasters
- Genus *Ophryacus* – Mexican horned pitvipers
- Genus *Ovophis* 1 – Asian mountain pitvipers
- Genus *Porthidium* 1 – Hognose pit vipers
- Genus *Sistrurus* – Minor rattlesnakes
- Genus *Trimeresurus* – Asian palm pitvipers – synonyms, common names
- Genus *Tropidolaemus* – Temple vipers
- Subfamily Viperinae Oppel, – Common vipers

See also: List of viperine species and subspecies

-
- Genus *Adenorhinos* – Uzungwe viper
- Genus *Atheris* – African bush vipers
- Genus *Bitis* – Giant adders
- Genus *Cerastes* – Horned vipers
- Genus *Daboia* – Russell's viper
- Genus *Echis* – Saw-scaled vipers, carpet vipers
- Genus *Eristicophis* Alcock & Finn, – McMahon's viper
- Genus *Macrovipera* – Large Palearctic vipers
- Genus *Montatheris* – Kenya mountain viper
- Genus *Proatheris* – Lowland viper
- Genus *Pseudocerastes* – False horned vipers
- Genus *Vipera* – Eurasian vipers

Family Xenopeltidae – Sunbeam snakes[\[edit\]](#)

-
- Genus *Xenopeltis*

Infraorder Scolecophidia[\[edit\]](#)

Family: Anomalepididae – Primitive blind snakes[\[edit\]](#)

See also: List of anomalepidid species and subspecies

-

-

- Genus: *Anomalepis*
 - Genus: *Helminthophis*
 - Genus: *Liotyphlops* 1
 - Genus: *Typhlophis*

Family: Leptotyphlopidae – Threadsnake[\[edit\]](#)

See also: List of leptotyphloid species and subspecies

-

-

- Genus: *Leptotyphlops* – Slender blind snakes
 - Genus: *Rhinoleptus*

Family: Typhlopidae – Typical blind snakes[\[edit\]](#)

See also: List of typhloid species and subspecies

-

-

- Genus: *Acutotyphlops*
 - Genus: *Cyclotyphlops*
 - Genus: *Ramphotyphlops* – Long-tailed blind snakes
 - Genus: *Rhinotyphlops*
 - Genus: *Typhlops* 11 – Blind snakes
 - Genus: *Xenotyphlops*

Division Archosauria[\[edit\]](#)

Superorder Crocodylomorpha

Order Crocodylia – crocodilians[\[edit\]](#)

- Suborder Eusuchia
 - Family Crocodylidae – crocodiles
 - Family Alligatoridae – alligators
 - Family Gavialidae – gharials

والمجد لله دائما